

Bowie Chandelier

This elegant organic branch emanates from a central stem and has opal glass spheres each with a line voltage LED G9 lamp.

Black, Brushed Brass or White metal finish in conjunction with opal glass, create a beautiful look for a multitude of applications creating a truly unique lighting vision.

Solid stems totaling 45" standard.

Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3".

30° sloped ceiling adapter included.

For custom stem lengths, glass color or custom finishes, consult customer service.


Model
CH280

BB brushed brass
BL black
WH white

| Color | Finish | Lamp |
|-----------|-----------|-------------|
| OP | BL | LG94 |

OP opal

LED LG94 LED G9 2.5W (42.5W Total)
3000K, 4250 Lumens



32" Ring Suspension

Elegant and Superior quality **LED Suspended Ring Fixture** with extruded aluminum body and white polycarbonate diffuser for commercial applications including offices, hotels, public areas, restaurants and hospitals.

Black or White powder coated metal finish are Standard. Brushed Brass, Bronze, Gold, Satin Nickel and Silver metal finishes are custom.

Fast and easy connect. Easy to install and replace.

LED OSRAM 2835 Chip and Flicker-free driver.

90 CRI and 3000K Color Temperature.

Suspension height 96" adjustable.

0-10V Dimming and 120-277V Input.

Dry Locations. Operating Temperature: -35°C to 45°C.

4 Year Warranty.

32" Ring Suspension

Model
CH141

3000K LED 50W Suspended, **90 CRI**,
3000K, 3800 Lumens, 120-277V,
0-10V Dimmable

| Finish | Lamp |
|-----------|--------------|
| BL | 3000K |

BL black
BB brushed brass (custom)
BZ bronze (custom)
GO gold (custom)
SI silver (custom)
SN satin nickel (custom)
WH white



39.4" Ring Suspension

Elegant and Superior quality **LED Suspended Ring Fixture** with extruded aluminum body and white polycarbonate diffuser for commercial applications including offices, hotels, public areas, restaurants and hospitals.

Black or White powder coated metal finish are Standard. Brushed Brass, Bronze, Gold, Satin Nickel and Silver metal finishes are custom.

Fast and easy connect. Easy to install and replace.

LED OSRAM 2835 Chip and Flicker-free driver.

90 CRI and 3000K Color Temperature.

Suspension height 96" adjustable.

0-10V Dimming and 120-277V Input.

Dry Locations. Operating Temperature: -35°C to 45°C.

4 Year Warranty.

39.4" Ring Suspension

Model
CH148

3000K LED 63W Suspended, **90 CRI**,
3000K, 4788 Lumens, 120-277V,
0-10V Dimmable

| Finish | Lamp |
|-----------|--------------|
| BL | 3000K |

BL black
BB brushed brass (custom)
BZ bronze (custom)
GO gold (custom)
SI silver (custom)
SN satin nickel (custom)
WH white



47.2" Ring Suspension

Elegant and Superior quality **LED Suspended Ring Fixture** with extruded aluminum body and white polycarbonate diffuser for commercial applications including offices, hotels, public areas, restaurants and hospitals.

Black or White powder coated metal finish are Standard. Brushed Brass, Bronze, Gold, Satin Nickel and Silver metal finishes are custom.

Fast and easy connect. Easy to install and replace.

LED OSRAM 2835 Chip and Flicker-free driver.

90 CRI and 3000K Color Temperature.

Suspension height 96" adjustable.

0-10V Dimming and 120-277V Input.

Dry Locations. Operating Temperature: -35°C to 45°C.

4 Year Warranty.


47.2" Ring Suspension

Model
CH149

3000K LED 75W Suspended, **90 CRI**,
3000K, 6782 Lumens, 120-277V,
0-10V Dimmable

| Finish | Lamp |
|-----------|--------------|
| BL | 3000K |

BL black
BB brushed brass (custom)
BZ bronze (custom)
GO gold (custom)
SI silver (custom)
SN satin nickel (custom)
WH white



78.7" Ring Suspension

Elegant and Superior quality **LED Suspended Ring Fixture** with extruded aluminum body and white polycarbonate diffuser for commercial applications including offices, hotels, public areas, restaurants and hospitals.

Black or White powder coated metal finish are Standard. Brushed Brass, Bronze, Gold, Satin Nickel and Silver metal finishes are custom.

Fast and easy connect. Easy to install and replace.

LED OSRAM 2835 Chip and Flicker-free driver.

90 CRI and 3000K Color Temperature.

Suspension height 96" adjustable.

0-10V Dimming and 120-277V Input.

Dry Locations. Operating Temperature: -35°C to 45°C.

4 Year Warranty.

78.7" Ring Suspension

Model
CH151

3000K LED 126W Suspended, **90 CRI**,
3000K, 11300 Lumens, 120-277V,
0-10V Dimmable

| Finish | Lamp |
|-----------|--------------|
| BL | 3000K |

BL black
BB brushed brass (custom)
BZ bronze (custom)
GO gold (custom)
SI silver (custom)
SN satin nickel (custom)
WH white



Rings Suspension

Elegant Black or Brushed Brass rings with a crystalline acrylic diffuser.

33.5" Ø Lower Ring and 42.5" Ø Upper Ring.

Dimmable with C.L/LED+ and ELV dimmers.

Model
CH142

CR clear acrylic

LED 41W Top Ring,
30W Bottom Ring

| Color | Finish | Lamp |
|-----------|-----------|------------|
| CR | BL | LED |

BB brushed brass
BL black



Hat Trick

3 Black finish Rings with Black finish metal chains.

Brushed Brass, Bronze, Gold, Silver, Satin Nickel and White are custom finishes.

(8') 96" Ø Lower Ring, (6') 72" Ø Middle Ring and (4') 48" Ø Upper Ring.

E26 Socket. Lamp not included.*

Dimming options based on lamp selection.

Model
CH905

864 8', 6', 4' Ø Rings

| Finish | Rings Size | Bulb |
|-----------|------------|------------|
| BL | 864 | MB6 |

BL black
BB brushed brass (custom)
BZ bronze (custom)
GO gold (custom)
SI silver (custom)
SN satin nickel (custom)
WH white (custom)

MB6 Medium Base
 Incandescent 60W



Blob Pendant

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed. LED G4 or Halogen G4 lamping available.

Works with Stone Lightings EZ Jack system for mono point, all low voltage systems and all low voltage multi-light canopy solutions are available to create a multitude of beautiful statements in lighting.

Standard cord length is 96". Dimmable with ELV dimmer.

| Model PD085 | | | |
|--|-----------|---------------------------|----------|
| CR clear FR frost SM smoke | | | |
| L2 LED G4 JC 2W, 110 Lumens X1 Halogen G4 10W, 120 Lumens | | | |
| Color | Finish | Lamp | Mounting |
| CR | BL | L2 | M |
| BL black | | M monopoint canopy | |
| BZ bronze | | R monorail adapter | |
| PN polished nickel | | C cable adapter | |
| SN satin nickel | | J EZ jack | |



24 Light Blob II Rectangular Chandelier

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and heights. Standard cord length is 96".

46" x 13" Rectangular canopy in Black finish.

Dimmable with ELV dimmer.

Model
CH08524

CR clear
FR frosted
SM smoke

L2 LED G4 JC 2W, 110 Lumens
X1 Halogen G4 10W, 120 Lumens

| Color | Finish | Lamp |
|-----------|-----------|-----------|
| SM | BL | L2 |

BL black
BZ bronze
PN polished nickel
SN satin nickel



Gem Pendant

Molded glass pendants in several unique shapes reminiscent of gemstones.

Standard cord length is 96".

Dimmable with ELV dimmer.

Model
PD262

BL black
BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

| Color | Finish | Lamp | Mounting |
|-----------|-----------|-----------|----------|
| CR | BL | L2 | M |

AM amber

BUCR blue clear

BUFR blue frosted

CR clear

FR frosted

SM smoke

L2 LED G4 JC 2W, 110 Lumens

L3 LED G4 JC 3W, 220 Lumens (FR only)

X3 Halogen G4 35W, 700 Lumens



14 Light Gem Chandelier

Molded glass pendants in several unique shapes reminiscent of gemstones.

Standard cord length is 96".

31" x 9" Rectangular canopy in Black finish.

Dimmable with ELV dimmer.

Model
CH26214

BL black
BZ bronze
SN satin nickel

| Color | Finish | Lamp |
|-----------|-----------|-----------|
| SM | BL | L3 |

AM amber
BU blue
CR clear
FR frosted
SM smoke

L2 LED G4 JC 2W, 110 Lumens
L3 LED G4 JC 3W, 220 Lumens
X3 Halogen G4 35W, 700 Lumens



Sync Grande Pendant

Dimpled pear shape pendant in cognac, multi color or smoke glass with an exterior metallic iris coating.

72" Black Cloth Cord.

Satin Nickel or Black hardware.

E26 Socket. Bulb not included.

Model
PD193

| Color | Finish | Lamp |
|--|---|-----------------------|
| SM | BL | E26 |
| CG cognac MC multi color SM smoke | BL black SN satin nickel | E26 E26 Socket |



Sync Pendant

Dimpled pear shape pendant in cognac, multi color or smoke glass with an exterior metallic iris coating.

72" Black Cloth Cord.

Satin Nickel or Black hardware.

E26 Socket. Bulb not included.

Model
PD192

| Color | Finish | Lamp |
|--|---|-----------------------|
| SM | BL | E26 |
| CG cognac MC multi color SM smoke | BL black SN satin nickel | E26 E26 Socket |



5 Light Sync Chandelier

Dimpled pear shape pendant in cognac, multi color or smoke glass with an exterior metallic iris coating.

72" Black Cloth Cord. 18" Round canopy in Black finish.

E26 Socket. Bulb not included.

Sync

PD192 Sync
PD193 Sync Grande

CG cognac
MC multi color
SM smoke

E26 E26 Socket

| Model | Lights | Color | Finish | Lamp |
|----------|--------|-------|--------|------|
| CH192193 | 05 | SM | BL | E26 |

05 5 lights

BL black
SN satin nickel



CRSD

8" Ø



OP

12" Ø

Venus Pendant

8" or 12" Diameter opal or clear seeded globe. Black and Satin Nickel finishes are Standard. Bronze, Gold and White finishes are Custom.


8ft Black cloth cord.

Dimming options based on lamp selection.

Pictured with Penny Lane ST64 Lamp
(<https://tinyurl.com/ST64Lamp>)

Lamp not included.

DIMENSIONS



PD030

PD031

Venus Pendant 8"

Model
PD030

CRSD clear seeded globe MB6 Medium Base
OP opal Incandescent 60W

| Color | Finish | Bulb |
|-------|--------|------|
| CRSD | BL | MB6 |

BL black
BZ bronze (custom)
GO gold (custom)
SN satin nickel
WH white (custom)


Venus Pendant 12"

Model
PD031

CRSD clear seeded globe MB6 Medium Base
OP opal Incandescent 60W

| Color | Finish | Bulb |
|-------|--------|------|
| CRSD | BL | MB6 |

BL black
BZ bronze (custom)
GO gold (custom)
SN satin nickel
WH white (custom)



Globe Suspension

Opal white glass sphere combined with solid stems in a black finish. Stems in various lengths for a custom height. Solid stems totaling 30". Ships with stems: (2 pcs.) 12", (1 pc.) 6".

Canopy may hang straight or be sloped.

Dimmable with Triac dimmer.

MB6 Lamp not included.

Model
PD710

| BL black | | |
|-----------|-----------|------------|
| Color | Finish | Lamp |
| OP | BL | MB6 |

OP opal

MB6 Medium Base
Incandescent 60W

PD528
CRBLG125CRBL

PD528
SMBLG125CRBL



Kilo Dome Retro Cord


Crystal spherical dome in Clear or Smoke glass surrounding LED Bulbs from Penny Lane Collection. Black finish with classic cloth covered in black finish.

Dimmable with Triac and ELV dimmer, not compatible with 0-10V dimming controls.

Model
PD528

CR clear

SM smoke


 **G125** LED COB G125 Bulb
3.5W, **90 CRI**, 2200K,
120 Lumens, E26

BL black


| Color | Finish | Bulb | Bulb Color | Cord |
|-----------|-----------|-------------|------------|-----------|
| CR | BL | G125 | CR | BL |
| BL black | | CR clear | | |



CH523
OPBLRTL6BBL



CH523
CRBLRTL6BBL



16"

16" Ø

Kilo Retro Cord with 3 Socket

Elegant crystal globe in Opal or Clear surrounding classic retro lamping options with Black, Bronze or Polished Nickel metal accents.

Brushed Brass, Satin Nickel and Polished Chrome are custom finishes.

Classic cloth covered in black finish.

Model
PD523


OP opal
CR clear

| Color | Finish | Lamp | Cord |
|-----------|-----------|--------------|-----------|
| OP | BL | RTL6B | BL |

BL black
BB brushed brass (custom)
BZ bronze
SN satin nickel (custom)
PC polished chrome (custom)
PN polished nickel

- LA12** LED A19 12W
- RT3A** Medium Base Retro Filament Tube 30W, 185mm
- RT6B** Medium Base Retro Filament Bulb 60W
- RTL6A** LED 6W, 185mm, T10, Clear, 500 Lumens, 2700K
- RTL6B** LED 6W, Edison ST58, Clear, 500 Lumens, 2700K

BR RD BL OR GY



Cord color options





Bronx Pendant

Suspension pendant with diffused, direct and indirect light. Metal frame powder coated rods anchored to the mount using small metal rings.

Fitted with three stainless steel suspension cables and a transparent electrical cable.

Combines unique design with functionality.

Bulb not included.

Black or White are standard finishes.

Bronze, Gold or Silver are custom finishes.

10 MOQ for custom finishes.


Model
PD260

⚡ **GM5** GU10 120V MR16 50W
⚡ **G106** GU10 LED 6W 120V,
90 CRI, 3000K

| Finish | Lamp |
|-----------|-------------|
| BL | G106 |

BL black
BZ bronze (custom)
GO gold (custom)
SI silver (custom)
WH white





Acrylic Cylinder Pendant

Polished solid acrylic cylinder, closed at bottom. Black, Polished Chrome and White finish. Gold finish is custom and lead time is longer than standard versions.

96" Cord length. Individual 4.25" canopy mounting.


Input Voltage: 120VAC.

Ships standard with Triac dimmable driver.

277V Input and 0-10V Dimming available on request.

Required driver is included with EZ Jack mounting version.

| Model PD616 | | | | |
|----------------|--------------------|--------|--|--------------------|
| CR clear | | 24 24" | | M monopoint canopy |
| | | 36 36" | | J EZ jack |
| Acrylic | Finish | Size | Lamp | Mounting |
| CR | BL | 36 | LED | M |
| | BL black | | LED LED 12W, 90 CRI, 3000K, 800 Lumens, Dimmable | |
| | GO gold | | | |
| | PC polished chrome | | | |
| | WH white | | | |







Xylo Pendant

Vintage pendant featuring recycled colored glass which elegantly hangs from a hand crafted frame.

Dimmable with ELV dimmer.

Model

PD162


AP apricot

CR clear


FR frost

RD red

WH white




RT6B Medium Base Retro Filament Bulb 60W, E26



RTL6B 6W, Edison ST58, Clear, 2700K, 500 Lumens

| Color | Finish | Lamp | Cord |
|-------|-----------|------|-----------|
| FR | BL | RT6B | BL |
| | BL black | | BL black |
| | BZ bronze | | BN brown |
| | | | GY grey |
| | | | OR orange |
| | | | RD red |

BR RD BL OR GY



Cord color options

WH



7"



FR

14" Ø

Xylo Semi Flush

Unique hand crafted luminaire composed of recycled glass. Together they create a beautiful light pattern, a work of art. Includes bottom diffuser of white acrylic.

Dimmable with ELV or Triac dimmer.

MB6 Lamps not included.

Model
CL162

BL black
BZ bronze

| Color | Finish | Lamp |
|-----------|-----------|------------|
| FR | BL | MB6 |

AP apricot
CR clear
FR frost
RD red
WH white


LA12 LED A19 4 x 12W
MB6 Medium Base
Incandescent 4 x 60W, E26



WH



FR



Xylo Wall

Unique hand crafted iron frame wall sconce with panels of thick clear and colored glass panels hanging on top edge of frame.

Together they create a beautiful light pattern, a work of art.

Dimmable with ELV or Triac dimmer.

Model
WS162

AP apricot
CR clear
FR frost
RD red
WH white

RT6B Medium Base Retro
Filament Bulb 60W, E26
RTL6B LED 6W, ST64, Clear,
2700K, 500 Lumens

| Color | Finish | Lamp |
|-----------|-----------|--------------|
| FR | BL | RTL6B |

BL black
BZ bronze



Wall projection 2.25"

Rondo Outdoor 6

Frosted crystal glass with a steel body, matte black or bronze painted finish.

Mount on wall or ceiling to standard 4" electrical box.

IP65 Wet Location Rated.

Dimmable with Triac or ELV dimmer.

Model
WO507

BL black
BZ bronze
SN satin nickel

| Color | Finish | Lamp |
|-----------|-----------|--------------|
| FR | BL | DOB12 |

FR frost

- **DOB12** LED DOB12 (Driver on Board)
120V, **90 CRI**, 3000K,
500 Lumens, Dimmable
- **DOB17** LED DOB17 (Driver on Board)
120V, **90 CRI**, 3000K,
1000 Lumens, Dimmable



8.5"

Wall projection 2.25"



11.2"

Wall projection 2.25"

Rondo Outdoor 8

Frosted crystal glass with a steel body, matte black or bronze painted finish.

Mount on wall or ceiling to standard 4" electrical box.

IP65 Wet Location Rated.

Dimmable with Triac or ELV dimmer.

Model
WO508

BL black
BZ bronze
SN satin nickel

| Color | Finish | Lamp |
|-----------|-----------|--------------|
| FR | BL | COB12 |

FR frost

COB12 LED COB 10W
(COB - Chip on Board)

Rondo Outdoor 11

Frosted crystal glass with a steel body, matte black or bronze painted finish.

Mount on wall or ceiling to standard 4" electrical box.

IP65 Wet Location Rated.

Dimmable with Triac or ELV dimmer.


Model
WO509

BL black
BZ bronze
SN satin nickel

| Color | Finish | Lamp |
|-----------|-----------|--------------|
| FR | BL | DOB24 |

FR frost

DOB24 LED DOB24
(Driver on Board)
120V, **90 CRI**, 3000K,
1100 Lumens, Dimmable



Baya Long, Short and Up

LED light acrylic panels in black or anodized aluminum finish. Fixture can be mounted horizontally or vertically.

Suitable for Damp Location.

Dimmable with ELV dimmer.

Model
WS329

AA 2 long panels

AB 1 long, 1 short panels

BB 2 short panels

AL anodized aluminum


BL black

| Panels | Color | Finish | Lamp |
|-----------|-----------|-----------|------------|
| AA | FR | BL | LED |

FR frosted

LED 2 x 3W LED Sources,
90 CRI, 3000K,
500 Lumens





Wall Sconce

3, 6, 9 or 12 Light Modern Wall Sconce.
Perforated steel in Black, Gold, Satin Nickel
or White finish. 120V Input.

Dimmable with Triac dimmer.

MB6 Lamp not included.


Model
WS243

BL black
GO gold
SN satin nickel
WH white


3 3 Lights
6 6 Lights
9 9 Lights
12 12 Lights


| Finish | Size | Lights | Lamp |
|-----------|-----------|----------|------------|
| BL | 14 | 3 | MB6 |

14 14"
28 28"
36 36"
48 48"

 **MB6** Medium Base
Incandescent 3 x 60W

Dimensions






16"

3"

Wall projection 3"

18W




24"

3"

Wall projection 3"

28W



36"

3"

Wall projection 3"

40W

Brook Wall Sconce

Perforated metal face. Open top and bottom. White acrylic diffuser.

For custom sizes, MOQ of 10 pcs.

Model
WS764

OP opal

LED LED 18W, 90 CRI, 3000K
LED LED 28W, 90 CRI, 3000K
LED LED 40W, 90 CRI, 3000K

| Acrylic | Finish | Lamp | Size |
|---------|--------|------|------|
| OP | BL | LED | 16 |

BL black
GO gold
SI silver

16 16"
24 24"
36 36"
48 48" (custom)
60 60" (custom)



Linear Wall Sconce

Brushed Brass or Black finish
linear wall sconce.

Lamps not included.

Maximum Bulb Diameter: 4.5"

4.25" Ø Canopy.

Model
WS700

BL black

BB brushed brass

E26 E26 Socket, 40W

| Color | Size | Lamp |
|-----------|-----------|------------|
| BB | 18 | E26 |

18 18"
24 24"
36 36"
48 48"

Zo Zo Up/Down Wall

Double Linear wall washing LED fixture with plated steel construction, provided with a frosted white acrylic spread diffuser.

Driver is required to be mounted into a 4.0 or larger junction box. Beam angle: 120°.

Average life: 35,000 hrs.

Dimmable with C.L/LED+ and ELV dimmers.

120-277V Input and 0-10V dimming available by special request.

Custom finishes available.


Model
WS163D

BL black
SN satin nickel

| Finish | Lamp |
|-----------|------------|
| BL | LED |

LED LED 2 x 8W (16W Total), **90CRI**,
3000K, 2000 Total Lumens,
Average life: 35,000 hrs.

DIMENSIONS



Zo Zo Wall

Linear wall washing LED fixture with plated steel construction, provided with a frosted white acrylic spread diffuser.

Driver is required to be mounted into a 4.0 or larger junction box. Beam angle: 120°.

Average life: 35,000 hrs.

Dimmable with C.L/LED+ and ELV dimmers.

120-277V Input and 0-10V dimming available by special request.

Custom finishes available.


Model
WS163

LED LED 12W, **90CRI**,
3000K, 1000 Lumens
Average life: 35,000 hrs.

| Finish | Lamp |
|-----------|------------|
| BL | LED |

BL black
BZ bronze
SB satin brass
SN satin nickel
PC polished chrome
PN polished nickel
WH white

DIMENSIONS





Block Twin Wall Long

Wall Sconce with two elongated blown opal glass shades. Black, Polished Chrome and Satin Nickel finish metal body.

Fixtures can be mounted horizontally or vertically.

Dimmable with ELV dimmer.

Model
WS015


BL black
PC polished chrome
SN satin nickel

| Glass | Finish | Lamp |
|-----------|-----------|------------|
| OP | BL | GL8 |

OP opal

GL8 LED 2G11 2 x 8W,
3000K, 800 Lumens

DIMENSIONS



MOUNTING



Note: Fixtures can be mounted
Horizontally or Vertically.



Block Wall Long

Wall Sconce with elongated blown opal glass shade.
Black, Polished Chrome and Satin Nickel finish metal body.

Fixtures can be mounted horizontally or vertically.

Dimmable with ELV dimmer.

Model
WS016


BL black
PC polished chrome
SN satin nickel

| Glass | Finish | Lamp |
|-----------|-----------|------------|
| OP | BL | GL8 |

OP opal

GL8 LED 2G11 8W,
3000K, 800 Lumens

DIMENSIONS



Wall projection 3.15"





Block Twin Wall Long (Acrylic)

Wall Sconce with two elongated white acrylic shades.
Black, Polished Chrome and Satin Nickel finish metal body.

Fixtures can be mounted horizontally or vertically.

Dimmable with ELV dimmer.

Model
WS017


BL black
PC polished chrome
SN satin nickel

| Acrylic | Finish | Lamp |
|-----------|-----------|-------------|
| AC | BL | GL12 |

AC acrylic

GL12 LED 2G11 2 x 12W,
3000K, 2400 Total Lumens

DIMENSIONS



MOUNTING



Note: Fixtures can be mounted
Horizontally or Vertically.



Block Wall Long (Acrylic)


Wall Sconce with elongated white acrylic shade.
Black, Polished Chrome and Satin Nickel finish metal body.

Fixtures can be mounted horizontally or vertically.

Dimmable with ELV dimmer.


| | | | |
|----------------|--------|--|---|
| Model WS018 | | | BL black PC polished chrome SN satin nickel |
| Acrylic | Finish | Lamp | |
| AC | BL | GL12 | |
| AC acrylic | | GL12 LED 2G11 12W, 3000K, 2000 Lumens | |

DIMENSIONS




Wall projection 3.15"






BB424 - 25



BB424 - 13



BB424 - 13



Gus Bath

Bath bar with Opal glass diffuser and Black, Gold or Polished Chrome metal finishes.


Can be mounted vertically or horizontally.

Linear DOB Modules:

- 25" version has 26W, AC LED, 3000K, **CRI 90**, 30,000 hours, 2400 lumens
- 13" version has 13W, AC LED, 3000K, **CRI 90**, 30,000 hours, 1200 lumens


Suitable for Damp Location.

Dimmable with ELV Dimmer.




Wall projection 4.5"

BB424 - 13



BB424 - 25




| | | |
|-----------------------|---------------------------|-----------|
| Model BB424 | | |
| OP opal | | |
| Color | Finish | Size |
| OP | BL | 25 |
| | BL black | |
| | GO gold | |
| | PC polished chrome | |


13 13"
25 25"

25

Front View



Back View



Weight: 14 lbs.

SPECIFICATIONS

MRRD24

24" Mirror

24" Strap height

from mirror center

14 lbs.

18 Watts

1800 lumens

3000K

90CRI

120 Volts

On/Off/Dimmer


on face of mirror



STRAP COLOR
Dark Brown (BR)



STRAP COLOR
Black (BL)



24" Madeleine Illuminated Round LED Mirror

Metal frame in black or brushed brass finish.

24" Hanging height from the center of the mirror to wall peg.
Wall peg included with 23" power cord and plug.

LED light is diffused behind frosted outer edge of mirror.

Touch-sensitive dimmer features a red indicator light when power supply is connected, blue indicator light when LED source is in use. Touch and hold to dim light source.

Do not connect to a secondary dimmer.

Mirror

MRRD24 LED Illuminated Mirror 24" Ø




BL black
BR brown

| Model | Finish | Strap Color | Lamping |
|---------------|-----------|-------------|------------|
| MRRD24 | BL | BL | LED |

BL black
SB satin brass

LED LED 18W, 120V, **90CRI**, 3000K, 1800 Lumens





Weight: 20 lbs.

31" Madeleine Illuminated Round LED Mirror

Metal frame in black or brushed brass finish.

30" Hanging height from the center of the mirror to wall peg.
Wall peg included with 23" power cord and plug.

LED light is diffused behind frosted outer edge of mirror.

Touch-sensitive dimmer features a red indicator light when power supply is connected, blue indicator light when LED source is in use. Touch and hold to dim light source.

Do not connect to a secondary dimmer.

| | | | | |
|--------|---|--|-------------|---|
| Mirror | MRRD31 LED Illuminated Mirror 31"Ø | | | |
| | Model | Finish | Strap Color | Lamping |
| | MRRD24 | BL | BL | LED |
| | | BL black SB satin brass | | LED LED 24W, 120V, 90CRI , 3000K, 2400 Lumens |

SPECIFICATIONS

MRRD31

31" Mirror
30" Strap height from mirror center
20 lbs.

24 Watts
2400 lumens
3000K

90CRI

120 Volts
On/Off/Dimmer on face of mirror

STRAP COLOR
Dark Brown (BR)

STRAP COLOR
Black (BL)

