



WELCOME TO STONE LIGHTING

For more than half a century, we at Stone Lighting have built our business by focusing on mutual respect, high quality products, and exceptional customer service.

The Stone Family is steeped in lighting tradition that began for our family with our patriarch, Jack R. Stone, 75 years ago. The tradition continued with his son, Ron Stone, and his formation of LBL Lighting in 1971. Adam and Andy Stone quickly acquired their father's enthusiasm for lighting and were integral in both sales and design at LBL Lighting. Since its inception, the company grew into one of the most respected and successful decorative lighting companies which culminated in its acquisition by Generation Brands in 2005.

In 2010, we formed Stone Lighting, LLC. We are proud to build our business on trusting friendships between our family, co-workers and valued customers. The positive net effect of these relationships has led to the highest quality products and exceptional customer service. We work with European artisans to create unique organic designs from raw elements, Venetian glass and the finest cut crystal. We pride ourselves in our superior metal plating, finishing and brass turning.

Our newest publication of Catalog 45 is filled with innovative and inspirational lighting creations. Our ability to combine unique decorative elements from the world over embodies our passion for the industry we love. Currently, we are a recognized leader in the lighting industry and a premier lighting resource for hospitality design, high-end and multi-unit residential, national account and commercial decorative markets. If your lighting vision is not within our 500 page publication, please inquire with our office or your local rep. We are highly qualified to customize or modify to satisfy your specific desires.

Please enjoy our biggest and best expression, to date, of what Stone Lighting has to offer.

Our customers are of the highest priority and the reason we come to work each and every day.

Sincerely,
The Stone Family

STONELIGHTING.NET



PRODUCT SECTIONS



Light fixtures and lighting systems by Stone Lighting bear the ETL mark, giving assurance that the products are compliant with safety standards, having been tested and certified by Intertek, a nationally recognized testing laboratory.

	EZ Jack Pages 4-7
	Low Voltage Pendants Pages 8-119
	Line Voltage Pendants Pages 120-185
	Suspension Pages 186-207
	Chandeliers Pages 208-247
	Ceiling Collection Pages 248-283
	Wall Collection Pages 284-389
	Cable Light Pages 390-403
	Monorail Pages 404-423
	Wall Monorail Pages 424-435
	Low Voltage Swivel Heads Pages 436-451
	Outdoors Wall Pages 452-479
	Step Lighting Pages 480-485



The EZ jack system represents exactly as it sounds. Simply choose any of our canopies or adapters that have a female jack port and simply plug in any male jack compatible element to create your lighting solution.

A summary of all compatible EZ jack pendants, heads or canopies choices can be found within the next pages.



CH53613SISNX3
(1) CPEJR13SNHAL
(13) PD536SISNX3J
Kurly Pendant



EZ Jack Canopies



Consult factory for custom powder coat finish options.



Shown:
(2) CH53605SISNX3
includes
(2) CPEJRN5HAL
(10) PD536SISNX3J
Kurly Pendant



Low Voltage Pendants

Stone Lighting prides itself on being at the cutting edge of glass and innovative design. We offer brilliant and unique patterns that consist of the finest elements in the lighting industry.

- Standard coaxial cord length is 96" on all pendants.
- Lamps are provided.
- 0-10V dimming and 277V available upon request.

Consult customer service for all custom requests.





Blob Pendant

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed.

Shown:
(3) PD085CRSNL2M
Blob Pendant



Blob Pendant

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed. LED G4 or Halogen G4 lamping available.

Works with Stone Lightings EZ Jack system for mono point, all low voltage systems and all low voltage multi-light canopy solutions are available to create a multitude of beautiful statements in lighting.

Model
PD085

Color	Finish	Lamp	Mounting
CR	SN	L2	M

L2 LED G4 JC 2W, 110 Lumens
X1 Halogen G4 10W, 120 Lumens

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Gracie

Pristine leaded crystal glass spheres. Offered in three finishes: cognac, perfectly clear crystal and also with frosted interior lamp compartment.

Unfrosted spheres throw an impressive clarity and glow, while frosted version softly diffuses lamp holder and lamp image while still offering a beautifully clear crystal sphere.

Dimmable with ELV dimmer.

Model
PD091

Color	CR	Finish	SN	Lamp	L2	Mounting	M
CG				L2	LED G4 JC 2W, 110 Lumens		
				X2	Halogen G4 20W, 350 Lumens		
BZ						M	monopoint canopy
PN						R	monorail adapter
SN						C	cable adapter
						J	EZ jack

Model
PD092

Color	FR	Finish	SN	Lamp	L2	Mounting	M
FR				L2	LED G4 JC 2W, 110 Lumens		
				X2	Halogen G4 20W, 350 Lumens		
BZ						M	monopoint canopy
PN						R	monorail adapter
SN						C	cable adapter
						J	EZ jack



CG

CR

FR

3"

3.5"



Shown:
CH09113CRSNX2
includes
(1) CPEJRN13SNHAL
(13) PD091CRSNX2J
Gracie Pendant



Shown:
CH09122CRPNL2
includes
(1) CPEJRN22SPN36LED
(22) PD091CRPNL2J
Gracie Pendant



Shown: CH09305CRWHX2
includes (1) CPEJRN5WHHAL
(5) PD093CRWHX2J
Gracie White Pendant



Gracie White

This spectacular addition to our Gracie collection is exciting. We now offer our coaxial cable with a PVC white coating to allow this fixture to be a true white pendant, including all the hardware.

All other Stone Lighting canopies can be power coated in white to achieve our Gracie white in other configurations. Consult the factory for details.

Dimmable with ELV dimmer.

Model
PD093

CG cognac
CR clear
FR frosted

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color	Finish	Lamp	Mounting
CR	WH	L2	M

WH white

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
CH093100FRWHL2
includes
(4) CPEJSQ25WHLED
(100) PD093FRWHL2J
Gracie White Pendant



Shown:
CH65405SAMSNL2
includes (1) CPSRRN5SN7.5LED
(5) PD654AMSNL2J Ambra Pendant



Shown:
CH65405SAMSNL2
includes
(2) CPSRRN5SN7.5LED
(5) PD654AMSNL2J
Ambra Pendant



Ambra

Double envelope unique textured
italian glass pendant.

Dimmable with ELV dimmer.

Model
PD654

AM amber

Color	Finish	Lamp	Mounting
AM	SN	L3	M

BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

4.35"

Latte

Double envelope unique textured
italian glass pendant.

Dimmable with ELV dimmer.

Model
PD655

LT latte

Color	Finish	Lamp	Mounting
LT	SN	L3	M

BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

4.35"



Shown:
CH65505SLTSNL2
includes
(1) CPSRRN5SN7.5LED
(5) PD655LTSLN2J
Latte Pendant



Shown:
CH654AM655LT14BZL2
includes (1) CPEJRT14BZLED
(7) PD654AMBZL2J Ambra Pendant
(7) PD655LTBZL2J Latte Pendant

Shown:
CH26210AMFRSNL2
includes
(1) CPEJRT14SNLED
(5) PD262AMSNL2J
Gem Pendant in Amber
(5) PD262FRSNL2J
Gem Pendant in Frost



Gem Pendant

Molded glass pendants in several unique shapes reminiscent of gemstones.

Dimmable with ELV dimmer.

Model
PD262

AM amber
CR clear
FR frosted

L2 LED G4 JC 2W, 110 Lumens

Color	Finish	Lamp	Mounting
AM	SN	L2	M

BZ bronze
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Shown:
(3) PD340AMPCLEDM
Kristallo Pendant



Kristallo

Crystal molded glass offered in clear or light amber with a dichroic accent.

Dimmable with ELV dimmer.

Model
PD340

AM amber-dichroic
coating
CR clear

LED COB 7W, 90 CRI, 3000K, 700 Lumens

Color	Finish	Lamp	Mounting
AM	PC	LED	M

PC polished chrome

M monopoint canopy

J EZ jack



This fixture is available for monopoint or multi-canopy installations only.



Shown:
CH25425514CRBZL2
includes
(1) CPEJRT14BZLED
(7) PD254CRBZL2J
Stilo Crystal Pendant
Small in Clear
(7) PD255CRBZL2J
Stilo Crystal Pendant
Large in Clear



Faceted tipped crystal rod
with random bubbles.

Dimmable with ELV dimmer.

Stilo
Crystal



CR clear
CG cognac
L2 LED G4 JC 2W, 110 Lumens

Models	Color	Finish	Lamp	Mounting
PD254	CR	PN	L2	M

PD254 small
PD255 large

BZ bronze
PN polished nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
CH25425513CRPNL2

includes

(1) CPEJRN13PNLED

(7) PD254CRPNL2J

Stilo Crystal Pendant Small in Clear

(6) PD255CRPNL2J

Stilo Crystal Pendant Large in Clear



Shown:
CH25425514CGBZL2

include

(1) CPEJRT14BZLED

(7) PD254CGBZL2J

Stilo Crystal Pendant

Small in Cognac

(7) PD255CGBZL2J

Stilo Crystal Pendant

Large in Cognac



Cumulus Pendant

Stunning pendant creates illuminating clouds throughout the clear crystal glass.

Each piece is unique in appearance.
This fixture is suspending by our SVT cord,
and requires a transformer, which is included.

Adjustable height suspension by SVT cord.
Dimmable with ELV dimmer.

Model
PD420

CR-FR	clear-frosted	LED MR16 6W, 420 Lumens
Color	Finish	Lamp
CR-FR	SN	D6
SN satin nickel		Mounting
PC polished chrome		M monopoint canopy
		J EZ jack



This fixture is available for monopoint
or multi-canopy installations only.



Shown:
CH25814CRFRPNL2
include
(1) CPEJRT14PNLED
(7) PD258CRPNL2J
Flo Pendant in Clear
(7) PD258FRPNL2J
Flo Pendant in Frosted



Flo Pendant

Lustrous glass with flowing rigid patterns, available in clear or frost.

Dimmable with ELV dimmer

Model
PD258

CR clear
FR frosted

Color
FR

Finish
PN

Lamp
L2

Mounting
M

L2 LED G4 JC 2W, 110 Lumens
X1 Halogen G4 10W, 120 Lumens

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Glacier Pendant
Piastra venetian handmade cylinders of glass
with an integrated LED lightsource.

Model
PD325

Color
CR

Finish
PC

Lamp
LED

Mounting
J

PC polished chrome
SN satin nickel

M monopoint canopy
J EZ jack



This fixture is available for monopoint
or multi-canopy installations only.



Shown:
(3) PD251CHPCLED
Mosaic in Champagne



Mosaic Pendant

Handmade italian piastra
glass cylinder.

Model
PD251

CH champagne
SI silver

LED 5W, 90 CRI, 3000K

Color	Finish	Lamp	Mounting
-------	--------	------	----------

CH	PC	LED	M
----	----	-----	---

PC polished chrome	SN satin nickel		
--------------------	-----------------	--	--

M monopoint canopy
J EZ jack



This fixture is available for monopoint
or multi-canopy installations only.



Shown:
(6) PD218AMSND6M
Rocker Pendant
in Amber



Rocker

Double envelope unique textured
italian glass pendant.

Krypto

Double envelope unique textured
italian glass pendant.

Model
PD217

AM amber
BU blue
CR clear

↳ D6 LED MR16 6W, 420 Lumens
↳ M3 Halogen MR16 35W, 1600 Lumens

Color CR	Finish SN	Lamp M3	Mounting M
--------------------	---------------------	-------------------	----------------------

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model
PD218

AM amber
BU blue
CR clear

↳ D6 LED MR16 6W, 420 Lumens
↳ M3 Halogen 35W, 1600 Lumens

Color CR	Finish PN	Lamp D6	Mounting M
--------------------	---------------------	-------------------	----------------------

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack







Shown:
 (1) CH10607SDSNLED
 includes
 (1) CPEJRN7SNLED
 (7) PD106SDSNLED3J
 Moxie Pendant



Moxie Pendant

Satin nickel metal encases LED diode that beautifully illuminates a bulbous blown glass available in dichroic, clear or seedy glass. Non-Dimmable.

Model
PD106

Color	Finish	Lamp	Mounting
CR	SN	LED3	M
CR clear	SN	LED3	M
DC dichroic			
SD seedy			

LED3 COB 3W, 90 CRI, 3000K, 270 Lumens

This fixture is available for monopoint or multi-canopy installations only.



Shown:
CH11007CRSNX2
includes
(1) CPEJRN7SNHAL
(7) PD110CRSNX2J
Dew Drop Pendant



Dew Drop

Transparent Murano glass pendant imbued with delicate crystal clear glass droplets dripping down and around glass.

Dimmable with ELV dimmer.



Model
PD110

AM amber	L2 LED G4 JC 2W, 110 Lumens		
CR clear	X2 Halogen G4 20W, 350 Lumens		
Color	Finish	Lamp	Mounting
CR	SN	X2	M
BZ bronze			M monopoint canopy
PN polished nickel			R monorail adapter
SN satin nickel			C cable adapter
			J EZ jack





Loma Pendant

Exquisite crystal glass in amber or clear with complimentary finish options.

Dimmable with ELV dimmer.

Model
PD975

AM amber
CR clear

L2 LED G4 JC 2W, 110 Lumens

Color	Finish	Lamp	Mounting
CR	PN	L2	M

BB brushed brass
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Marquis Pendant

Elegant cut crystal dimmable low voltage pendant. A beautiful decorative application in large multi-light chandeliers as well as smaller but impactful applications, with many possibilities in between.

Model
PD978



Color CR	Finish PN	Lamp L2	Mounting M
BZ bronze			M monopoint canopy
PN polished nickel			R monorail adapter
SN satin nickel			C cable adapter

L2 LED G4 JC 2W, 110 Lumens
 X1 Halogen G4 10W, 120 Lumens

J EZ jack



Jazz Crystal

LED illuminated octagonal Swarovski Crystal Pendants.

Model
PD223

Color CR*	Finish PC	Lamp LED	Mounting M
---------------------	---------------------	--------------------	----------------------

PC polished chrome

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



* For any of the colored Swarovski crystals shown, indicate your choice and consult factory for availability and pricing.



Shown:
(4) PD223ABPCLED
Jazz Crystal Pendant
in Prismatic




Jazz Crystal

LED illuminated octagonal Swarovski Crystal Pendants.


Model PD223	CR clear CR*	LED 2.8W Linear 3000K PC	Mounting M
		PC polished chrome	M monopoint canopy R monorail adapter C cable adapter J EZ jack

Custom Jazz Pendants

Clear crystals can be combined with colored crystals to create beautiful crystal palettes. It is recommended to order 50% clear with darker crystal fixtures to allow greater light output and illumination of the crystals.



* For any of the colored Swarovski crystals shown, indicate your choice and consult factory for availability and pricing.



Shown:
(3) PD632CRSNL2M
Alicia Crystal Pendant



Alicia Crystal

Crystal clear handworked Austrian
leaded crystal in linear ridged flute shape.

Dimmable with ELV dimmer.

Model
PD632

CR clear

Color
CR

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 lumens

Finish
SN

Lamp
L2

Mounting
M

PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



2"





Shown:
(3) PD154CRSNM5M
Kitchen Pendant



Kitchen

Crystal clear glass cylinder and MR16 make an elegant statement.

Dimmable with ELV dimmer.

Kitchen Doppio

Crystal clear outer glass with frosted inner glass pendant.

Dimmable with ELV dimmer.

Model
PD154

CR clear

Color
CR

Finish
SN

Lamp
M5

Mounting
M

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** MR16 Halogen 50W, 2200 Lumens

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model
PD175

↳ **L3** LED G4 JC 3W, 220 Lumens
↳ **X3** Halogen G4 35W, 700 Lumens

Color
CR-FR

Finish
SN

Lamp
X3

Mounting
M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Kurly

Artistically crafted brass and copper spheres.

Ordered as gold, the fixture is created with silver at the core, surrounded with gold.

Ordered as silver, the fixture is created with gold at the core, surrounded with silver.

The alternating finishes compliment each other to create dimensional pieces.

Dimmable with ELV dimmer.

Model
PD536

GO gold	L3 LED G4 JC 3W, 220 Lumens		
SI silver	X3 Halogen G4 35W, 700 Lumens		
Color	Finish	Lamp	Mounting
SI	SN	L3	M
BZ bronze			M monopoint canopy
PG polished gold			R monorail adapter
PN polished nickel			C cable adapter
SN satin nickel			J EZ jack





Shown:
(5) PD537SISNL3M
Coil Short in Silver

Coil Long



9.75"

3"

Coil Long

Solid brass and copper bands stacked and combined creatively into a long thin cylinder.

Dimmable with ELV dimmer.

Model
PD533

GO gold
SI silver

↳ L3 LED G4 JC 3W, 220 Lumens
↳ X3 Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
GO	BZ	L3	M

BZ bronze	L3 monopoint canopy
PG polished gold	R monorail adapter
PN polished nickel	C cable adapter
SN satin nickel	J EZ jack



Coil Short



Coil Short

Solid brass and copper bands stacked and combined creatively into a short wide cylinder.

Dimmable with ELV dimmer.

Model
PD537

GO gold
SI silver

↳ L3 LED G4 JC 3W, 220 Lumens
↳ X3 Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
SI	SN	L3	M

BZ bronze	L3 monopoint canopy
PG polished gold	R monorail adapter
PN polished nickel	C cable adapter
SN satin nickel	J EZ jack





Shown:
(2) PD323FRPCLED
Frosted Jazz Downlighter
Pendant



Frosted Jazz Downlighter

Dimmable LED MR16 light
effective down lighting source.

Model
PD323

FR frosted			
Color	Finish	Lamp	Mounting
FR	PC	D6	M

PC polished chrome

M monopoint canopy
J EZ jack



This fixture is available for monopoint
or multi-canopy installations only.



Shown:
(5) PD323RDPCD6M Jazz Downlighter in Red



Jazz Downlighter

Colored crystal beads illuminated by our MR16, providing a beautifully colored array of down-light.

Dimmable with ELV dimmer.

Model
PD323

◀ **D6** LED MR16 6W, 420 Lumens

Color	Finish	Lamp	Mounting
GO	PC	D6	M
BU blue	PC polished chrome		
CR clear			
GO gold			
GR green			
RD red			
	M monopoint canopy		
	J EZ jack		




This fixture is available for monopoint
or multi-canopy installations only.

Shown:
PD661CRPCLED
3 Light Shimmer



36" L x 3" W
square plate 4"x4"



Each ring is 12" Ø



Shimmer

Dazzling strands of crystal complemented by polished chrome accents to create a shimmering effect.

Model PD661 3 Light Rectangular


LED LED 27W ring light,
90 CRI, 3000K

Color	Finish	Lamp
CR	PC	LED
PC polished chrome		



Shown:
PD663CRPCLED
5 Light Shimmer

Shown:
PD662CRPCLED
3 Light Shimmer





Onyx Cylinder

Genuine onyx and marble mosaic cylinders.

Dimmable with ELV dimmer.

Model
PD132

MBMS marble mosaic
ONMS onyx mosaic
ON onyx

L3 LED G4 JC 3W, 220 Lumens
X2 Halogen G4 20W, 350 Lumens

Color	Finish	Lamp	Mounting
ON	SN	L2	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack






Ridge Crystal

Pristine handworked Austrian pure leaded crystal.

Dimmable with ELV dimmer.

Model	PD043		
AM amber	L2 LED G4 JC 2W, 110 Lumens		
CG cognac	N3 MR11 Halogen 35W, 150 Lumens		
CR clear	X2 Halogen G4 20W, 350 Lumens		
Color	Finish	Lamp	Mounting
CR	SN	X2	M
BZ bronze	M	monopoint canopy	
PN polished nickel		monorail adapter	
SN satin nickel		cable adapter	
J EZ jack			



CG



Domi

Pristine handworked Austrian pure leaded crystal.

Dimmable with ELV dimmer.

Model	PD451		
CR clear	L2 LED G4 JC 2W, 110 Lumens		
Color	Finish	Lamp	Mounting
CR	SN	L2	M
BZ bronze	M	monopoint canopy	
PN polished nickel		monorail adapter	
SN satin nickel		cable adapter	
J EZ jack			





Gauss

Simplistic cylindrical cased opal fixture with swirl pattern.

Dimmable with ELV dimmer.

Model
PD186

OP opal
Color Finish Lamp Mounting
OP **SN** **L3** **M**

L3 LED G4 JC 3W, 220 Lumens
X5 Halogen G6.35 50W, 1100 Lumens

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Tyme Crystal

Beautiful Austrian crystal which creates a radiant glowing effect.

Dimmable with ELV dimmer.

Model
PD063

L2 LED G4 JC 2W, 110 Lumens
N3 MR11 Halogen 35W, 150 Lumens
X2 Halogen G4 20W, 350 Lumens

Color Finish Lamp Mounting
CG **SN** **X2** **M**

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
(4) PD134CRSNX3M
Crystal Cube Pendant



Model
PD222

CR clear	Finish	Lamp	Mounting
CR	SN	X3	M
BZ bronze PN polished nickel SN satin nickel			M monopoint canopy R monorail adapter C cable adapter J EZ jack

Rectangle

Model
PD134

CR clear	Finish	Lamp	Mounting
CR	SN	X3	M
BZ bronze PN polished nickel SN satin nickel			M monopoint canopy R monorail adapter C cable adapter J EZ jack

Cube

Model
PD221

CR clear	Finish	Lamp	Mounting
CR	SN	X3	M
BZ bronze PN polished nickel SN satin nickel			M monopoint canopy R monorail adapter C cable adapter J EZ jack

Cylinder



CR clear	Finish	Lamp	Mounting
CR	SN	X3	M
BZ bronze PN polished nickel SN satin nickel			M monopoint canopy R monorail adapter C cable adapter J EZ jack

Crystal

Pristine crystal cut and polished glass pendants.

Dimmable with ELV dimmer.





Shown:
(5) PD183CRPNL2R
Cirrus Pendant



Model
PD183

Crystal inner diffuser with crystal clear outer swirl optic diffuser.

Dimmable with ELV dimmer.

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color	Finish	Lamp	Mounting
CR	PN	L2	M

PN polished nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





AM



CR



9"

OP

**Stalactite**

Mouth blown Murano glass with crystalline tip.

Dimmable with ELV dimmer.

**Model
PD151****AM amber
BU blue
CR clear
OP opal****L3 LED G4 JC 3W, 220 Lumens (amber, opal)
N3 MR11 Halogen 35W, 1600 Lumens (clear only)
X3 Halogen G4 35W, 700 Lumens (amber, opal)**

Color	Finish	Lamp	Mounting
CR	SN	X3	M

**BZ bronze
PN polished nickel
SN satin nickel****M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack**

20"



2.5"

Ice

Mouth blown Murano crystal clear glass carefully acid etched for lamp diffusion.

Dimmable with ELV dimmer.

**Model
PD105****CR clear****L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens**

Color	Finish	Lamp	Mounting
CR	SN	L2	M

**BZ bronze
PN polished nickel
SN satin nickel****M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack**



Leena Pendant

Mouth blown amber or clear scoop glass with satin nickel metal accents.

Dimmable with ELV dimmer.

Model
PD529

AM amber
CR clear

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens


Color	Finish	Lamp	Mounting
AM	SN	L2	M
SN satin nickel			

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Shown:
(2) PD181PCM3M
Mercury Falling Pendant



Mercury Falling

Chrome ball chain in varied lengths.

Dimmable with ELV dimmer.

Model
PD181

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M3** MR16 Halogen 35W, 1600 Lumens

Finish	Lamp	Mounting
PC	M3	M

PC polished chrome

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack





Shown:
(3) PD531SISNL3M
Spaga Pendant



Spaga

Artistically created using copper and brass elements resulting in a uniquely crafted fixture.

Dimmable with ELV dimmer.

Model
PD531

Color GO	Finish BZ	Lamp L3	Mounting M
BZ bronze	PG polished gold	L3 LED G4 JC 3W, 220 Lumens	
PN polished nickel	SN satin nickel	X3 Halogen G4 35W, 700 Lumens	



This fixture is available for monopoint or multi-canopy installations only.



Shown:
CH53907SILED
includes
(1) CPEJRN7SNLED
(7) PD539SILEDJ
Mode LED Cylinder
Pendant



Shown:
CH53907WHLED
includes
(1) CPEJRN7WHLED
(7) PD539WHLEDJ
Mode LED Cylinder
Pendant



Lenox

Classic duplex cased opal glass.

Dimmable with ELV dimmer.

Model
PD172

OP opal

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
OP	PN	L2	M

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZjack

Nautilus

Beautiful Murano blown glass with inlaid genuine silver and gold flakes and unique swirl optic.

Model
PD111

BU blue
MO mocha
OP opal

D6 LED MR16 6W, 420 Lumens
L2 LED G4 JC 2W, 110 Lumens
M3 MR16 Halogen 35W, 1600 Lumens
X3 Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
MO	SN	L2	M

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Shown:
(2) PD185OPSNL3M
Java Pendants in Opal



Java

Cased blown glass
with swirl optic.

Dimmable with ELV dimmer.

Model
PD185

AM amber
MO mocha
OP opal

↳ L3 LED G4 JC 3W, 220 Lumens
↳ X3 Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
AM	SN	L3	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ Jack





Milano

Alluring Murano glass fused with a millefiore technique. Each piece is a work of art and vary slightly in appearance.

Dimmable with ELV dimmer.

Model
PD128

AM amber
MO mocha
OP opal

LED G4 JC 3W, 220 Lumens
Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
MO	SN	L3	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Duomo Action

Simplistic solid metal shade which can be used in any application.

Dimmable with ELV dimmer.

Model
PD201

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M3** MR16 Halogen 35W, 1600 Lumens

Finish	Lamp	Mounting
SN	D6	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Vitrea Action

Simplistic glass pendant with beautiful metal accents.

Dimmable with ELV dimmer.

Model
PD202

AM amber
CR clear
FR frost

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M3** MR16 Halogen 35W, 1600 Lumens

Color	Finish	Lamp	Mounting
AM	PN	M3	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Iris Action

Beautifully made frit glass imbued with an iris coating which creates a metallic appearance.

Dimmable with ELV dimmer.

Model
PD206

Color	Finish	Lamp	Mounting
TO	SN	D6	M
BZ bronze	PN polished nickel		
	SN satin nickel		

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M3** MR16 Halogen 35W, 1600 Lumens

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Shown:
(3) PD206TOPND6M
Iris Action Pendants





Optics

Mouth blown transparent glass spheres with internal optics that create an elegant glass distortion.

Dimmable with ELV dimmer.

Model
PD116

AM amber
BU blue
CR clear

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M3** MR16 Halogen 35W, 1600 Lumens

Color AM	Finish SN	Lamp M3	Mounting M
--------------------	---------------------	-------------------	----------------------

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Shown:
CH17707OPSNL2
includes
(1) CPEJRN7SNLED
(7) PD177OPSNL2J
Optics Fizz Pendant



Optics Fizz

Mouth blown frosted glass spheres.
Dimmable with ELV dimmer.

Model
PD177

AM amber
BU blue
OP opal

↳ **L2** LED G4 JC 2W, 110 Lumens
↳ **X3** Halogen G4 35W, 700 Lumens

Color	Finish	Lamp	Mounting
OP	SN	L2	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
(4) PD207RESNL2M
Spectra Pendant



Spectra

Beautiful reflective
dichroic glass shade.

Dimmable with ELV dimmer.

Model
PD207

RE reflex

Color
RE

Finish
PN

Lamp
L2

Mounting
M

L2 LED G4 JC 2W, 110 Lumens
M3 MR16 Halogen 35W, 1600 Lumens
X3 Halogen G4 35W, 700 Lumens

PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





LOW VOLTAGE MULTILIGHT CANOPIES

NOTE: This section shows standard and custom canopies offered by Stone Lighting. Modification of size, finish, and or port positions may be customized. Consult factory.

CPEJRN2(FINISH)(HAL, LED)
EZ JACK | 1 Lite Canopy
FINISH | SN
LAMP | HAL, LED
DIMENSIONS | 2.75" Round

CPEJRN1(FINISH)(HAL, LED)
EZ JACK | 1 Lite Canopy
FINISH | BL, BZ, PC, PN, SN, WH
LAMP | HAL, LED
DIMENSIONS | 4" Round

CPEJRN3(FINISH)(HAL, LED)
EZ JACK | 1 Lite Canopy
FINISH | BZ, PC, PN, SN
LAMP | HAL, LED
DIMENSIONS | 4" Round









CPEJSQ1(FINISH)(HAL, LED)
EZ JACK | 1 Lite Canopy
FINISH | BZ, PC, PN, SN
LAMP | HAL, LED
DIMENSIONS | 4" Round

CPEJRN3(FINISH)(HAL, LED)
EZ JACK | 3 Lite Canopy
FINISH | BZ, PC, PN, SN, WH
LAMP | HAL, LED
DIMENSIONS | 12" Round

CPEJRN5(FINISH)(HAL, LED)
EZ JACK | 5 Lite Canopy
FINISH | BZ, PN, SN, WH
LAMP | HAL, LED
DIMENSIONS | 18" Round

CPEJRN7(FINISH)(HAL, LED)
EZ JACK | 7 Lite Canopy
FINISH | BZ, PC, PN, SN, WH
LAMP | HAL, LED
DIMENSIONS | 20" Round



CPEJRN13(FINISH)(HAL, LED)
EZ JACK | 13 Lite Canopy
FINISH | BZ, PC, PN, SN, WH
LAMP | HAL, LED
DIMENSIONS | 20" Round





LOW VOLTAGE MULTILIGHT CANOPIES

NOTE: This section shows standard and custom canopies offered by Stone Lighting.
Modification of size, finish, and or port positions may be customized. Consult factory.



CPEJRN36(FINISH)32(HAL, LED)
EZ JACK | 36 Lite Canopy
FINISH | PN, SN
LAMP | HAL, LED
DIMENSIONS | 32" Round





CPEJRN13(FINISH)24(HAL, LED)
EZ JACK | 13 Lite Canopy
FINISH | PN, SN
LAMP | HAL, LED
DIMENSIONS | 24" Round



CPEJRN22(FINISH)36(HAL, LED)
EZ JACK | 22 Lite Canopy
FINISH | PN, SN
LAMP | HAL, LED
DIMENSIONS | 36" Round




CPEJRN22S(FINISH)36(HAL, LED)
EZ JACK | Spiral 22 Lite Canopy
FINISH | PN, SN
LAMP | HAL, LED
DIMENSIONS | 36" Round




LOW VOLTAGE MULTILIGHT CANOPIES

NOTE: This section shows standard and custom canopies offered by Stone Lighting.
Modification of size, finish, and or port positions may be customized. Consult factory.


CPSRRN3(FINISH)(HAL, LED)
STRAIN RELIEF | 3 Lite Canopy
FINISH | BZ, PN, SN
LAMP | HAL, LED
DIMENSIONS | 7.5" Round





CPSRRN5(FINISH)(HAL, LED)
STRAIN RELIEF | 5 Lite Canopy
FINISH | BZ, PN, SN
LAMP | HAL, LED
DIMENSIONS | 7.5" Round





CPSRRN7(FINISH)(HAL, LED)
STRAIN RELIEF | 7 Lite Canopy
FINISH | BZ, PN, SN
LAMP | HAL, LED
DIMENSIONS | 7.5" Round





CPEJSQ25(FINISH)(HAL, LED)
EZ JACK | 25 Lite Canopy
FINISH | BZ, PC, PN, SN, WH
LAMP | HAL, LED
DIMENSIONS | 24" Square



CPEJRT10(FINISH)1831(HAL, LED)
EZ JACK | 10 Lite Canopy
FINISH | PN, SN
LAMP | HAL, LED
DIMENSIONS | 18" x 31" Rectangular



CPEJRT20(FINISH)1831(HAL, LED)
EZ JACK | 20 Lite Canopy
FINISH | PN, SN
LAMP | HAL, LED
DIMENSIONS | 18" x 31" Rectangular




**LOW VOLTAGE
MULTILIGHT
CANOPIES**

NOTE: This section shows standard and custom canopies offered by Stone Lighting.
Modification of size, finish, and or port positions may be customized. Consult factory.


CPEJRT3(FINISH)(HAL, LED)

EZ JACK 3 Lite Canopy
FINISH PC, SN
LAMP HAL, LED
DIMENSIONS 9"x 31" Rectangular




CPEJRT14(FINISH)(HAL, LED)

EZ JACK 14 Lite Canopy
FINISH PC, PN, SN
LAMP HAL, LED
DIMENSIONS 9"x 31" Rectangular





CPEJRT24(FINISH)1346(HAL, LED)

EZ JACK 24 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 13"x 46" Rectangular



CPEJRT24(FINISH)1846(HAL, LED)

EZ JACK 24 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 18"x 46" Rectangular



Shown:
CH10605DCSNLED
includes
(2) CPEJRN5SNLED
(10) PD106DCSNLED3J
Moxie Pendant



Shown:
(2) PD257BRRT6BM
Moby Pendant in Black



Line Voltage Pendants

Larger scale cased glass and crystal pendants. Compact Fluorescent, LED and Incandescent lamp choices offer perfect solutions for restaurants, residential and hospitality settings.

Many fixtures can be produced in custom finishes. Consult factory for details.





Shown:
(3) PD457CRBBRT4FM
Geos Pendant in Aged
Brushed Brass



Geos Pendant

Elegant faceted cut crystal spheres, lamped with either vintage LED or incandescent lamping. These beautiful pendants will enrich any residential or hospitality application.

Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3".

For custom stem lengths, consult customer service.

Dimmable with Triac dimmer.

Model
PD457

CR clear

Color
CR

Finish
BB

Lamp
RT4F

Mounting
M

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26

RTL4F 4W, 100mm, T10, E26



BB aged brushed brass

BZ bronze

SN satin nickel

M monopoint canopy





Shown: (3) PD568CRBBRT6BM Volk Pendant
in Satin Nickel with Satin Nickel Accents



Volk Pendant

Large scale pristine polished crystal shade and vintage LED or incandescent lamps create these uniquely styled and beautiful pendants.



Shown:
(3) PD568CRBBRT6BM
Volk Pendant in Aged
Brushed Brass with
Bronze Accents



Volk Pendant

Large scale pristine polished crystal shade and vintage LED or incandescent lamps create these uniquely styled and beautiful pendants.

Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3".

For custom stem lengths, consult customer service.

Dimmable with Triac dimmer.

Model
PD568

CR clear

Color	Finish	Lamp	Mounting
CR	BB	RT6B	M

RT6B Medium Base Retro
Filament Bulb 60W
RTL6B 6W, Edison ST58, Clear,
2700K, 500 Lumens

M monopoint canopy

BB aged brushed brass
with bronze accents
BZ aged bronze with
aged bronze accents
SN satin nickel with
satin nickel accents





Kaner Pendant

Elegance and Industrial flare are combined with the Kaner pendant. Pristine polished crystal and vintage LED or incandescent lamps create these uniquely styled and beautiful pendants.



Kaner Pendant

Elegance and Industrial flare are combined with the Kaner pendant. Pristine polished crystal and vintage LED or incandescent lamps create these uniquely styled and beautiful pendants. Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3".

For custom stem lengths, consult customer service.

Dimmable with Triac dimmer.

Model
PD566

CR clear

Color	Finish	Lamp	Mounting
CR	BZ	RT4F	M
BZ aged bronze with brushed brass interior shade			M monopoint canopy
SN satin nickel with satin nickel interior shade			



RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26
RTL4F 4W, 100mm, T10, E26

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26
RTL4F 4W, 100mm, T10, E26



Shown:
(3) PD326CRSNRTL8CM
Firenze in Satin Nickel



Firenze

Murano Piastra textured cylinder pendants created with clear glass, which includes a warm lamp giving a colorful glowing effect.

Dimmable with Triac dimmer.

Model
PD326

CR clear

Color
CR

Finish
SN

Lamp
RTL8C

Mounting
M

RT6C Medium Base Retro Filament Tube 60W, 300mm
RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens

BB brushed brass
BZ bronze
SN satin nickel

M monopoint canopy





Shown: (5) PD327SBRT3AM
(3) PD327SBRTL8CM



Firenze Vintage

Modern concept pendant with vintage hardware, available in several LED or incandescent options.

Dimmable with Triac dimmer.

Model
PD327

- **RT3A** Medium Base Retro Filament Tube 30W, 185mm
- **RT6B** Medium Base Retro Filament Bulb 60W
- **RT6C** Medium Base Retro Filament Tube 60W, 300mm
- **RTL6A** 6W, 185mm, Clear, T10, 2700K, 500 Lumens
- **RTL6B** 6W, Edison ST58, Clear, 2700K, 500 Lumens
- **RTL8C** 8W, 300mm, Clear, T10, 2700K, 700 Lumens

Finish	Lamp	Mounting
SN	RT6C	M

BL black
BZ bronze
SB satin brass
SN satin nickel

M monopoint canopy





Shown:
(1) PD257BRRT6CM
Stretch Pendant in Brass
(1) PD256BKRT6BM
Moby Pendant in Black



Shown:
(1) PD257BRRT6CM
Stretch Pendant in Brass

Shown:
(2) PD256BRRT6BM
Moby Pendant in Black



Stretch Pendant

Elongated solid copper wire pendant that captures the essence of the classic retro bulbs, creating interesting shadow patterns on surrounding surfaces. 96" black textile cord.

Dimmable with Triac dimmer.

Model
PD257

- RT6C Medium Base Retro Filament Tube 60W, E26
- RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens, E26

Color	Lamp	Mounting
BR	RT6C	M

BR brass
BK black



Moby

Elegant solid copper wire pendant resembling a cage creating interesting patterns on surrounding surfaces. 96" black textile cord.

Dimmable with Triac dimmer.

Model
PD256

- RT6B Medium Base Retro Filament Bulb 60W, E26
- RTL6B 6W, Edison ST58, Clear, 2700K, 500 Lumens

Color	Lamp	Mounting
BK	RT6B	M

BK brass
BK black



Shown:
(1) PD248RMRTL6BM
Slice in Raw Metal



Slice

Two dimensional slices are laser cut from raw sheet metal forming these stunning, industrial era shades.

Steel is electrophoretically coated to prevent rusting.
96" Black textile cord.

Dimmable with Triac Dimmer.

Model
PD248

RT6B Medium Base Retro Filament Bulb 60W, Clear, E26
RTL6B 6W, Edison ST64, Clear, 2700K, 500 Lumens, E26

Finish	Lamp	Mounting
RM RM raw metal	RT6B	M M monopoint canopy





Shown:
(3) PD249WHGORT6BM
Aluminia Pendant
in White



Aluminia

Anodized satin gold interior with a matte painted exterior. The black fixture ships with black cloth cord and the white fixture ships with white cloth cord.

Dimmable with Triac dimmer.

Model
PD249

BL	black	LA10 LED A19 10W		
Color	Finish	Lamp	Mounting	
BL	GO	LA10	M	GO gold

M monopoint canopy





Shown:
(3) PD335MBLE12L5M
Spin Pendant in Matte Black



Spin

Elegant spun aluminum cone shaped pendant. The black fixture ships with satin brass accents and the white fixture ships with satin nickel accents.

Dimmable with Triac dimmer.

Model
PD335

MBL matte black
MWH matte white

M monopoint canopy

Color
MWH

Lamp
E12L5

Mounting
M

↳ **E124** Incandescent 3 x 40W Teardrop, E12 (Lamps not included)

↳ **E12L5** LED 3 x 5W Teardrop, E12 (Lamps is included)



Shown: (4) PD650CROPBBLG5, (2) PD651CROPBBLG5



Morph

Unique organic crystal glass spheres with clear and opal white glass combined.

Dimmable with ELV dimmer.

Morph

Models	Color	Finish	Lamp
PD650	CR-OP	SN	LG5
PD650 morph 8"			ETL LISTED
PD651 morph 12"			BB brushed brass SN satin nickel





CH65065107CROPBBL
(1)CPLVRN7BB
(3)PD651CROPBBLG5
12" Morph in Clear Opal
(4)PD650CROPBBLG5
8" Morph in Clear Opal



CH65065105CROPBBL
(1)CPLVRN5BB
(2)PD651CROPBBLG5
12" Morph in Clear Opal
(3)PD650CROPBBLG5
8" Morph in Clear Opal



Shown:
CH56003CKBZL
includes
(1) CPLVRN3BZ
(3) PD560CKBZRTL4F
Crackle Globes
Pendant



5.5" Crackle Globe

Beautiful glass globe pendants
in a crackle finish providing
a softening glow.

SN finish ships with clear cord.
BZ finish ships with black cord.

Model
PD560

CK crackle glass
Glass **CK** Finish **SN** Lamp **RT4F**
RT4F Medium Base Retro
Filament Tube 40W, 100mm
RTL4F 4W, 100mm


BZ bronze
SN satin nickel







DIMENSIONS



Xylo Pendant

Vintage pendant featuring recycled colored glass which elegantly hangs from a hand crafted frame.

Dimmable with ELV dimmer.

Model
PD162

AM amber
 CR clear
 RD red

Color
AM

Finish
BZ

Lamp
RT6B


Cord
BL

BZ bronze

RT6B Medium Base Retro
 Filament Bulb 60W, E26

RTL6B 6W, Edison ST58, Clear,
 2700K, 500 Lumens

BL black
 BN brown
 GY grey
 OR orange
 RD red



Kurly

Extraordinary curled brass and copper spheres. The polished gold version has an inner silver sphere and the silver version has an inner gold sphere. The alternate finishes compliment the integrity of the design.

PG and BZ finishes ship standard with black cord.
SN and PN finishes ship standard with clear cord.

Dimmable with Triac dimmer.

Model PD536			
GO gold			G940 G9 40W, 120V
SI silver			LG95 LED G9 5W
Color	Finish	Lamp	Mounting
GO	PG	LG95	M
BZ bronze PG polished gold PN polished nickel SN satin nickel			
M monopoint canopy			



6.75"



CH53607SIPNL
(1) CPLVRN7PN
(7) PD536SIPNLG95
Kurly LED Pendant



CH53605SIPNL
(1) CPLVRN5PN
(5) PD536SIPNLG95
Kurly LED Pendant



CH53603SIPNL
(1) CPLVRN3PN
(3) PD536SIPNLG95
Kurly LED Pendant



Shown:
CH53303GOBZL
includes
(1) CPLVRN3BZ
(3) PD533GOBZLG95
Coil Long LED



Coil Long Pendant

Solid brass and copper bands stacked and combined creatively into a long thin cylinder.

Dimmable with Triac dimmer.

Model
PD533

GO gold
SI silver

G940 G9 40W, 120V
LG95 LED G9 5W

Color	Finish	Lamp	Mounting
SI	SN	LG95	M

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel

M monopoint canopy



Coil Short

Solid brass and copper bands stacked and combined creatively into a short wide cylinder.

Dimmable with Triac dimmer.

Model
PD537

GO gold
SI silver

G940 G9 40W, 120V
LG95 LED G9 5W, 120V

Color
GO

Finish
PG

Lamp
LG95

Mounting
M

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel

M monopoint canopy



Shown:
(3) PD531GOBZLG95M
Spaga Pendant in Gold



Shown:
(3) PD537SIPNLG95M
Coil Short Pendant in Silver

Spaga

Visually Artistic, each shade uniquely combined into a creation of tight curves and squiggles.

Dimmable with Triac dimmer.

Model
PD531

GO gold
SI silver

G940 G9 40W, 120V
LG95 LED G9 5W, 120V

Color
SI

Finish
SN

Lamp
LG95

Mounting
M

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel

M monopoint canopy





Shown:
(3) PD241OPSNLED20
Regis Pendant



Regis Pendant

Elegant simple cased opale
glass cylinder pendant.

Dimmable with ELV dimmer.

Model
PD240

OP opal LED20 LED 22W, 95 CRI,
3000K, 1800 Lumens

Color OP	Finish SN	Lamp LED20
--------------------	---------------------	----------------------

SN satin nickel

Model
PD241

OP opal LED20 LED 22W, 95 CRI,
3000K, 1800 Lumens

Color OP	Finish SN	Lamp LED20
--------------------	---------------------	----------------------

SN satin nickel



22"

18"



Retro Edison Style Lamp

Antique style socket with classic A-Lamp.

Dimmable with Triac dimmer.



Cord color options



Dim Sum

Antique style socket and shade with classic A-Lamp.

Dimmable with Triac dimmer.

Model
PD157B

LA12 LED A19 12W
RT6B Medium Base Retro Filament Bulb 60W
RTL6B 6W, Edison ST58, 2700K, 500 Lumens

Finish	Lamp	Mounting
PN	RT6B	M

M monopoint canopy

BZ bronze
PN polished nickel
SN satin nickel

Model
PD227

RT6B Medium Base Retro Filament Bulb 60W
RTL6B 6W, Edison ST58, 2700K, 500 Lumens

Finish	Lamp	Mounting
BZ	RT6B	M

M monopoint canopy

BZ bronze
PN polished nickel
SN satin nickel

Retro Cylinder

Vintage retro lamp with cased opal glass offered in many options.

Dimmable with Triac dimmer.

Model
PD179

AM
CR

PD302

RT6B Medium Base Retro Filament Bulb 60W
RTL6B 6W, Edison ST58, 2700K, 500 Lumens

CR
SN
RT6B

BZ bronze
PN polished nickel
SN satin nickel

Retro Tubular Long

Antique style long tubular lamp and socket. Braided cord.

Dimmable with Triac dimmer.

Model
PD302

PN

RT6C

BL

LA12 LED A19 12W
RT6C Medium Base Retro Filament Tube 60W
RTL8C 8W, 300mm, T10, 2700K, 700 Lumens

BL
BR
GY
OR
RD

BZ bronze
PN polished nickel
SN satin nickel

Retro Tubular Style Lamp

Antique style tubular lamp and socket.

Dimmable with Triac dimmer.

Model
PD157A

PN

RT3A

M

LA12 LED A19 12W
RT3A Medium Base Retro Filament Tube 30W, 185mm

BN
PN
SN

BZ bronze
PN polished nickel
SN satin nickel





Shown:
CHRETRO25BZRD
includes:
(1) CPLVSQ25BZ
(15) PD302BZRD
Retro Tubular Long Pendant
(10) PD300BZRD
Retro Tubular Pendant



Shown:
CHRETRO13BZRD
includes:
(1) CPLVRN13BZ
(8) PD302BZRD
Retro Tubular Long Pendant
(5) PD301BZRD
Retro Edison Pendant



PD699

Bare Socket

Simple socket on cord. Variety of Edison retro incandescent and LED lamps available. Dimmable with Triac dimmer.



Cord color options

Model
PD699

- LA12 LED A19 12W
- RT3A Medium Base Retro Filament Tube 30W, 185mm
- RT6B Medium Base Retro Filament Bulb 60W
- RT6C Medium Base Retro Filament Tube 60W
- RTL6A 6W, 185mm, Clear, T10, 2700K, 500 Lumens
- RTL6B 6W, Clear, Edison ST58, 2700K, 500 Lumens
- RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens

Finish	Lamp	Cord
SN	RT6C	GY
BL black	BL black	
BZ bronze	BR brown	
SN satin nickel	GY grey	
	OR orange	
	RD red	

Soho Square

Square steel mesh shade with classic A-lamp and socket. Braided cord. Dimmable with Triac dimmer.

Model
PD315

BZ bronze SN satin nickel	BZ bronze SI silver	
Finish	Lamp	Mesh
BZ	RT6B	BZ
RT6B Medium Base Retro Filament Bulb 60W		BL black
RTL6B 6W, Edison ST58, 2700K, 500 Lumens		BR brown
		GY grey
		OR orange
		RD red



PD300

PD301

PD300

PD301

PD311

Retro Kitchen Tubular

Crystal clear glass cylinder and classic tubular lamp and socket. Braided cord. Dimmable with Triac dimmer.

Model
PD310

- RT3A Medium Base Retro Filament Tube 30W, 185mm
- RTL6A 6W, 185mm, T10, 2700K, 500 Lumens

Finish	Lamp	Cord
PN	RT3A	RD
BZ bronze		
PN polished nickel		
SN satin nickel		
	BL black	
	BR brown	
	GY grey	
	OR orange	
	RD red	

Retro Cylinder II

Vintage retro lamp with cased opal glass offered in many options. Braided cord. Dimmable with Triac dimmer.

Model
PD311

- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, 2700K, 500 Lumens

Glass	Finish	Lamp	Cord
CR	SN	RT6B	RD
BZ bronze			
PN polished nickel			
SN satin nickel			
	BL black		
	BR brown		
	GY grey		
	OR orange		
	RD red		

Retro Tubular II

Antique style tubular lamp and socket. Dimmable with Triac dimmer.

Model
PD300

- LA12 LED A19 12W
- RT3A Medium Base Retro Filament Tube 30W, 185mm

Finish	Lamp	Cord
PN	RT3A	BL
BZ bronze		
PN polished nickel		
SN satin nickel		
	BL black	
	BR brown	
	GY grey	
	OR orange	
	RD red	

Retro Edison II


Antique style socket with classic A-Lamp. Braided cord. Dimmable with Triac dimmer.

Model
PD301

- LA12 LED A19 12W
- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, 2700K, 500 Lumens

Finish	Lamp	Cord
PN	RT6B	BR
BZ bronze		
PN polished nickel		
SN satin nickel		
	BL black	
	BR brown	
	GY grey	
	OR orange	
	RD red	






Shown:
CH31105OPSNRD
includes
(1) CPLVRN5SN
(5) PD311OPSNRD
Retro Cylinder II



Shown:
CH30107BZBR
includes
(1) CPLVRN7BZ
(7) PD301BZBR
Retro Edison II



Shown:
CH31105CRSNRDL
includes
(1) CPLVRN5SN
(5) PD311CRSNRTL6BRD
Retro Cylinder II



Shown:
CH31013SNRD
includes
(1) CPLVRN13SN
(7) PD310SNRD
Retro Kitchen Tubular





Shown:
(7) PD430BBRT3A
Tubular Pendant



— 5" —



Tubular Pendant

Each design is a unique compilation of Retro 300mm Tubular lamps that lay around the perimeter of each fixture, each unlit and acts as a design element and diffuser.

In the center of each fixture is a 185mm retro tubular lamp that acts as the light source.


Dimmable with Triac dimmer.

Model
PD430

BB	brushed brass
Finish	Lamp
BB	RT3A

RT3A Medium Base Retro
Filament Tube 40W,
185mm

DIMENSIONS





Java

Cased blown glass with swirl optic.

Dimmable with Triac dimmer.

MB6 Lamp not included.

Model
PD185

AM amber
MO mocha
OP opal

LA10 LED A19 10W
LA12 LED A19 12W
MB6 Medium Base Incandescent 60W

Color	Finish	Lamp	Mounting
AM	SN	LA10	M

BZ bronze
SN satin nickel
M monopoint canopy





Shown: (1) PD182RDSNMB6M Belle Grande in Red

Belle Grande

Large scale glass Murano pendant.
Comprised of a amber, opale and red frits.

Dimmable with Triac dimmer.
(excluding CF version)

MB6 Lamp not included.

Model
PD182

AM amber
OP opal
RD red

LA10 LED A19 10W
MB6 Medium Base Incandescent 60W
CF18 Compact Fluorescent GU24 18W

Color	Finish	Lamp	Mounting
RD	SN	LA10	M

BZ bronze
PN polished nickel
SN satin nickel



Gauss

Large cased opale cylinder with swirl optic.

Dimmable with Triac dimmer.
(excludes CF versions)

MB6 Lamp not included.

Model
PD186

OP opal

LA12 LED A19 12W
MB6 Medium Base Incandescent 60W
CF26 Compact Fluorescent GU24 26W

Color	Finish	Lamp	Mounting
OP	SN	LA12	M

BZ bronze
PN polished nickel
SN satin nickel



Maui

Cased blown glass pendants.
Dimmable with Triac dimmer.
(excludes CF versions)

MB6 Lamp not included.

Model
PD153

AP apricot
BU blue
OP opal

LA10 LED A19 10W
MB6 Medium Base Incandescent 60W
CF26 Compact Fluorescent GU24 26W

Color	Finish	Lamp	Mounting
AP	BL	LA10	M

BL black

M monopoint canopy

Shown:
(3) PD153APBLA10M
Maui in Apricot





Swirl Grande

Beautiful Murano blown glass with swirl optic pattern.

Dimmable with Triac dimmer.
(excludes CF version)

MB6 Lamp not included.

Model
PD167

LV lava
OP opal
RD red

LA10 LED A19 10W
MB6 Medium Base Incandescent 60W
CF18 Compact Fluorescent GU24 18W

Color	Finish	Lamp	Mounting
LV	SN	LA10	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy

Muna

Large opale glass with subdued dichroic coating.

Dimmable with Triac dimmer.
(excludes CF version)

MB6 Lamp not included.

Model
PD191

OP opal

LA10 LED A19 10W
MB6 Medium Base Incandescent 60W
CF13 Compact Fluorescent GU24 13W

Color	Finish	Lamp	Mounting
OP	SN	LA10	M

BZ bronze
SN satin nickel





Schoolhouse

Classic shaped fixture offered in clear or opal with polished chrome hardware. Supplied with 3 stems: (2) 12" and (1) 6".

MB6 Lamp not included.

Model PD540

PC polished chrome

Color	Finish	Lamp
CR	PC	RT6B

CR clear
OP opal

- CF13 Compact Fluorescent GU24 1x13W
- CF26 Compact Fluorescent GU24 1x26W
- LA10 LED A19 10W
- MB6 Medium Base Incandescent 60W
- RT6B Medium Base Retro Filament Bulb 60W



Acorn Crystal

Pristine optical quality cut crystal pendant.

Dimmable with Triac dimmer.

Model PD190

G940 G9 40W, 120V
LG95 LED G9 5W

Color	Finish	Lamp	Mounting
CR	PN	G940	M

PN polished nickel M monopoint canopy



5.5"

4.75"






LINE VOLTAGE MULTILIGHT CANOPIES

NOTE: This section shows standard and custom canopies offered by Stone Lighting. Modification of size, finish, and or port positions may be customized. Consult factory.


CPLVRN1(FINISH)
PORTS | 1 Lite Canopy
FINISH | BZ, PC, PG, PN, SN, WH
DIMENSIONS | 4" Round




CPLVRN3(FINISH)
PORTS | 3 Lite Canopy
FINISH | BZ, PC, PN, SN
DIMENSIONS | 12" Round




CPLVRN5(FINISH)
PORTS | 5 Lite Canopy
FINISH | BB, BZ, PC, PN, SN
DIMENSIONS | 18" Round





CPLVRN7(FINISH)
PORTS | 7 Lite Canopy
FINISH | BB, BZ, PC, PN, SN
DIMENSIONS | 20" Round



CPLVRN13(FINISH)
PORTS | 13 Lite Canopy
FINISH | BB, BZ, PC, PN, SN
DIMENSIONS | 20" Round



CPLVSQ25(FINISH)
PORTS | 25 Lite Canopy
FINISH | BZ, PC, PN, SN
DIMENSIONS | 24" Square





Suspension


From minimal and modern to organic and eclectic, our suspension fixtures offer a wide array of ideal larger architectural solutions.

Our stylish LED designs are perfect for hotels, offices, retail, residential, and restaurant applications.





Shown:
(1) CH140WHLED43
Kenny Chandelier



Kenny Suspension

Ultra-thin profile (1/2") solid aluminum construction with mini textured white paint finish.

43" Luminous downlight + seemless 4.5" up each side.

LED light is diffused by acrylic.

Model
CH140

LED 32W LED, 3000K, IP20
1100 Lumens

Finish	Lamp	Length
WH WH white	LED	43 43 43 inches

Shown:
(1) CH142CRBLED
Rings Suspension



Rings Suspension

Elegant brushed brass rings with a crystalline acrylic diffuser.

Model
CH142

BB brushed brass

Color	Finish	Lamp
CR	BB	LED

CR clear acrylic

LED 41W Top Ring, 30W Bottom Ring





Laterna

Beautiful smoked blown glass with a light metallic coating. Center luminous cylinder with a downlight component. Brushed brass metal accents.

Dimmable with Triac dimmer.

Model
PD360

BB brushed brass

Color	Finish	Lamp
SM	BB	RTL6A

AM amber

RT3A Medium Base Retro Filament Tube 30W, 185mm

SM smoke colored

RTL6A 6W, 185mm, T10, 2700K, 500 Lumens





Max Pendant

Unique metallized amber and metallized blue/grey oblong glass globes.
Line voltage incandescent or LED retro tubular lamps.
Dimmable.

Model
PD330

- RT3A Medium Base Retro Filament Tube 30W, 185mm
- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, Clear, 2700K, 500 Lumens
- RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens

Color-Finish Lamp
AM-BB **RT3A**

AM-BB amber-brushed brass
GY-BL grey-black

Model
PD331

- RT3A Medium Base Retro Filament Tube 30W, 185mm
- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, Clear, 2700K, 500 Lumens
- RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens

Color-Finish Lamp
GY-BL **RT3A**

AM-BB amber-brushed brass
GY-BL grey-black



Model
PD332

- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, Clear, 2700K, 500 Lumens
- RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens

Color-Finish Lamp
AM-BB **RT3A**

AM-BB amber-brushed brass
GY-BL grey-black

Shown:
(2) CH520CRPNRT6B
Kilo Chandeliers



Kilo Retro with Chain

Elegant crystal globe surrounding classic retro lamping options with polished nickel, bronze or brushed brass metal accents.

36" of chain provided.

Model
CH520

BB brushed brass
BZ bronze
PN polished nickel

Color
CR
CR clear

Finish
PN
PN

Lamp
RT3A

RT3A Medium Base Retro Filament Tube 30W, 185mm
RT6B Medium Base Retro Filament Bulb 60W
RTL6A 6W, 185mm, T10, Clear, 500 Lumens, 2700K
RTL6B 6W, Edison ST58, Clear, 500 Lumens, 2700K





Shown:
(1) CH510OPSMB4
Pompeii Suspension



Pompeii Suspension

Elegant large scale opal-white acrylic shade bowl.

MB4 Lamps not included.

Model
CH510

OP opal

Color
OP

Finish
SN

Lamp
MB4

SN satin nickel

LA10 LED A19 10W
LA12 LED A19 12W
MB4 Medium Base
Incandescent 3 x 40W





Cloud Suspension

Donut shaped satin cased opal glass suspension luminaire.
Griplock cable height adjustable.

3 medium based sockets for incandescent or dimmable 24W LED

MB4 Lamps not included.

Model
CH525

OP	opal	OP	Color	PC	Finish	Lamp
OP	PC	PC	polished chrome	MB4		

● **DOB24** LED DOB24 (DOB-Driver on Board)
90 CRI, 3000K, 1600 Lumens, Dimmable

↳ **MB4** Medium Base Incandescent 3x40W

PC polished chrome





Shown:
(1) CH526OPPCDOB24
Cloud II Suspension



Cloud II Suspension

Elliptical shaped satin cased opal glass suspension luminaire. Griplock cable height adjustable.

Model
CH526

OP opal

● **DOB24** LED DOB24 (DOB-Driver on Board)
90 CRI, 3000K, 1600 Lumens, Dimmable

Color

OP

Finish

PC

Lamp

DOB24

PC polished chrome





22" Ø

Kurly 7

Artistically crafted brass and copper spheres. Ordered as gold, the fixture is created with silver at the core, surrounded with gold.

Ordered as silver, the fixture is created with gold at the core, surrounded with silver.

Model
CS536

BZ bronze
PN polished nickel
SN satin nickel
WH white

Color	Finish	Lamp
GO	SN	L2
GO gold	SN silver	X1 Halogen G4 10W, 120 Lumens L2 LED G4 JC 2W, 110 Lumens





Cluster 7

Cluster 7 is a low voltage chandelier of 7 LED pendants that geometrically form an elegant grouping of any coaxial pendant that Stone Lighting offers. Cluster 7 canopy comes in three power supply options: X1, L2.

Dimmable with ELV dimmer.



Steps

- Choose your Cluster 7 Canopy.
- Choose ANY low voltage coaxial pendant, we recommend round glass.

Model
CPCLUST7

↳ X1 Halogen G4 10W, 120 Lumens
↳ L2 LED G4 JC 2W, 110 Lumens

Finish	Lamp
SN	L2

BZ bronze
PN polished nickel
SN satin nickel
WH white



CS218



CS111

Ring to
achieve
this look
included

Model
CS218

↳ X1 Halogen G4 10W, 120 Lumens
↳ L2 LED G4 JC 2W, 110 Lumens

Color	Finish	Lamp
AM	SN	L2

BZ bronze
PN polished nickel
SN satin nickel
WH white

Model
CS111

↳ X1 Halogen G4 10W, 120 Lumens
↳ L2 LED G4 JC 2W, 110 Lumens

Color	Finish	Lamp
OP	SN	L2

ETL LISTED
LV lava
MO mocha
OP opal
RD red
BZ bronze
PN polished nickel
SN satin nickel
WH white

Model
CS092


↳ X1 Halogen G4 10W, 120 Lumens
↳ L2 LED G4 JC 2W, 110 Lumens

Color	Finish	Lamp
CR	SN	L2

BZ bronze
PN polished nickel
SN satin nickel
WH white



CS092



Shown:
CH25425514CGBZL2
include
(1) CPEJRT14BZLED
(7) PD254CGBZL2J
Stilo Crystal Pendant
Small in Cognac
(7) PD255CGBZL2J
Stilo Crystal Pendant
Large in Cognac



Chandeliers

Stone Lighting chandeliers shine with a unique elegance in many residential and hospitality applications.

Unlimited design possibilities are enabled by our extensive range of multi light canopies. Beautiful large scale faceted crystals and complementary plated finishes contribute to our well executed designs.





Shown: (1) CH457CRBBRTL4F Geos Chandelier in Aged Brushed Brass with Dark Bronze Accents



Geos Chandelier

This large scale chandelier combines spheres of faceted cut crystal and vintage LED or incandescent lamps. Perfect for hospitality or residential applications such as entry areas, dining rooms, or focal areas.

Height is adjustable with 96" of braided cloth cord surrounded by rectangular bar link chain for a classic upgraded look. Custom lengths are available. Consult factory.

Model
CH457

CR clear

Color
CR

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26
RTL4F 4W, 100mm, T10, E26

Finish
BB

Lamp
RTL4F

BB aged brushed brass with dark bronze accents
SN satin nickel



Shown:
(1) CH08513SNL2
includes
(1) CPEJRN13SNLED
(13) PD085CRSNL2J
Blob Pendant



Blob Chandelier

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed.



Shown:
(1) CH08513NL2
includes
(1) CPEJRN13SNLED
(13) PD085CRSNL2J
Blob Pendant



Blob Chandelier

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed. LED G4 or Halogen G4 lamping available.

Model
CH08513

CR clear L2 LED G4 JC 2W, 110 Lumens
Color X1 Halogen G4 10W, 120 Lumens

Color CR	Finish SN	Lamp L2
--------------------	---------------------	-------------------

BZ bronze
PN polished nickel
SN satin nickel





Shown:
(1) CH280AMBLG94
Bowie Chandelier



Bowie Chandelier

This elegant organic branch emanates from a hang straight central stem and has clear glass spheres each with a line voltage LED G9 lamp.

Beautiful aged brushed brass finish in conjunction with the light clear glass creates a beautiful look for a multitude of applications creating a truly unique lighting vision.

Solid stems totaling 45" standard. Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3".

For custom stem lengths, consult customer service.

Model
CH280

BB brushed brass
BL black

Color	Finish	Lamp
CR CR clear	BB	LG94 LG94 LED G9 4W (60W Total) 3000K, 4250 Lumens





Brio Chandelier

Cased opale white glass spheres combined with aged brushed brass solid metal accents and arranged in a geometrical fashion that offers a creative and practical ambient light source as well as perfect arrangement over a round, oval or rectangular shaped table.

Hang straight canopy and the following stem set allows for custom OAL perfect hanging heights. Solid stems totaling 45" standard. Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3". For custom stem lengths, consult customer service.

Fully dimmable.

Model
CH290

Color	Finish	Lamp
OP	AB	LG94
OP opal	AB	LG94 LED G9 3.5W LG5 LED G15 5x5W, E26, 3000K, 500 Lumens,





Shown:
(1) CH276BBLA10
Stria Chandelier

Maximum with
additional stems: 86"



Stria Chandelier

Multiple striations of light are created by a central stem and 3 light stems with an E26 socket on each end of each stem, create an interesting and unique lighting creation. Each is adjustable where each stem meets the central stem. Field adjusting of heights and angulation and rotation of each light source is easily accomplished. Beautiful quality aged brushed brass finish.

Arms can be tilted or flattened through simple field adjustment. The widest width achieved with stems is 41", increasing angulation makes the fixture width less when all 3 stems are angled.

Several vintage LED or incandescent lamps can be specified or as shown in main photograph with Stone Lighting's LA10 E26 10W LED lamp. Ships with stems: (3 pcs.) 12", (1 pc.) 6", (1 pc.) 3". For custom stem lengths, consult customer service.

Model
CH276

Finish	Lamp
BB	LA10
BL black	
BB brushed brass	





Shown:
(3) CH138BLLA12
Bodie Suspension

Bodie Suspension

A simple horizontal bar with several vintage lamping choices in LED or incandescent.
Stem length is 40".

For custom stems lengths, please consult factory.



Show:
(3) CH555BBRT4SA
Boomer Chandelier
in Brushed Brass



Overall Height:
Minimum: 17"
Maximum: 53"

Maximum with additional
stems & coupler: 101"



Boomer Chandelier

5 – Arm Tubular Chandelier with two 90° right angles that originate from a central stem. Medium based sockets.

Standard with each chandelier: Sloped ceiling canopy and a set of stems and couplers (6", 12" and 24").

Model
CH555

RT3A Medium Base Retro Filament Tube 30W, 185mm
RT6B Medium Base Retro Filament Bulb 60W
RTL6B 6W, Edison ST64, 2700K, 500 Lumens

Finish	Lamp
BB	RT3A
BB brushed brass	
BZ bronze	



Show:
(2) CH550BBRT4SA
Stilt Chandelier
in Brushed Brass



Overall Height: Minimum: 28" Maximum: 64" Diameter: 23"
Maximum with additional stems & couplers: 115"

Stilt Chandelier

7 - Arm tubular chandelier.
6 - Arms symmetrically split plus one central arm.
Medium base sockets standard with each chandelier.
Sloped ceiling canopy and a set of stems and couplers
(6", 12", 15.75" and 24").

Model
CH550

RT3A Medium Base Retro Filament Tube 30W, 185mm
RT6B Medium Base Retro Filament Bulb 60W
RTL6B 6W, Edison ST64, 2700K, 500 Lumens

Finish	Lamp
BB	RT3A
BB brushed brass	
BZ bronze	





Shown: (1) CH550CKBZRT4F
Stilt Crackle Chandelier
with Crackle Glass



Stilt Crackle

7 - Arm tubular chandelier.
6 - Arms symmetrically split plus one central arm.
Medium base sockets standard with each chandelier.
Sloped ceiling canopy and a set of stems and couplers
(6", 12", 15.75" and 24").
6" clear glass crackle globes,
5.5" diameter crackle glass globes.

Model
CH550

CK crackle glass

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26
RTL4F 4W, 100mm, T10, E26

Glass	Finish	Lamp
CK	BB	RTL4F

BB brushed brass
BZ bronze





Shown:
(3) CH556CKABRT4F
Axel Chandelier
with Crackle Glass



Axel Chandelier

Classic retro style chandelier with choices of black or antique brass finish and crackle or clear glass globes. Includes a 10.3" stem.

Model
CH556


CL clear
CK crackle glass

Glass	Finish	Lamp
CK	BL	RTL4F

AB antique brass
BL black

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26
RTL4F 4W, 100mm, T10, E26

DIMENSIONS





Top 1, 2, 3, 13

Amber and frosted borosilicate
Italian glass tubes.

Tubes easily assemble and are
suspended on parallel metal rods.

Model CH5071 Top 1

AM amber
FR clear

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color	Finish	Lamp	Mounting
CR	SN	X2	J

BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model CH5072 Top 2

AM amber
FR clear

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color	Finish	Lamp	Mounting
CR	SN	X2	J

BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model CH5073 Top 3

AM amber
FR clear

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color	Finish	Lamp	Mounting
CR	SN	X2	J

BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model CH5077 Top 13

AM amber
FR clear

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens


Color	Finish	Lamp	Mounting
CR	SN	X2	J

BZ bronze
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
CH25425513CRPNL2
includes
(1) CPEJRN13PNLED
(7) PD254CRPNL2J
Stilo Crystal Pendant Small in Clear
(6) PD255CRPNL2J
Stilo Crystal Pendant Large in Clear



13 Light Round Chandelier
Faceted tipped Crystal Rod
with Random Bubbles

Stilo
Crystal

Model CH254255	Color CR	Finish PN	Lamp L2
PD254 small	CG cognac	BZ bronze	LED G4 JC 2W, 110 Lumens

PD255 large

PN polished nickel





CH53907BKLED

CH53907WHLED

CH53907ALLED



1.5"

118" maximum overall height

20"

MODE LED Multilight

Multilight Mode Chandelier mounts to a standard 4" junction box. Long thin LED cylinder available in powder coated mini textured black or white finish, or anodized silver finish.

3W LED diode with:
30 degree spread lens, **90 CRI**, 3000K, 180 lumens,
Dimmable with ELV dimmer.

Model
CH53907

LED 3W LED, **90 CRI**, 3000K

Finish	Lamp
SI	LED
BL black	
SI silver	
WH white	

Shown:
CH53907WHLED
includes
(1) CPEJRN7WHLED
(7) PD539WHLEDJ
Mode LED Cylinder
Pendant





Shown:
CH63207CRSNX2
includes
(1) CPEJRN7SNHAL
(7) PD632CRSNX2J
Alicia Pendant

Alicia Crystal
European cut crystal with linear
ridge lighting.
Dimmable with ELV dimmer.



Model
CH63207

Color	Finish	Lamp
CR	SN	X2
SN		

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

SN satin nickel





Rocker

Double envelope unique textured
italian glass pendant.

Dimmable with ELV dimmer.



Model
CH21807

AM amber
BU blue
CR clear

Color
AM

Finish
SN

Lamp
M3

SN satin nickel

↳ **D6** LED MR16 5W
↳ **M3** MR16 Halogen 35W





Gracie 25 Light Chandelier

Mounts to a standard 4" junction box.
Equipped with dimmable electronic
transformers.

Model
CH09325

CR clear
FR frosted

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color
FR

Finish
WH


Lamp
X2

WH white





Shown:
CH52913AMCRSNL2
includes
(1) CPEJRN13SNLED
(6) PD529AMSNL2
Leena Pendant in Amber
(7) PD529CRSNL2
Leena Pendant in Clear



Leena Chandelier

Multilight Leena Chandelier mounts to a standard 4" Junction box.
Dimmable with ELV dimmer.

Model
CH52913

Color	SN	Finish	Lamp
AMCR	SN		L2

AM amber
AMCR amber clear
CR clear

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens



Mercury Falling

Chrome ball chain in varied lengths.


Dimmable with ELV dimmer.



Model
CH18113

PC polished chrome D6 LED MR16 6W, 420 Lumens
 Chain Canopy
PC **PC** **M3** M3 MR16 Halogen 35W, 1600 Lumens

PC polished chrome
 PN polished nickel
 SN satin nickel





Shown:
(2) CL442OPSILED
Double Flush Mount 12"



Ceiling Collection

Stone Lighting has a great selection of unique ceiling luminaries. From beautiful recycled glass to crystal glass that throw beautiful patterns and unique ceiling and wall reflections. Additionally, we offer various shapes and sizes of LED luminaries for most every architectural application.





Shown:
(3) CL340AMPCLED
Kristallo Ceiling
in Amber



Kristallo Ceiling

Crystal glass, clear and light metallic amber.

Suitable for Damp Location.

Dimmable with ELV dimmer.

Model
CL340

AM amber-dichroic
coating
CR clear

LED COB 7W, 90 CRI, 3000K, 700 Lumens

Color	Finish	Lamp
AM	PC	LED

PC polished chrome





Shown:
(2) CL442OPSILED
Double Flush Mount 12"

Zelda Series

High performance flushmount offering high lumen output ceiling luminaire which is perfect for virtually every lighting application. Suitable for damp location.

5 Year limited warranty. Dimmable with Triac dimmer (100% to 10%).

Zelda Series 24"

Model
CL446

OP opal

Acrylic
OP

Finish
SI

Lamp
LED

SI silver

LED LED 35W, 80 CRI, 3000K
2310 Lumens, 50,000 Life Hours



24" Ø

5"

Zelda Series 16"

Model
CL444

OP opal

Acrylic
OP

Finish
SI

Lamp
LED

SI silver

LED LED 22W, 80 CRI, 3000K
1890 Lumens, 50,000 Life Hours



16" Ø

5"

Zelda Series 12"

Model
CL442

OP opal

Acrylic
OP

Finish
SI

Lamp
LED

SI silver

LED LED 18W, 80 CRI, 3000K
1200 Lumens, 50,000 Life Hours



12" Ø

3.7"



Gabe Series Round

Minimalist edge lit LED ceiling luminaires. Minimal projection and a high quality mini-textured frame. High quality optical diffuser (see specs below). The entire series is highlighted by a universal mounting system in which the body mounts to virtually any and all electrical boxes. Once body is mounted the face simply snaps into place. Simple, fast and easy mounting. Impressively bright and fully dimmable design. Suitable for Damp Location.

Dimmable with Triac or ELV dimmer.



Model
CL485

12"

OP opal
Acrylic
OP

Finish
WH

Lamp
LED
WH white

LED LED 22W, **90 CRI**, 3000K
1400 Lumens, Dimmable



Model
CL482

7"

OP opal
Acrylic
OP

Finish
WH

Lamp
LED
WH white

LED LED 15W, **90 CRI**, 3000K
850 Lumens, Dimmable



Model
CL480


5"

OP opal
Acrylic
OP


Finish
WH

Lamp
LED
WH white


LED LED 10W, **90 CRI**, 3000K
550 Lumens, Dimmable




12" Ø



7.875" Ø




5.375" Ø



0.875"

11" Ø


12" Ø



0.625"

7" Ø

7.875" Ø



0.625"

4.5" Ø

5.375" Ø

Features

- Glare controlling lens for comfortable light pattern
- 5/8" thick luminaire for durability
- Thinnest available solution featuring an integral driver
- Utilizes high quality Edge-Lit technology providing even illumination
- 5 years / 50,000 hours LED life
- Wet location listed
- An affordable alternative to Air-Seal IC recessed housings or Fire-Rated Boxes
- Energy Star

Electrical

- Input Voltage: 120V
- Input Frequency: 50/60 Hz
- Power Factor: >0.9
- Max.THD: <15%
- Minimum Operating Temperature: -20° C
- Dimmable with Triac dimmer (10%-100% dimming range)
- Available in 90 CRI, consult customer service
- Powered by an integrated DOB (Driver On Board)
- Photometrics available upon request

Compatible

- Easy to install on standard j-boxes in a snap



3.5" Round (Plastic)



4" Octagonal (Metal)



4" Shallow J-Box



4" Square (Plastic)
Not compatible with CL480



4" Square (Metal)
Not compatible with CL480





Gabe Series Square

Minimalist edge lit LED ceiling luminaires. Minimal projection and a high quality mini-textured frame. High quality optical diffuser (see specs below). The entire series is highlighted by a universal mounting system in which the body mounts to virtually any and all electrical boxes. Once body is mounted the face simply snaps into place. Simple, fast and easy mounting. Impressively bright and fully dimmable design. Suitable for Damp Location.

Dimmable with Triac or ELV dimmer.




Model	CL486	
12"		
OP opal		
Acrylic	Finish	Lamp
OP	WH	LED
WH white		
	LED LED 22W, 90 CRI, 3000K 1400 Lumens, Dimmable	



Model	CL483	
6"		
OP opal		
Acrylic	Finish	Lamp
OP	WH	LED
WH white		
	LED LED 15W, 90 CRI, 3000K 850 Lumens, Dimmable	



Model	CL481	
4"		
OP opal		
Acrylic	Finish	Lamp
OP	WH	LED
WH white		
	LED LED 10W, 90 CRI, 3000K 550 Lumens, Dimmable	



Features

- Glare controlling lens for comfortable light pattern
- 5/8" thick luminaire for durability
- Thinnest available solution featuring an integral driver
- Utilizes high quality Edge-Lit technology providing even illumination
- 5 years / 50,000 hours LED life
- Wet location listed
- An affordable alternative to Air-Seal IC recessed housings or Fire-Rated Boxes
- Energy Star

Electrical

- Input Voltage: 120V
- Input Frequency: 50/60 Hz
- Power Factor: >0.9
- Max.THD: <15%
- Minimum Operating Temperature: -20° C
- Dimmable with Triac dimmer (10%-100% dimming range)
- Available in 90 CRI, consult customer service
- Powered by an integrated DOB (Driver On Board)
- Photometrics available upon request

Compatible

- Easy to install on standard j-boxes in a snap



3.5" Round (Plastic)



4" Octagonal (Metal)



4" Shallow J-Box



4" Square (Plastic)
Not compatible with CL481



4" Square (Metal)
Not compatible with CL481





Halo

Round energy efficient flush mount.
Matte White Metal Body. Hidden LED
provides a high lumen indirect illumination.

Dimmable with ELV dimmer.

Model
CL460

OP	Acrylic	Finish	Lamp
OP	WH	LED	WH white

LED LED 12W, 80 CRI, 3000K,
1300 Lumens, 50,000 Life Hours

Model
CL461

OP	Acrylic	Finish	Lamp
OP	WH	LED	WH white

LED LED 18W, 80 CRI, 3000K,
2000 Lumens, 50,000 Life Hours

Model
CL462

OP	Acrylic	Finish	Lamp
OP	WH	LED	WH white

LED LED 28W, 80 CRI, 3000K,
2200 Lumens, 50,000 Life Hours



ADA
COMPLIANT





Puck Series

Round energy efficient flush mount. Matte white metal body. Hidden LED provides a high lumen direct illumination. Dimmable with ELV dimmer.

Model
CL467

OP opal
Acrylic
OP

Finish
WH

Lamp
LED

WH white

LED LED 2 x 36W, **90 CRI**, 3000K
5760 Lumens, Dimmable

3.5"



ADA
COMPLIANT

Model
CL465

OP opal
Acrylic
OP

Finish
WH

Lamp
LED

WH white

LED LED 24W, **90 CRI**, 3000K
1920 Lumens, Dimmable

3.1"



ADA
COMPLIANT

Model
CL464

FR frost
Acrylic
FR

Finish
WH

Lamp
LED

WH white

LED LED 18W, **90 CRI**, 3000K
1440 Lumens, Dimmable

3.1"



ADA
COMPLIANT



Gracie Seedy



Gracie Clear



3"

5.5"

Gracie Ceiling

Crystal clear and Seedy clear hemisphere with frosted lamp compartment creates a beautiful ceiling or wall luminaire.
12V halogen or LED.

Suitable for Damp Location.

Dimmable with ELV dimmer.

Model
CL092

↳ **L2** LED G4 JC 2W,
110 Lumens
↳ **X1** Halogen G4 10W,
120 Lumens

Color CR	Lamp X1
--------------------	-------------------

CR clear
SD seedy





Alta Ceiling

High quality ceiling luminarie. White powder coated steel body with frosted opal glass diffuser finished with polished chrome decorative trim. Glass diffuser creates elegant backlight or ceiling wash.

MB4 Lamps not included.

Features

- High Quality steel and frosted opal glass.
- Beautiful shape, soft and comfortable light.
- High Quality and stable LED Chips, energy saving and Eco-friendly.
- **LED DOB** (DOB-Driver on Board 120V **90 CRI**).


Fully Dimmable with ALL standard dimmers (Triac/Incand.,ELV,LVM)

Model
CL530

FR frost	Color	Finish	Lamp	Dimming
FR	PC	MB4	WD**	
PC polished chrome	WD Warm Dimming (Only available for DOB 30W)			

**Warm dimming available. Consult customer service.

DIMENSIONS




*Only available option with warm dimming.

LAMPING DATA

Lamp	Watts	Lumens	CCT	CRI	Aver.Life
DOB24	24	1600	3000K	>90	50,000 hrs
DOB30	30*	2400	3000K	>90	50,000 hrs
CF13	13	800	2700K	>75	10,000 hrs
MB4	40	340	2700K	>75	1,000 hrs

Above info is per lamp. For accurate lumens, multiply by # of lamps in fixture.



CL530FRPCCF13



Plaza Square

Square energy efficient flush mount

Satin nickel metal details with opal acrylic diffuser and clear bottom shield.

Dimmable with ELV dimmer



Model
CL35

OP opal
Acrylic
OP

Finish
SN

Lamp
LED

SN satin nickel



Plaza Round

Round energy efficient flush mount

Satin nickel metal details with opal acrylic diffuser and clear bottom shield.

Dimmable with ELV dimmer



Model
CL35

OP opal LED LED 20W, 90 CRI, 3000K
Acrylic Finish Lamp 900 Lumens, Dimmable

Acrylic Finish Lamp
OP **SN** **LED**

SN satin nick





Shown:
(3) CL573OPWHLED16
Halsted Round

Halsted Round

Round energy efficient Flushmount fixture.
Steel and acrylic (PMMA), 16W.
Average life: 25000 hrs

Model CL573	WH white
Color OP	Finish WH
Lamp LED16	
OP opal LED LED 16W, 80 CRI, 3000K, 120V, 1200 Lumens, Non-Dimmable	



Halsted Square

Square energy efficient flushmount fixture.
Steel and acrylic (PMMA).
Average life: 25,000 hrs.

Model CL570	WH white
Color OP	Finish WH
Lamp LED11	
OP opal LED LED 11W, 80 CRI, 3000K, 120V, 840 Lumens, Non-Dimmable	



Halsted Square

Square energy efficient flushmount fixture.
Steel and acrylic (PMMA).
Average life: 25,000 hrs.

Model CL571	WH white
Color OP	Finish WH
Lamp LED21	
OP opal LED LED 21W, 80 CRI, 3000K, 120V, 1400 Lumens, Non-Dimmable	





Shown:
(2) CL162CRBZMB6
Xylo Semi Flush Ceiling

— 4.25" —



7.5"

10"

Xylo Semi Flush

Unique hand crafted luminaire composed of recycled glass. Together they create a beautiful light pattern, a work of art. Includes bottom diffuser of white acrylic.

Dimmable with ELV or Triac dimmer.

MB6 Lamps not included.

Model
CL162

BZ bronze

Color	Finish	Lamp
CR	BZ	MB6

AM amber
CR clear
RD red

- CF13 Compact Fluorescent GU24 4 x 13W
- CF26 Compact Fluorescent GU24 4 x 26W
- LA10 LED A19 4 x 10W
- MB6 Medium Base Incandescent 4 x 60W, E26





Rondo 6



Rondo 11



Rondo Ceiling 6

Clear lines and thick frosted crystal glass mesh with a satin nickel steel body.

Offered with a state of the art.
Dimmable D.O.B. LED lamping.

Model
CL507

FR frost	Finish	Lamp
FR	SN	DOB12

● **DOB12** LED DOB12 (DOB-Driver on Board)
Dimmable, **90 CRI**, 3000K, 500 Lumens

SN satin nickel

Rondo Ceiling 11

Clear lines and thick frosted crystal glass mesh with a satin nickel steel body.

Offered with a state of the art.
Dimmable D.O.B. LED Lamping.

Model
CL509

FR frost	Finish	Lamp
FR	SN	DOB24

● **DOB24** LED DOB24 (DOB-Driver on Board)
Dimmable, **90 CRI**, 3000K, 1100 Lumens

SN satin nickel

Shown:
CL507FRSNDOB10
Rondo Ceiling 6



Shown:
(1) CL506CRPN4
Borealis in Clear



Rondo Ceiling 8

Clear lines and thick frosted crystal glass mesh with a satin nickel steel body.

Offered with a state of the art
C.O.B. LED Lamp.

Dimmable with ELV dimmer.

Model
CL508

FR frosted
Color **FR** Finish **SN** Lamp **COB10**
SN satin nickel

● **COB10** SL-COB 10W Stone Lighting
LED Chip on Board



Model
CL506

CR clear
Color **CR** Finish **PN** Lamp **CN4**
PN polished nickel

● **CN4** Candelabra Base 3 x 40W
● **LE5** LED 5W Teardrop,
E12 Base, 500 Lumens

Borealis

Exquisite blown crystal glass balls and teardrops make a beautiful ceiling luminaire.

Candelabra incandescent bulbs are not included.



Retro Edison Style Lamp

Model
CL157B

Finish **SN** Lamp **RT6B**
BZ bronze
PN polished nickel
SN satin nickel

- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, 2700K, 500 Lumens

Retro Tubular Style Lamp

Model
CL157A

Finish **BZ** Lamp **RT3A**
BZ bronze
PN polished nickel
SN satin nickel

- RT3A Medium Base Retro Filament Tube 30W, 185mm
- RTL6A 6W, 185mm, T10, 2700K, 500 Lumens

Retro Cylinder Ceiling

Cylinder shaped transparent glass featuring vintage A-19 or class incandescent lamps.

Dimmable with Triac dimmer.

Model
CL179

Glass **OP** Finish **SN** Lamp **RT6B**
BZ bronze
PN polished nickel
SN satin nickel

Glass **OP** Finish **SN** Lamp **RT6B**
AM amber
CR clear
OP opal

- RT6B Medium Base Retro Filament Bulb 40W
- RTL6B 6W, Edison ST58, 2700K, 500 Lumens





Spaga Ceiling 10"

Visually Artistic, each shade uniquely combined into a creation of tight curves and squiggles.

Frosted acrylic diffuser included.

Model
CL532

GO gold
SI silver

Color	Finish	Lamp*
SI	SN	CF13

- CF13 Compact Fluorescent GU24 13W
- LA10 LED A19 10W
- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, 2700K, 500 Lumens

*(3-Medium Base Sockets)

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Spaga Ceiling 20"

Visually Artistic, each shade uniquely combined into a creation of tight curves and squiggles.

Frosted acrylic diffuser included.

MB6 Lamps not included.

Model
CL538

GO gold
SI silver

Color	Finish	Lamp*
SI	SN	RT6B

- CF26 Compact Fluorescent GU24 26W
- MB6 Medium Base Incandescent 60W
- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, 2700K, 500 Lumens

*(3-Medium Base Sockets)

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Frosted acrylic diffuser to evenly diffuse light.



Avenue Ceiling - Kalla

Square ceiling luminaire with frosted acrylic bottom and side window diffusers. MB4 Lamps not included.

**Warm dimming available. Consult customer service.



Model
CL505

Color FR	Finish PN	Lamp MB4	WD Warm Dimming Dimming WD**
FR frosted	PN	MB4 Medium Base Incandescent 2x40W CF13 Compact Fluorescent GU24 2x13W DOB17 SL-DOB 17W Stone Lighting LED Driver on Board	



Avenue Ceiling - Fablux

Square ceiling luminaire with knoll textile fabric bottom and side window diffusers. MB4 Lamps not included.

**Warm dimming available. Consult customer service.



Model
CL504

Color FR	Finish PN	Lamp MB4	WD Warm Dimming Dimming WD**
FR frosted	PN	MB4 Medium Base Incandescent 2x40W CF13 Compact Fluorescent GU24 2x13W DOB17 SL-DOB 17W Stone Lighting LED Driver on Board	



Avenue Ceiling - Murano

Square ceiling luminaire with Mocha Murano glass bottom and side windows. Exquisite Mocha Murano Frit. Delicately patterned and genuine silver flakes imbued each panel. MB4 Lamps not included.

**Warm dimming available. Consult customer service.



Model
CL503

Color MO	Finish PN	Lamp MB4	WD Warm Dimming Dimming WD**
MO mocha	PN	MB4 Medium Base Incandescent 2x40W CF13 Compact Fluorescent GU24 2x13W DOB17 SL-DOB 17W Stone Lighting LED Driver on Board	





Neptune Ceiling

Beautiful Murano glass bowl with swirl pattern and genuine silver flakes.

MB6 Lamps not included.

Model
CL501

AM amber
LV lava
MO mocha
OP opal
RD red

CF13 Compact Fluorescent GU24 3x13W
LA10 LED A19 10W
MB6 Medium Base Incandescent 3x60W

Color OP	Finish SN	Lamp MB6
--------------------	---------------------	--------------------

BZ bronze
SN satin nickel



Neptune Ceiling Grande

Beautiful Murano glass bowl with swirl pattern and genuine silver flakes.

MB6 Lamps not included.



Model
CL502

AM amber
LV lava
MO mocha
OP opal
RD red

CF26 Compact Fluorescent GU24 3x26W
LA12 LED A19 12W
MB6 Medium Base Incandescent 3x60W

Color MO	Finish SN	Lamp MB6
--------------------	---------------------	--------------------

BZ bronze
SN satin nickel





Shown:
(2) WS329AAFRALL6
Baya Long



Wall Collection

Stone Lighting's Wall Collection offers a wide variety of functional and beautiful luminaries that define and complement any space.

Blown glass, solid brass castings, Swarovski and clear leaded crystal, combine with unique metal designs, together to provide a practical and beautiful solution for virtually any wall application.

We can provide custom finishes and 0-10V dimming (120V) and standard 277V. Consult factory.





Shown:
(1) WS457CRBBRT4F
Geos Wall in Aged
Brushed Brass



Geos Wall

Elegant faceted cut crystals spheres, lamped with either vintage LED or incandescent lamping. These sturdy and beautiful wall sconces offer a beautiful solution for bath, residential, and hospitality applications.

Fully dimmable.

Model
WS457

CR clear

Color
CR

Finish
BB

Lamp
RT4F

BB aged brushed brass

BZ bronze

SN satin nickel

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26

RTL4F 4W, 100mm, T10, E26





Kaner Wall

Elegance and Industrial flare are combined with the Kaner wall sconce. Pristine polished crystal and vintage LED or incandescent lamps create these uniquely styled and beautiful wall sconces.





Shown:
(1) WS566CRSNRT4F
Kaner Wall in Satin Nickel
with Satin Nickel Interior Shade



Kaner Wall

Elegance and Industrial flare are combined with the Kaner wall sconce. Pristine polished crystal and vintage LED or incandescent lamps create these uniquely styled and beautiful wall sconces.

Fully dimmable.

Model
WS566

Color
CR

RT4F Medium Base Retro Filament
Tube 40W, 100mm, T10, E26

RTL4F 4W, 100mm, T10, E26

Color
BZ

Finish
RT4F

BZ aged bronze with brushed
brass interior shade

SN satin nickel with satin nickel
interior shade





Volk Wall

Large scale pristine polished crystal shade and vintage LED or incandescent lamps create these uniquely styled and beautiful wall sconces that hang from a wall bracket with a solid brass bar rectangular arm allowing for complete height adjustment during mounting process.



Shown:
(1) WS568CRSNRT6B
Volk Pendant in Satin
Nickel with Satin
Nickel Accents



Volk Wall

Large scale pristine polished crystal shade and vintage LED or incandescent lamps create these uniquely styled and beautiful wall sconces that hang from a wall bracket with a solid brass bar rectangular arm allowing for complete height adjustment during mounting process.

Model
WS568

Color	Finish	Lamp
CR	BB	RT6B
CR clear		

BB aged brushed brass with bronze accents
BZ aged bronze with aged bronze accents
SN satin nickel with satin nickel accents

- RT6B Medium Base Retro Filament Bulb 60W
- RTL6B 6W, Edison ST58, Clear, 2700K, 500 Lumens





Shown:
(1) PD085CRPNL2
Blob in Polished Nickel



Blob Wall

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed.



Shown:
(1) WS085CRPNL2
Blob Wall in
Polished Nickel



Blob Wall

Each glass is hand crafted blown glass crystal. A unique and different look is achieved with each different angle of rotation and height in which the glass is viewed. LED G4 or Halogen G4 lamping available.

Dimmable with ELV dimmer.

Model
WS085

CR clear

L2 LED G4 JC 2W, 110 Lumens

Color

X1 Halogen G4 10W, 120 Lumens

CR

Finish

PN

Lamp

L2

BZ bronze

PN polished nickel

SN satin nickel





Shown:
(2) WS251SILED
Mosaic Wall in Silver

Wall projection 2.25"
4.25"

14"



CH



SI

Mosaic Wall


Italian Piastra glass half cylinder wall sconces. Handmade and decorated silver and gold. Dimmable.

Model
WS251

LED 13W, AC LED, 3000K, **90 CRI**,
1200 Lumens, 30,000 Hrs

Finish	Lamp
SI	LED

CH champagne
SI silver





— 2.75" —



Firenze Wall

Murano Piastra textured cylinder wall sconce created with clear glass, which includes a warm lamp giving a colorful glowing effect.

Dimmable with Triac dimmer.

Model
WS326

Color	Finish	Lamp
CR	SN	RTL8C

RT6C Medium Base Incandescent 60W
RTL8C LED 8W, 300mm, T10, Clear, 700 Lumens, 2700K

BB brushed brass
BZ bronze
SN satin nickel



ADA
COMPLIANT



Shown:
(2) WS326DCRSNRTL8C
Firenze Wall Dual in Satin Nickel



Firenze Wall Dual

Murano Piastra textured cylinder wall sconce created with two pieces of clear glass, which includes warm lamps, giving a colorful glowing effect.

Dimmable with Triac dimmer.

Model
WS326D

CR clear	Color CR	Finish BB	Lamp RTL8C
----------	--------------------	---------------------	----------------------

RT6C Medium Base Incandescent 60W
RTL8C LED 8W, 300mm, T10, Clear, 700 Lumens, 2700K

BB brushed brass
BZ bronze
SN satin nickel



ADA
COMPLIANT



Shown:
(2) WS327SNRT3A
Firenze Vintage Wall
in Satin Nickel



Model
WS327



ADA
COMPLIANT



Firenze Vintage Wall

Modern concept wall sconce with vintage hardware,
available in several LED or incandescent options.

Dimmable with Triac dimmer.

- RT3A Medium Base Retro Filament Tube 30W
- RT6B Medium Base Retro Filament Bulb 60W
- RT6C Medium Base Retro Filament Tube 60W
- RTL6A 6W, T10, 185mm, 500 Lumens, 2700K, LED Clear
- RTL6B 6W, ST64, 500 Lumens, 2700K, LED Clear
- RTL8C 8W, T10, 300mm, 700 Lumens, 2700K, LED Clear

Finish	Lamp
SB	RT6C

BL black
BZ bronze
SB satin brass
SN satin nickel



Shown:
(1) WS327DSNRT6C
Firenze Vintage Wall Dual
in Satin Nickel





Shown:
(2) WS340AMSNLED
Kristallo Wall



Wall projection 6"

Kristallo Wall

Elegant polished crystal glass in clear or amber with a light dichroic coating. Dedicated LED light source.

Suitable for Damp Location.

Dimmable with ELV dimmer.

Model	WS340	AM amber-dichroic coating	LED COB 7W, 90 CRI, 3000K, 700 Lumens
Color	AM	CR clear	
Finish	BZ	PN polished nickel	Lamp
Lamp	LED	SN satin nickel	





Shown: (1) WS162RDBZRTL6B Xylo Wall in Red



Shown: (1) WS162CRBZRTL6B Xylo Wall in Clear

Shown: (1) WS162AMBZRTL6B Xylo Wall in Amber




AM




CR



RD



DIMENSIONS



Wall projection 4.25"



Xylo Wall

Unique hand crafted iron frame wall sconce with panels of thick clear and colored glass panels hanging on top edge of frame.

Together they create a beautiful light pattern on any wall and are a work of art.

Dimmable with Triac dimmer.

Model
WS162

AM amber
CR clear
RD red

Color
RD

RT6B Medium Base Retro
Filament Bulb 60W, E26
RTL6B LED 6W, ST64, 500 Lumens, 2700K

Finish
BZ

Lamp
RTL6B

BZ bronze



Shown:
(1) WS657IVCF18
Willis Wall

Willis Wall

Ivory fabric shade complements virtually any application.
DOB LED or Compact Fluorescent lamping.

Custom fabrics available. Consult Factory.

LED fully dimmable with ELV dimmer.
CF18 not dimmable.

Model
WS657

IV ivory
Color
IV

Lamp
CF18

CF18 Compact Fluorescent GU24 18W, 1200 Lumens
DOB17 SL-DOB 17W Stone Lighting
LED Driver on Board, 1400 Lumens



Wall projection 4"



Zen

Textile fabric acrylic shade on square tubing makes
an elegant hospitality luminaire solution.

Also available as frosted white acrylic diffuser.

CF options not dimmable.
Incandescent dimmable with Triac dimmer.
LED DOB dimmable with Triac or ELV dimmer.

**Warm dimming available. Consult customer service.

MB4 Lamps not included.

Model
WS225

BZ bronze
PN polished nickel
SN satin nickel

WD Warm Dimming

Color
TF

Finish
PN

Lamp
MB4

Dimming
WD**

FW frosted white
TF textile fabric

MB4 Medium Base Incandescent 40W
CF13 Compact Fluorescent GU24 2x13W
CF18 Compact Fluorescent GU24 2x18W
DOB17 SL-DOB 17W Stone Lighting
LED Driver on Board, 1400 Lumens



Wall projection 4"





Shown:
(1) WS741OPSNGL16
Pinnacle Wall

— 8" —



— 3.125" —
Wall projection 4"

Pinnacle Wall

Cased Satin Opale wall sconce perfect
for hospitality, commercial and
residential applications.

Dimmable with ELV dimmer.

Model
WS741

OP opal	Color	Finish	Lamp
OP	SN	GL16	GL16 LED 16W, 90 CRI, 3000K

BZ bronze
SN satin nickel



Shown:
(1) WS191OPSND0B17
Muna Wall in Opal



Muna

ADA compliant opal glass wall sconce with
subdued dichroic coating on glass.

Dimmable with ELV dimmer.

**Warm dimming available. Consult customer service.

Model
WS191

Color	SN	WD	Dimming
OP	SN	DOB17	WD**
OP opal			

● **DOB17** SL-DOB 17W Stone Lighting
LED Driver on Board, 1400 Lumens



Shown:
(3) WS455BLLG5
Seeno Wall in Black



H=13.75", W= 5.5"
Wall projection 5.75"

Seeno Wall

Contemporary metal wall fixture featuring a white interior, with three finish options for a clean exterior satin finish.

Dimmable with Triac dimmer.


Model
WS455

BL black
SN satin nickel
WH white


Finish WH	Lamp LG5
---------------------	--------------------

LG5 LED G15 2 x 5W, 80 CRI,
3000K, 500 Lumens, E26







Shown: (1) WS425SN



Shown:
(2) WS425PC



PC



Layla Wall

LED wall luminaire in satin nickel or polished chrome.

LED COB 5W, 3000K, **CRI 90**, 435 lumens, 30,000 life hours.

Dimmable with ELV dimmer.

Model
WS425

Finish
SN

PC polished chrome
SN satin nickel





Shown:
WS426GLSNLED



Shown: WS426FWSNLED



Ventana Wall

Venetian Piastra glass panels offered in a textured clear glass, white acrylic, or a textile frosted acrylic which includes an integrated LED source.

Dimmable with ELV dimmer.

Model
WS426

BB brushed brass
PC polished chrome
SN satin nickel


Color	Finish	Lamp
GL	PC	LED
GL glacier	PC	LED
FW frosted white		
TF textile fabric		

LED 2 x 13W, AC LED, **90 CRI**, 3000K
2400 Lumens before glass diffuser,
30,000 hrs






Shown:
(2) WS106DCSNLED
Moxie Wall Dichroic



Moxie Wall

Beautiful bulbous blown glass diffuser
illuminated by 3 watts of 90 CRI diodes.
Satin nickel metal backplate.

Dimmable with ELV dimmer.



Model
WS106

SN satin nickel

Color	Finish	Lamp
DC	SN	LED

CR clear
DC dichroic
SD seedy

LED LED COB 3W, 90 CRI,
3000K, 270 Lumens



Zo Zo Wall

Linear wall washing LED fixture with plated steel construction, provided with a frosted white acrylic spread diffuser. Driver is required to be mounted into a 4.0 or larger junction box. Beam angle: 120°. Average life: 35,000 hrs.

Dimmable with ELV dimmer.

Model
WS163


LED LED 18W, 90CRI,
3000K, 1800 Lumens

Finish	Lamp
PC	LED

SN satin nickel
PC polished chrome



DIMENSIONS





Sully Wall

Wall washing LED luminaire.
Mini-textured white powder coating.

Dimmable with ELV Dimmer.

Model
WS245

LED LED 12W Linear, 90 CRI,
3000K, 600 Lumens

Finish WH	Lamp LED
WH white	



Shown:
(1) WS245WHLED
Sully Wall



Shown:
(2) WS218CRPNX3
Rocker in Clear



Krypto

Unique double envelope and textured blown glass wall sconce.

Dimmable with ELV dimmer.

Model WS217		
Color BU	Finish PN	Lamp N3
AM amber	L2 LED G4 JC 2W, 110 Lumens	
BU blue	N3 MR11 Halogen 35W, 150 Lumens	
CR clear	X3 Halogen G4 35W, 700 Lumens	
Color BU	Finish PN	Lamp N3
BZ bronze	L2 LED G4 JC 2W, 110 Lumens	
PN polished nickel	N3 MR11 Halogen 35W, 150 Lumens	
SN satin nickel	X3 Halogen G4 35W, 700 Lumens	



Rocker

Unique double envelope and textured blown glass wall sconce.

Dimmable with ELV dimmer.


Model
WS218

AM amber
BU blue
CR clear

L2 LED G4 JC 2W, 110 Lumens
N3 MR11 Halogen 35W, 150 Lumens
X3 Halogen G4 35W, 700 Lumens

Color CR	Finish PN	Lamp X3
-------------	--------------	------------

BZ bronze
PN polished nickel
SN satin nickel



Shown:
(2) WS217AMPNN3
Krypto in Amber



Alicia Cristal Wall

Pristine leaded glass flute on solid brass wall bracket.

Dimmable with ELV dimmer.

Model
WS632

CR clear

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color
CR

Finish
SN

Lamp
X2

PN polished nickel
SN satin nickel



6.75" Ø

Omega

Round glass and ribbed diffuser
throws a star light pattern on the
mounting surface.

Model
WS234

CR clear

Finish
PC

Lamp
LG94

PC polished chrome

Wall projection 3.25"





Shown:
(1) WS451BCRPNL2
Domi Wall Long in
Polished Nickel

Domi Wall Long

Pristine leaded glass crystal wall sconce.
Uniquely modern faceted shape.

Dimmable with ELV dimmer.

Model
WS451B

Color	CR	Finish	Lamp
	CR	PN	L2

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Domi Wall Short

Pristine leaded glass crystal wall sconce.
Uniquely modern faceted shape.

Dimmable with ELV dimmer.

Model
WS451A

Color	CR	Finish	Lamp
	CR	PG	L2

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Shown:
(1) WS452ACRPNX3
Lindy Wall Short in
Polished Nickel



Lindy Wall Long

Pristine leaded glass crystal wall sconce. Elegant faceting.

Dimmable with ELV dimmer.

Model
WS452B

CG cognac	L2 LED G4 JC 2W, 110 Lumens	
CR clear	X3 Halogen G4 35W, 700 Lumens	
Color	Finish	Lamp
CR	PN	X3
BZ bronze		
PG polished gold		
PN polished nickel		
SN satin nickel		

4.5" Ø

2.75"

4.25"



4.75"

Wall projection 5.5"



Lindy Wall Short

Pristine leaded glass crystal wall sconce. Elegant faceting.

Dimmable with ELV dimmer.

Model
WS452A

CG cognac	L2 LED G4 JC 2W, 110 Lumens	
CR clear	X3 Halogen G4 35W, 700 Lumens	
Color	Finish	Lamp
CR	PG	X3
BZ bronze		
PG polished gold		
PN polished nickel		
SN satin nickel		



8"

4.75"



Wall projection 5.5"

4.75"

Wall projection 5.5"



Shown:
(1) WS110CRPNX2
Dew Drop Wall in Clear



Model
WS110

AM amber
CR clear

L2 LED G4 JC 2W, 110 Lumens
X2 Halogen G4 20W, 350 Lumens

Color
AM

Finish
PN

Lamp
X2

BZ bronze
PN polished nickel
SN satin nickel



Dew Drop

A large transparent droplet of blown glass with randomly placed smaller droplets of glass organically fused around the larger droplet of glass.

Fully dimmable with ELV dimmer.

4.25"

Wall projection 4"



Shown:
(2) WS105CRSNL2
Ice Wall in Clear



ADA
COMPLIANT

Model
WS105

CR clear

LED G4 JC 2W, 110 Lumens
Halogen G4 35W, 700 Lumens

Color
CR

Finish
SN

Lamp
L2

BZ bronze
PN polished nickel
SN satin nickel



Ice

Icicle like crystal clear blown
glass with frosted area to hide
and diffuse lamp image.



Wall projection 3.5"



Gracie Wall

Crystal glass sphere adjustable with our Universal Low Voltage Wall Bracket.

Varied hanging length is simply achieved for desired look and height.

Dimmable with ELV dimmer.



Model
WS092

CR clear
FR frosted
CG cognac

Finish
PN
Lamp
X2

BZ bronze (ships with BZ cable only)
PC polished chrome (ships with SN cable only)
PG polished gold (ships with BZ cable only)
PN polished nickel (ships with SN cable only)
SN satin nickel (ships with SN cable only)



Universal Low Voltage Wall Bracket

This curved arm wall bracket allows a unique mounting solution for any low voltage coaxial cable hung pendant offered by Stone Lighting.

Complete adjustability and look can be achieved simply by setting cable length, allowing fixture to be hung at any desired height.



Simply order your pendant in a J version and order the wall bracket in LED or HAL.

Model
BKPL102

BZ bronze
PC polished chrome
PG polished gold
PN polished nickel
SN satin nickel

Color
BZ
Finish
LED

LED LED
HAL Halogen





Shown:
WS536SIPNL3
Kurly Wall in
Polished Nickel



Kurly Wall

Handcrafted solid brass and copper wire spheres.

Ordered as gold (GO), the sphere has a handcrafted silver inner core and gold plated exterior.

Ordered as silver (SI), the sphere has a handcrafted gold inner core and a silver plated exterior.

The combination of silver and gold together in one sphere create a unique and beautiful vision.

Dimmable with ELV dimmer.

Model
WS536

GO gold
SI silver

↳ L3 LED G4 JC 3W, 220 Lumens
↳ X3 Halogen G4 35W, 700 Lumens

Color
GO

Finish
PG

Lamp
L3

BZ bronze
PC polished chrome
PG polished gold
PN polished nickel
SN satin nickel



Shown:
(1) WS537GOBZL3
Coil Short in Gold



Coil Long Wall

Solid brass and copper bands stacked and combined creatively into a long thin cylinder.

Dimmable with ELV dimmer.

Model
WS533

GO gold	L3 LED G4 JC 3W, 220 Lumens	
SI silver	X3 Halogen G4 35W, 700 Lumens	
Color	Finish	Lamp
SI	SN	L3

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Coil Short Wall

Solid brass and copper bands stacked and combined creatively into a short wide cylinder.

Dimmable with ELV dimmer.

Model
WS537

GO gold	L3 LED G4 JC 3W, 220 Lumens	
SI silver	X3 Halogen G4 35W, 700 Lumens	
Color	Finish	Lamp
GO	BZ	L3

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



5.75"



Wall projection 5.5"



Shown:
(1) WS531SISNL3
Spaga Wall in Silver



5.25"
Wall projection 5.5"

Spaga Wall

Organically creative, each shade is uniquely combined to create tight curves and squiggles.

Dimmable with ELV dimmer.

Model
WS531

GO gold
SI silver

L3 LED G4 JC 3W, 220 Lumens
X3 Halogen G4 35W, 700 Lumens

Color
SI

Finish
SN

Lamp
L3

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel





Shown:
(2) WS224FRPCLED
Frosted Jazz Venti Wall



Frosted Jazz Venti Wall

LED frosted acrylic diffuser.
Mounts horizontal or vertical.

4-0 or larger junction box is required
to accommodate the supplied driver.

Dimmable with ELV dimmer.

Model
WS224

FR frosted	LED 5.9W Linear 3000K, 90 CRI	
Color FR	Finish PC	Lamp LED
PC polished chrome		





Jazz Crystal

4.25"

10"

Wall projection 3"

Jazz Venti



Wall projection 4.5"

	DS	dark sapphire
	GS	golden shadow
	TZ	topaz
	EM	emerald
	GT	golden teak
	BD	bordeaux
	LP	light peridot
	AB	prismatic
	RS	rosaline
	SI	silver
	VI	violet
	LT	light topaz
	MS	medium sapphire

* All colored crystals and crystal combinations are available the same as listed on Pages 56-57 PD223 and PD224.

Indicate your choice and consult factory for availability and pricing.

Jazz Crystal Wall

LED crystal wall sconce. Swarovski crystal makes this design beautiful and brilliant. Mounts horizontal or vertical.

Dimmable with ELV dimmer.

Model
WS223

CR clear	LED 2.8W Linear 3000K
Color	Finish
CR*	PC
PC polished chrome	LED

* Photo shows fixture with clear Swarovski crystals.

Jazz Venti Crystal Wall

LED crystal wall sconce. Swarovski crystal makes this design beautiful and brilliant. Mounts horizontal or vertical.

4-0 or larger junction box is required to accommodate the supplied driver.

Dimmable with ELV dimmer.

Model
WS224

CR clear	LED 5.9W Linear 3000K
Color	Finish
CR*	PC

Color **CR*** Finish **PC** Lamp **LED**

PC polished chrome



4.25"

Wall projection 4.5"





Shown:
(2) WS238OPPNGL8
Regis 18" Wall



Regis Wall


Cased opale glass cylinder on rectangular backplate.

Dimmable with Triac dimmer.

Model WS237

OP opal	RTL6A
Color OP	Finish SN
Lamp RTL6A	
SN satin nickel	

RTL6A LED 6W, T10, 185mm,
500 Lumens, 2700K



Wall projection 4"



Wall projection 4"



Wall projection 4"

Model WS238

OP opal	GL8
Color OP	Finish BZ
Lamp GL8	
BN bronze	
PN polished nickel	
SN satin nickel	


GL8 LED 8W, 90 CRI,
3000K, 675 Lumens

Model WS239


OP opal	GL12
Color OP	Finish SN
Lamp GL12	

GL12 LED 12W, 90 CRI,
3000K, 1050 Lumens

SN satin nickel



Wall projection 4"



WS237

WS238

WS239

Regis Wall LED

Cased opale glass cylinder on rectangular backplate. Lamps included.

Dimmable with ELV or Triac dimmer.



Shown:
(2) WS014OPSND6
Block Twin Wall

Block Twin Wall

Wall Sconce with two blown opal glass shades.
Die-cast aluminum body in satin nickel finish.

Dimmable with ELV dimmer.


Model
WS014

SN satin nickel

Color
OP Finish
SN Lamp
D6

OP opal

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M2** Halogen MR16 20W, 2200 Lumens



Block Wall

Wall Sconce with blown opal glass shade.
Die-cast aluminum body in satin nickel finish.

Dimmable with ELV dimmer.


Model
WS013

SN satin nickel

Color
OP Finish
SN Lamp
D6

OP opal

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M2** Halogen MR16 20W, 2200 Lumens



Block Twin Wall Long

Wall Sconce with two elongated blown opal glass shades. Die-cast aluminum body in satin nickel finish.
Fixtures can be mounted horizontally or vertically.

Dimmable with ELV dimmer.


Model
WS015

SN satin nickel

Color
OP Finish
SN Lamp
GL8

OP opal

GL8 LED 8W, 3000K,
210mm, 1350 Lumens





Shown: (2) WS015OPPCGL8
Block Twin Wall in Polished Chrome



Block Twin Wall Long

Wall Sconce with two elongated blown opal glass shades. Die-cast aluminum body in polished chrome finish.

Fixtures can be mounted horizontally or vertically.

Dimmable with ELV dimmer.

Model
WS015

PC polished chrome

Color	Finish	Lamp
OP	PC	GL8

OP opal

GL8 LED 8W, 3000K,
210mm, 1350 Lumens





Shown:
(2) WS329AAFRALLED
Baya Long



Shown:
(1) WS329AAFRALLED
Baya Long

Model WS329	AA 2 long panels		
	AB 1 long panel, 1 short panel		
	BB 2 short panels		
AL anodized aluminum			
Panels	Color	Finish	Lamp
AA	FR	AL	LED
FR frosted		LED 2x3W LED Sources, 90 CRI , 3000K, 500 Lumens	



Wall projection 1.75"



Shown:
(1) WS329ABFRALLED
Bay Up



Shown:
(2) WS329BBFRALLED
Bay Short

Bay Short, Baya Up

Wall sconce combines design with frosted LED edge lit acrylic and satin anodized aluminum finish.

Fixture can be mounted horizontally or vertically.

Suitable for Damp Location.

Dimmable with ELV dimmer.

Model
WS329

AA 2 long panels
AB 1 long panel, 1 short panel
BB 2 short panels

AL anodized aluminum

Panels	Color	Finish	Lamp
AB	FR	AL	LED

FR frosted
LED 2x3W LED Sources,
90 CRI, 3000K, 500 Lumens





Wall projection 6.3"

Dupla Wall

Crystal clear outer glass with cased opale inner diffuser and polished chrome metal accents. IP44 rated, suitable for bath or any damp location.

Dimmable with Triac or ELV Dimmers.

Model
WS175

CR-OP clear - opal

LE5 LED 5W Teardrop,
E12 Base, 500 Lumens

Color
CR-OP

Finish
PC

Lamp
LE5

PC polished chrome





Crystal Rectangle

Frosted crystal glass rectangular cylinders.

Dimmable with ELV dimmer.



4.25"

Wall projection 3.5"

10.5"

Model
WS222

CR clear
Color CR
Finish SN
Lamp L2

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens

BZ bronze
PN polished nickel
SN satin nickel

Crystal

Pristine crystal cut and polished glass wall sconces.

Dimmable with ELV dimmer.



5"

Wall projection 3.5"

7"

Rectangle

Model
WB222

G940 G9 40W, 120V
LG95 LED G9 5W

Color CR
Finish SN
Lamp LG95

PN polished nickel
SN satin nickel



ADA
COMPLIANT



5"

Wall projection 3.5"

7"

Cylinder

Model
WB221

G940 G9 40W, 120V
LG95 LED G9 5W

Color CR
Finish SN
Lamp LG95

PN polished nickel
SN satin nickel



ADA
COMPLIANT



5"

Wall projection 3.75"

7"

Cube

Model
WB134

G940 G9 40W, 120V
LG95 LED G9 5W

Color CR
Finish SN
Lamp LG95

PN polished nickel
SN satin nickel



ADA
COMPLIANT



5"

Wall projection 3.5"

7"



ADA
COMPLIANT



10.5"

Crystal Cylinder

Frosted crystal glass cylinders.

Dimmable with ELV dimmer.

4.25"

Wall projection 3.5"

Model
WS221

CR clear
Color CR
Finish SN
Lamp L2

L2 LED G4 JC 2W, 110 Lumens
X3 Halogen G4 35W, 700 Lumens

BZ bronze
PN polished nickel
SN satin nickel

Crystal

Pristine crystal cut and polished glass wall sconces.


Dimmable with ELV dimmer.

4.25"

Wall projection 3.5"



ADA
COMPLIANT



Gus Bath


Bath bar with Opal glass diffuser and Polished Chrome metal finish. Can be mounted vertically or horizontally.

Linear DOB Modules:




- 33" version has 36W, AC LED, 3000K, **CRI 90**, 30,000 hours, 3200 lumens
- 25" version has 26W, AC LED, 3000K, **CRI 90**, 30,000 hours, 2400 lumens
- 13" version has 13W, AC LED, 3000K, **CRI 90**, 30,000 hours, 1200 lumens

Suitable for Damp Location. Dimmable with ELV Dimmer.

Model	13" 13"		
BB424	25" 25"	33" 33"	
OP opal	Color	Finish	Size
OP	PC	33	PC polished chrome




Wall projection 4.5"





Sleek

Linear bath bar available in 24", 36" and 48" options. This contemporary fixture is available in polished chrome with white lens diffusing LED lamping.



* Shield easily removable in the field

Model
BB415

PC polished chrome		
Size	Finish	Lamp
36	PC	T5LED

24 Sleek bath bar 24"
36 Sleek bath bar 36"
48 Sleek bath bar 48"

T5LED 120V, 8W, 800 Lumens, **90 CRI**, 3500K, Cree chips, Non-Dimmable
T5LED 120V, 12W, 1200 Lumens, **90 CRI**, 3500K, Cree chips, Non-Dimmable
T5LED 120V, 16W, 1600 Lumens, **90 CRI**, 3500K, Cree chips, Non-Dimmable




BB41524

BB41536


BB41548

BB41536




Wall Projection All Fixtures 4.5"

BB41548



BB41524





Shown:
(1) BB5176OPSN48
Slim Bath Bar 48"



BB5176 - 48



BB5176 - 36

Slim Bath Bar

Slim design bath bar with Opal acrylic lens and Satin Nickel metal finish.

Can be mounted vertically or horizontally, Fluorescent lamp included.

48" version has (1) 54W T5HO, elec HPF, 3000K, CRI 85, 30,000 hours, 5000 lumens, Non Dimmable.

36" version has (1) 39W T5HO, elec HPF, 3000K, CRI 85, 20,000 hours, 3500 lumens, Non Dimmable.

Suitable for Damp Location.

NOTE: A square 4" electrical box cover will be included with every unit.

Model
BB5176


SN satin nickel		
Color	Finish	Size
OP	SN	48
OP opal	36 36"	48 48"

NOTE: Slim Bath Bar fixture is designed to be installed on a 2" 1 gang receptical box.


BB5176 - 36



BB5176 - 48



Wall projection 3.25" all models



Cover plate option
for installation on
Standard 4" J-Box.





Shown:
(2) WS430BZRT3A
Tubular Wall in Bronze




Tubular Wall

Each design is a unique compilation of Retro 300mm Tubular lamps that lay around the perimeter of each fixture, each unlit and acts as a design element and diffuser.

In the center of each fixture is a 185mm retro lamp that acts as the light source.

Dimmable with Triac dimmer.

DIMENSIONS



Model
WS430

RT3A Medium Base Retro Filament
Tube 30W, 185mm
RTL6A 6W, T10, 185mm, 500 Lumens, 2700K

Finish BB	Lamp RT3A
---------------------	---------------------

BB brushed brass
BZ bronze



Retro Cylinder

Classic A-Lamp and retro socket. Cased opale glass offered in various compact fluorescent options. Dimmable with Triac dimmer.

Model	WS179
AM	AM amber
CR	CR clear
OP	OP opal
Glass	RT6B Medium Base Retro Filament Bulb 60W RTL6B 6W, Edison ST58, 2700K, 500 Lumens
Finish	CR
Lamp	RT6B
BZ	BZ bronze
PN	PN polished nickel
SN	SN satin nickel

Dim Sum

Antique style socket and shade with classic A-Lamp. Dimmable with Triac dimmer.

Model	WS227
RT6B	RT6B Medium Base Retro Filament Bulb 60W RTL6B 6W, Edison ST58, 2700K, 500 Lumens
Finish	BZ
Lamp	RT6B
BZ	BZ bronze
PN	PN polished nickel
SN	SN satin nickel



Retro Tubular Style Lamp

Antique style tubular lamp and socket. Dimmable with Triac dimmer.

Model	WS157A
Finish	PN
Lamp	RT3A
BZ	BZ bronze
PN	PN polished nickel
SN	SN satin nickel

RT3A Medium Base Retro Filament Tube 30W, 185mm
RT6C Medium Base Retro Filament Tube 60W, 300mm
RTL6A 6W, 185mm, Clear, T10, 2700K, 500 Lumens
RTL8C 8W, 300mm, Clear, T10, 2700K, 700 Lumens

Retro Edison Style Lamp

Antique style socket with classic A-Lamp. Dimmable with Triac dimmer.

Model	WS157B
LA12	LA12 LED A19 12W, 3000K, 1100 Lumens
RT6B	RT6B Medium Base Retro Filament Bulb 60W
RTL6B	RTL6B 6W, Edison ST58, 2700K, 500 Lumens
Finish	PN
Lamp	RT6B
BZ	BZ bronze
PN	PN polished nickel
SN	SN satin nickel



Shown:
(2) WS151AMBZL3
Stalactite Classic
in Amber



Stalactite Classic

Opale and amber frit and clear with
crystal clear tips. Classic solid cast
arm and back plate.

Dimmable with ELV dimmer.

Model
WS151

AM amber
BU blue
CR clear
OP opal

L3 LED G4 JC 3W, 220 Lumens (amber, opal only)
N3 MR11 Halogen 35W, 1600 Lumens (clear only)
X3 Halogen G4 35W, 700 Lumens (amber, opal only)

Color	Finish	Lamp
CR	PN	L3

BZ bronze
PN polished nickel
SN satin nickel





Shown:
(2) WS128OPPNL3
Milano Wall in Opal



Milano

Murano blown glass wall sconces with exquisite millefiore glass accents and genuine silver flakes.

Dimmable with ELV dimmer.

Model

WS128

AM amber
MO mocha
OP opal

↳ **L3** LED G4 JC 3W, 220 Lumens
↳ **X5** Halogen G6.35 50W, 1100 Lumens

Color	Finish	Lamp
MO	SN	L3

BZ bronze
PN polished nickel
SN satin nickel



Shown:
(2) WS132ONPNL3
Onyx Cylinders



Onyx Cylinder

Mosaic onyx, mosaic white marble and onyx cylinders on classic solid brass casted arm.

Dimmable with ELV dimmer.



ONMS



ON

Model WS132		
Color	Finish	Lamp
MBMS	PN	L3
ONMS		LED G4 JC 3W, 220 Lumens
ON		Halogen G4 20W, 350 Lumens
BZ		
PN		
SN		

BZ bronze
PN polished nickel
SN satin nickel





Vida Wall

Solid brass constructed bracket elegantly holds onyx, mosaic onyx, mosaic white marble, or crystal glass cube diffusers.



ONMS



10.25"



MBMS



ON

Model
WS226

BZ bronze
PN polished nickel
SN satin nickel


Color	Finish	Lamp
ON	PN	LG95

ON onyx **G920** G9 2 x 20W, 120V (only MBMS)
ONMS onyx mosaic **LG95** LED G9 2 x 5W
MBMS marble mosaic





Shown:
(1) MRRD24LED30K
Eva Mirror



Wall projection 1.2"

Eva Mirror

Aluminum construction, finished in mini textured white paint. Outward facing elegant LED around mirror perimeter.



Model
MRRD24LED30K
LED 11W, 3000K, IP20, 500 Lumens



ADA
COMPLIANT



Wall projection 1.2"

Mason Mirror

Aluminum construction, finished in mini textured white paint. Outward facing elegant LED around mirror perimeter.

Can be mounted vertically or horizontally.

Mirror

**Model
MRRT2432LED30K**

LED 20W, 3000K, IP20, 1000 Lumens




**ADA
COMPLIANT**




Cable Light

Spaces, lofts, and vaulted ceilings. Our cable virtually disappears once installed. 5.5 and 3.5 cable separation offered on our S-Bella. Stone Lighting is the only one in the industry to offer bronze cable and bronze elements.


Virtually all pendants and heads are adaptable easily with our EZ Jack Cable Adapter. We also offer several other directly attached heads that are beautiful, unique and compatible with most of our glass and metal accessories.







Shown:
(5) S Bella Heads (SN) Cable Install



S Bella Head

Highly adjustable head tilts 140° within ring. Ring will rotate 360°. Various Lens and Louvers available. 3.5" and 5.5" cable separation available with S Bella.




Model
CB906

↳ **D6** LED MR16 6W
↳ **M5** MR16 Halogen 50W

Finish SN	Lamp D6	Mounting C5.5
---------------------	-------------------	-------------------------

BZ bronze
SN satin nickel

C5.5 5.5" cable separation
C3.5 3.5" cable separation



Louver Black - CBSBLVRBL

Hexcell louver cuts glare from lamp.

Requires a lens holder or an accessory that accepts lenses or louvers (sold separately).



Lens Frost White - CBSBLNSFW


Soft focus lens reduces lamp glare and blurs the sharp lines of Lamp image

Requires a lens holder or an accessory that accepts lenses or louvers (sold separately).

Low iron glass (transmits 91% of the light).



DECORATIVE ELEMENTS



Snowmass EZ Jack Head

Head rotates 360°, swivels 220°, pivots on horizontal and vertical axis.

Can be accesorized with elements on page 398

Model
CB902

↳ **D6** LED MR16 6W
↳ **M5** MR16 Halogen 50W

Finish	Lamp	Mounting
BZ	M5	C
BZ bronze SN satin nickel		C cable adapter



Aspen Head

Highly adjustable head tilts 140° within ring.
Ring will rotate 360°.

Can be accesorized with elements on page 398

Model
CB903

↳ **D6** LED MR16 6W
↳ **M5** MR16 Halogen 50W

Finish	Lamp	Mounting
BZ	M5	C
BZ bronze SN satin nickel		C cable adapter



Vail Pivot Head

Head swivels 220°, pivots on horizontal and vertical axis.

Can be accesorized with elements on page 398

Model
CB900

↳ **D6** LED MR16 6W
↳ **M5** MR16 Halogen 50W

Finish	Lamp	Mounting
BZ	M5	C
BZ bronze SN satin nickel		C cable adapter

DECORATIVE ELEMENTS




Whistler Head

Head pivots 220° on two axis, field cuttable rods.
Can be accesorized with elements on page 398

Model
CB901

↳ **D6** LED MR16 6W
↳ **M5** MR16 Halogen 50W

Finish	Lamp	Mounting
BZ	M5	C
BZ bronze SN satin nickel		C cable adapter



Cable Head Top

Borosilicate glass tube in frost or amber meant to hang on vertical or horizontally mounted cable runs.

Model
CB507

AM amber
FR frost
↳ **L2** LED G4 JC 2W
↳ **X3** GY6.35 Xenon 35W

Color	Finish	Lamp	Mounting
AM	BZ	X3	C
AM amber FR frost	BZ bronze SN satin nickel	X3 GY6.35 Xenon 35W	C cable adapter



DECORATIVE ELEMENTS



Each element easily attaches with a simple spring clip. (included)



HL204 (BZ,PN,SN)



HL203AM (BZ,PN,SN)



HL203MO (BZ,PN,SN)



HL205BU (BZ,PN,SN)



HL202FR (BZ,PN,SN)



HL205CR (BZ,PN,SN)



PL201 SN



PL201 PN



PL201 BZ



PL202CR (AM, FR) SN



PL202FR (AM, CR) SN



PL206TO SN



Determine what you are trying to light. Determine your Finish (SN) or our proprietary (BZ) Cable and what Heads you want to choose. Head and Accessories can be found on pages 78-87. Also you may choose compatible Heads and Pendants that attach to cable using our EZ Jack Cable Light Adapter.

SPECIFY CABLE LENGTH

Cable Bare

Rated for 300W at 12V, 600W at 24V load: Voltage drops occur at 30' with 12V, and 60' with 24V. #10 gauge tin-plated copper cable with Kevlar core.

CSCBLBAREBZ, CSCBLBARESN

Cable Insulated

Use insulated cable where required by local codes, also in coastal areas where salty air will accelerate corrosion of bare cables. #10 gauge tin-plated copper cable with Kevlar core, sheathed in clear coating..

CSCBLINSSN

SPECIFY HARDWARE, CANOPIES AND TRANSFORMERS

Universal Turnbuckles (2pc. set)

1 set (min) per cable run needed or use 2 sets for tightening cables at both ends. When ceiling mounted, cables drop 2.5" from ceiling. All turnbuckles include mounting hardware for drywall. Special hardware is available for brick, cement or plaster surfaces (specify when ordering).

CSTRNBCKL (BZ,SN)

Power Wall Anchors (2pc. set)

Comes as a pair of wall or ceiling anchors. These anchors can be used for feeding power or a set of dead wall anchors. To feed power, use a remote transformer (sold separately).

CSWALANC (BZ,SN)

Slimline Turnbuckles (2pc. set)

Slimline Turnbuckles tighten the cables and can be used for a cable run of 20 ft or less. They mount to wall or ceiling. When ceiling mounted, the cable is positioned 1 inch below the ceiling. Insulated version is required if mounting to metal (consult factory).

CSSLTRNBKL (BZ,SN)



SPECIFY HARDWARE, CANOPIES AND TRANSFORMERS

Adjustable Cable Hanger 12ft

Used to support runs over 20' long so cable does not sag.

Wire grip allows easy adjustability.

CSCBLADJ12 (BZ, SN)



Conductive Connector (2pc.set)

Connectors join cables end to end to continue conductivity.

CSCNS (BZ, SN)



Cable EZ Jack Adapter

Allows any EZ Jack element, Head or Pendant to mount and hang from cable run.

CSEJADP (BZ, SN)



Isolating Connector (2pc.set)

Connectors join cables end to end and isolate power feeds from each other.

CSCNISO
CSCNISOBZ



SPECIFY HARDWARE, CANOPIES AND TRANSFORMERS

Single Feed Remote Canopies

CSCPRIG (BZ,SN)
4" Round power feed canopy
20" single feed rigid connector



Single Feed Remote Canopies

CSCPSFT (BZ,SN)
4" Round power feed canopy
30" single feed soft feeder connector



Dual Feed Remote Canopies


CSCPRIGDU (BZ,SN)
4" Round power feed canopy
20" dual feed rigid connector for 600W remote transformer




Dual Feed Remote Canopies

CSCPSFTDU (BZ,SN)
4" Round power feed canopy
30" dual feed soft feeder connector



SMT	Description	Model No.	Input	Output	Dimmer Type
 6"  3"	12V/300W Surface Mount Cable Transformer 30" Power feed cable	PWECBL300ABZ	1x120 VAC/2.5A	1x300W 12VAC LED / HAL	Electronic Low Voltage Dimmer

SMT	Description	Model No.	Input	Output	Dimmer Type
 6"  3"	12V/300W Surface Mount Cable Transformer 30" Power feed cable	PWECBL300ASN	1x120 VAC/2.5A	1x300W 12VAC LED / HAL	Electronic Low Voltage Dimmer

SMT	Description	Model No.	Input	Output	Dimmer Type
	12V/60W 4" Surface Mount Cable Transformer 30" Power feed cable	PWECBL60BZLED	1x120 VAC/0.50A	1x60W 12VAC LED / HAL	Electronic Low Voltage Dimmer
	12V/60W 4" Surface Mount Cable Transformer 30" Power feed cable	PWECBL60SNLED	1x120 VAC/0.50A	1x60W 12VAC LED / HAL	Electronic Low Voltage Dimmer


Remote Transformer	Description	Dimensions	Model No.	Dimmer Type
	Jbox Electronic 60W 120V 0.50Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 2.2"x1.3"x0.82"	PWE60NL	ELV
	Remote Electronic 60W 120V 0.50Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 8.15"x2"x1.70"	PWERM60LED	ELV
	Remote Electronic 150W 120V 1.25Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 9.2"x3.4"x1.70"	PWERM150LED	ELV
	Remote Electronic 300W 120V 2.5Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 9.2"x3.4"x1.70"	PWERM300LED	ELV
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 8.75"x4.33"x3.82"	PWMRM150	LVM
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 8.75"x4.33"x3.82"	PWMRM300	LVM
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 9.52"x5.31"x4.84"	PWMRM600	LVM



Monorail

Stone Lighting Monorail is the most user friendly system within the lighting industry. By utilizing our telescopic rigid hangers and EZ Jack pendant adapters (R), lighting most any space is simple and fast. Use our customer friendly specification guide, listed on pages 408-421, to complete your system.





STEP 1: CHOOSE YOUR RAIL

Every rail is shipped.

It is important to determine what you want to illuminate. Stone Lighting Design Professionals are available to help you create your optimal design. We recommend sketching out your design to help navigate you through this simple system basics guide.

The rail is rated for a maximum of 25 amps: 300 watts at 12 volts or 600 watts at 24 volts. Every rail is shipped with a set of straight conductive connectors for easy joining to another monorail.


STRAIGHT MONORAIL



Straight Monorail

Straight monorail is available in 36", 48" or 96" lengths.

MSRL36 (BZ-PN-SN)-36" Straight
MSRL48 (BZ-PN-SN)-48" Straight
MSRL96 (BZ-PN-SN)-96" Straight



L 36", 48" or 96"

MONORAIL PRE-BENT OPTIONS

24" Diameter Circle


1/3 Round, Radius 12". Order three pieces to create a 24" diameter circle.
MSRLCV24 (BZ-PN-SN)



MONORAIL PRE-BENT OPTIONS


48" Diameter Circle

1/3 Round, Radius 24". Order three pieces to create a 48" diameter circle.
MSRLCV48 (BZ-PN-SN)




78" Diameter Soft Curve

1/5 Round, Radius 39". Order five pieces to create a 78" diameter circle.
MSRLCV78 (BZ-PN-SN)




32" Monorail Spiral

Kit includes:
Custom bent Monorail (5),
Straight Conductive
Connectors (5) and End Caps (2).
Hangers required (sold separately).
MSRLSP32 (BZ-PN-SN)



48" Monorail Spiral

Kit includes:
Custom bent Monorail (7),
Straight Conductive
Connectors (7) and End Caps (2).
Hangers required (sold separately).
MSRLSP48 (BZ-PN-SN)





Shown:
(5) PD092FRSNL2R
Gracie Frosted hanging
from wall mounted monorail.



Shown:
(15) PD129CRX2R
Bubble Pendants in Clear,
(4) DB200SNM5R
Bare Snap Swivels (SN),
(1) MSRLSP48SN
48" Monorail Spiral.



Shown:
(4) DF217CRSNM5R
Krypto Focus Swivel in Clear
(1) MSRL96SN
96" Monorail
(3) MSHGADJ2SN
Adjustable Hangers

STEP 2: CHOOSE YOUR CONNECTORS

Order connectors for joining rails.

Adjustable Connector

Conductive connectors join sections of rail together allowing subtle to sharp horizontal angles.

MSCNADJ (BZ-PN-SN)



Isolating Connector

Use a pair of isolating connectors to separate one powered run from another.

MSCNISO



Straight Connector

Straight conductive connectors join one powered run to another.

MSCNS (BZ-PN-SN)



L-Connector

Make a perfect 90° angle.

MSCNL (BZ-PN-SN)



STEP 2: CHOOSE YOUR CONNECTORS

T-Connector

Join three conductive sections of rail.

* We recommend a support within 6" of "T".

MSCNT (BZ-PN-SN)



X-Connector

Join four conductive sections of rail to make a 4-way intersection.

* We recommend a support within 6" of "X".

MSCNX (BZ-PN-SN)



End Caps

Decorative metal caps to give finished look to ends of monorail.

4 End caps come in a set.

MSCAPS (BZ-PN-SN)



STEP 3: CHOOSE YOUR MONORAIL SUPPORTS

Adjustable Cable Hanger

Griplock allows for easy one touch shortening and lengthening of cable in the field. Complete with drywall anchors. Custom lengths available. (Consult factory)

MSCBLADJ6 (BZ-PN-SN)-6ft.

MSCBLADJ12 (BZ-PN-SN)-12ft.

MSCBLADJ25 (BZ-PN-SN)-25ft.



STEP 3: CHOOSE YOUR MONORAIL SUPPORTS

Direct Hanger

For the closest to ceiling mounting of rail and cleanest installation. Must be used in conjunction with 2" or 4" Remote Direct Feed Canopy.

MSHG1 (BZ-PN-SN)

* Drywall Anchor included



Adjustable Hanger

Adjustable rigid hangers offer unique telescoping height adjustment. Self-drilling drywall anchor included with all hangers. For mounting on concrete ceilings or walls, order one HRSCWMASO* per hanger.

We recommend hanger every 2-3 ft, depending on the weight of the elements being hung.

MSHGADJ1 (BZ-PN-SN)-(3" to 4")

MSHGADJ2 (BZ-PN-SN)-(6.25" to 10.75")

MSHGADJ3 (BZ-PN-SN)-(12" to 22")



Hanger Screw*

HRSCWMASO



STEP 4: CHOOSE YOUR TRANSFORMER + CANOPY

All Monorail lighting systems require a transformer to convert standard (120 -277) voltage to a safe-to-touch 12 or 24 volts. Monorail can be powered with surface mounted transformers or with remote transformers.

SURFACE MOUNTED TRANSFORMERS

All Surface Mounted Transformers are encased in a finished metal housing and mount to any standard ceiling electrical box. Typically, you use a surface transformer when an accessible location above the ceiling or in a utility closet is unavailable for installing a remote transformer.

Transformer and flexible coaxial feeder cleanly and attractively send power to your system. 28" length is standard for our coaxial feeder. It is easily shortened in the field. Consult factory for longer lengths.

Our unique coaxial feeder mimics a solid stem when straight. The braided steel outer jacket and the rail adapter beautifully complement the entire system.

SMT	Description	Model No.	Input	Output	Dimmer Type
	12V/60W (No Load) Surface Mount LED Transformer Electronic	PWESMT60LED (BZ-PN-SN)	1x120 VAC/.5A	1x60W	Electronic Low Voltage Dimmer
		PWESMT60LED277 (BZ-PN-SN)		1x277 VAC/.22A	


	12V/150W Surface Mount Transformer Electronic AC	PWESMT150A (BZ-PN-SN)	1x120 VAC/1.25A	1x150W	Electronic Low Voltage Dimmer 600W
	12V/150W Surface Mount Transformer Electronic DC	PWESMT150D (BZ-PN-SN)			

SMT	Description	Model No.	Input	Output	Dimmer Type
	12V/300W Surface Mount Transformer Electronic AC	PWESMT300A (BZ-PN-SN)	1x120 VAC/2.5A	1x300W	Electronic Low Voltage Dimmer 600W
	12V/300W Surface Mount Transformer Electronic DC	PWESMT300D (BZ-PN-SN)			

SMT	Description	Model No.	Input	Output	Dimmer Type
	12V/150W Surface Mount Transformer Magnetic	PWMSMT150 (BZ-PN-SN)	1x120 VAC/1.25A	1x150W	Magnetic Low Voltage Dimmer 600W

	12V/300W Surface Mount Transformer Magnetic	PWMSMT300 (BZ-PN-SN)	1x120 VAC/2.5A	1x300W	Magnetic Low Voltage Dimmer 600W
		PWMSMT300277 (BZ-PN-SN)	1x277 VAC/1.1A		

	12V/600W Surface Mount Transformer Magnetic	PWMSMT600 (BZ-PN-SN)	1x120 VAC/5A	2x300W	Magnetic Low Voltage Dimmer 1000W
--	---	----------------------	--------------	--------	-----------------------------------

	12V/250W Mini Surface Mounted Transformer	PWESMT250MINI (BZ-SN)	1x120 VAC/5A	1x250W	Electronic Low Voltage Dimmer
---	---	-----------------------	--------------	--------	-------------------------------

 Will work with LED or Halogen

IMPORTANT

- All of our standard transformers are 12/120V.
- Other options like 277V, 24V and 0-10V are available upon request. Consult factory.
- Ships with 28" flexible cable to each transformer.



Shown:
Custom Bubbles
Pendants Installation

REMOTE TRANSFORMERS

All Remote Transformers are encased in metal housings complete with mounting feet and conduit knockouts. Typically, you use a remote transformer when a cleaner installation appearance is desired. A remote transformer must be installed in an accessible remote location, the bulkier ceiling mounted surface transformer is replaced by a power feed canopy with flexible coaxial power feed cable or direct-feed connector.

Remote Transformer	Description	Dimensions	Model No.	Dimmer Type
	Remote Electronic 60W 120V 0.50Amp Output 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.15" x 2" x 1.70"	PWERM60D	ELV
	Remote Magnetic 60W 120V/240V/277V 0.50Amp Dual Output 12VAC and 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection	10" x 3.11" x 2.95"	PWMRM60	LVM
	Remote Electronic 150W 120V 1.25Amp Output 12VDC 12.5Amp UL2108 Short circuit and thermal protection	8.15" x 2" x 1.70"	PWERM150D	ELV
	Remote Electronic 300W 120V 2.5Amp Output 12VDC 25Amp UL2108 Short circuit and thermal protection	9.95" x 3.38" x 1.90"	PWERM300D	ELV
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75" x 4.33" x 3.82"	PWMRM150	LVM
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75" x 4.33" x 3.82"	PWMRM300	LVM
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	9.52" x 5.31" x 4.84"	PWMRM600	LVM
	Jbox Electronic 60W 120V 0.50Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	2.2" x 1.3" x 0.82"	PWE60NL	ELV

All Remote Transformers must be accompanied by a Remote Canopy. The Remote Canopy covers the ceiling/wall electrical box and is equipped with a 28" flexible coaxial power feeder.

How to calculate your wattage needs

2.75" and 4" remote canopies are available for ceiling and wall remote transformer applications. To find which is right for your system, add up the total wattage of the pendants or heads you'll be using (the number of pendants or heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. For example (3) 50 watt, (4) 35 watt or (7) 20 watt elements can be specified per 150 watt transformer. (6) 50 watt, (8) 35 watt or (15) 20 watt elements can be specified per 300 watt transformer. Double a 300 watt limit for 600 watts.

Additional Important Transformer Information: Aside from wattage requirements and accessibility, the other important factor to consider when choosing a transformer is "voltage drop." The further a light source (pendant/head) is located from the transformer, the lower its voltage and brightness. Magnetic and DC transformers are better suited to handle longer rail runs and distances from the transformer to the furthest light source.

STEP 4: CHOOSE YOUR TRANSFORMER + CANOPY

When using a remote transformer, a remote canopy is necessary. Power feed canopies are mounted to the ceiling or wall. Location can be anywhere along the rail.

4" Round Canopies mount to a standard 4" electrical J-Box.

2.75" Round Canopies mount to a special 2" electrical J-Box (included).

Remote canopies include 28" standard length of a 10AWG flexible, plated coaxial power feeder and complementing rail adapter. The coaxial feeder is field-cuttable and easily shortened by the installer. A straight line to the rail, giving the appearance of a solid stem, is easily achievable by the installer. Direct-feed canopies include a complementing rail adapter flush with canopy.

SINGLE FEED REMOTE CANOPIES



MSCPRMT1 (BZ-PN-SN)

4" Round canopy with flexible 10 AWG softfeeder
Ships with 28" flexible cable



MSCPRMT2 (BZ-PN-SN)

2.75" Round canopy with flexible 10 AWG softfeeder
Ships with 28" flexible cable

DUAL FEED REMOTE CANOPIES



MSCPRMTDU1 (BZ-PN-SN)

4" Round canopy with dual 10 AWG softfeeder
Ships with 28" flexible cable



MSCPRMTDU2 (BZ-PN-SN)

2.75" Round canopy with dual 10 AWG softfeeder
Ships with 28" flexible cable

2" ELECTRICAL BOX



MSJBOXRM2 (BZ-PN-SN)


Electrical box comes standard with each 2.75" remote canopy and MUST be installed

STEP 5: CHOOSE YOUR DECORATIVE ELEMENTS: HEADS

*Information available for this fixture in <http://www.stonelighting.net/>



Shown:
Bronze Monorail
Amber Glass / Bronze
Murano Action Heads
Bronze Adjustable
Cable Hangers



*NOTE

4" and 2" direct canopies

4" and 2" direct feed canopies dual are compatible with direct hanger MSHG1 (BZ-PN-SN)



STEP 5: CHOOSE YOUR DECORATIVE ELEMENTS: PENDANTS

p59	p23	p13	p83	p83	p85
p64	p65	p81	p81	p81	p49
p104	p37	p78	p27	p15	p77
p87	p107	p101	p55	p61	p15
p63	p101	p89	p98	p51	p19
p43	p23	p99	p75	p109	p63
p91	p43	p103	p111	p53	p76
p31	p43	p99	p111	p111	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43	p103	p111	p53	p76
p31	p43	p99	p111	p53	p31
p103	p43 </td				




Wall Monorail

Wall Monorail combines the elegance of monorail closely mounted to any wall giving a creative way of illuminating any wall surface. Mount any picture light or EZ Jack compatible element to rail. Arc, Tele and Snap swivels are particularly popular choices for artwork or wall illumination.

Hand-bendable, field-cuttable wall monorail is rated for 300 watts at 12 volts, 600 watts at 24 volts. A myriad of decorative elements make Stone Lighting's Wall Monorail solution ideal for any wall illumination application.



WALL MONORAIL FUNDAMENTALS



CHOOSE YOUR RAIL

It is important to determine what you want to illuminate. Stone Lighting Design Professionals are available to help you create your optimal design. We recommend sketching out your design to help navigate you through this simple system basics guide.

Wall Monorail is available in straight sections. Every rail is shipped with a set of straight conductive connectors for easy joining to another monorail. The rail is rated for a maximum of 25 amps: 300 watts at 12 volts or 600 watts at 24 volts.


STRAIGHT MONORAIL



Straight Monorail

Straight monorail is available in 36", 48" or 96" lengths.

MSRL36 (BZ-PN-SN)-36" Straight
MSRL48 (BZ-PN-SN)-48" Straight
MSRL96 (BZ-PN-SN)-96" Straight



MONORAIL CONNECTORS

Order connectors for joining rails.

Adjustable Connector

Conductive connectors join sections of rail together allowing subtle to sharp horizontal angles.

MSCNADJ (BZ-PN-SN)



MONORAIL CONNECTORS

Isolating Connector

Use a pair of isolating connectors to separate one powered run from another.

MSCNISO



Straight Connector

Straight conductive connectors join one powered run to another.

MSCNS (BZ-PN-SN)



End Caps

Decorative metal caps to give finished look to ends of monorail.

4 End caps come in a set.

MSCAPS (BZ-PN-SN)



MONORAIL SUPPORTS

Wall Hanger

Positions rail 1" away from wall. Recommended every three feet along wall mounting.

MSHG WALL (BZ-PN-SN)



REMOTE TRANSFORMERS

All Wall Monorail lighting systems require a transformer to convert standard 120 voltage to a safe-to-touch 12 or 24 volts. Wall Monorail is powered with remote transformers. All remote transformers are encased in black metal housings complete with mounting feet and conduit knockouts. A remote transformer must be installed in an accessible remote location.

Remote Transformer	Description	Dimensions	Model No.	Dimmer Type
	Remote Electronic 60W 120V 0.50Amp Output 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.15"x2"x1.70"	PWERM60D	ELV
	Remote Magnetic 60W 120V/240V/277V 0.50Amp Dual Output 12VAC and 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection	10"x3.11"x2.95"	PWMRM60	LVM
	Remote Electronic 150W 120V 1.25Amp Output 12VDC 12.5Amp UL2108 Short circuit and thermal protection	8.15"x2"x1.70"	PWERM150D	ELV
	Remote Electronic 300W 120V 2.5Amp Output 12VDC 25Amp UL2108 Short circuit and thermal protection	9.95"x3.38"x1.90"	PWERM300D	ELV
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM150	LVM
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM300	LVM
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	9.52"x5.31"x4.84"	PWMRM600	LVM
	Jbox Electronic 60W 120V 0.50Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	2.2"x1.3"x0.82"	PWE60NL	ELV

All Remote Transformers must be accompanied by a Remote Canopy. The Remote Canopy covers the wall electrical box and is equipped with an integral power feed.

How to calculate your wattage needs

4" remote canopies are available for wall remote transformer applications. To find which is right for your system, add up the total wattage of the heads you'll be using (the number of heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. For example (3) 50 watt, (4) 35 watt or (7) 20 watt elements can be specified per 150 watt transformer. (6) 50 watt, (8) 35 watt or (15) 20 watt elements can be specified per 300 watt transformer. Double a 300 watt limit for 600 watts.

Additional Important Transformer Information: Aside from wattage requirements and accessibility, the other important factor to consider when choosing a transformer is "voltage drop." The further a light source is located from the transformer, the lower its voltage and brightness. Certain transformers are better suited to handle longer rail runs and distances from the transformer to the furthest light source.

CANOPY OPTIONS

When using a remote transformer, a remote canopy is necessary. Power feed canopies run directly behind a rail run. Location can be anywhere along the rail.

MONORAIL CANOPIES

4" Direct Wall Monorail Canopy

Round single feed mounts to 4" junction box.

MSCPYWALL1 (BZ-PN-SN)



DECORATIVE ELEMENTS

Monorail Wall Adapter

One adapter is required for each swivel head.

MSWAD (BZ-PN-SN)



HEADS COMPATIBLE WITH SINGLE CIRCUIT WALL MONORAIL



Bare Snap Extension Head
WB200SNR



Arc
PLARC200SNR



Telescopic
PLTEL200PCR

DECORATIVE ELEMENTS: BARE SNAP EXTENSION HEAD, ARC OR TELESCOPIC

Bare Snap Extension Head

Bare lamp adjustable head. As 10" length allows for perfect wall illumination especially over cabinetry. Monopoint and Monorail mounting options.

Monopoint includes 60 watts mini electronic transformer that neatly fits in J-Box, 12 volt can be accesorized with elements on page 435.

Model
WB200

BZ bronze
PN polished nickel
SN satin nickel

D6 LED MR16 6W, 420 Lumens
M5 Halogen MR16 50W, 2200 Lumens

Finish SN	Stem 10	Lamp M5	Mounting R*
---------------------	-------------------	-------------------	-----------------------

10 10" stem
M monopoint canopy
R wall monorail

* For Monorail version see pages 442-446

* Monorail Wall Adapter Included

Arc

Gentle curved picture light.
Monopoint and Monorail mounting options.




Monopoint includes 60 watts mini electronic transformer that neatly fits in J-Box, 12 volt can be accesorized with elements on next page.

Model
PLARC200

D6 LED MR16 6W, 420 Lumens
M5 Halogen MR16 50W, 2200 Lumens

Finish SN	Lamp M5	Mounting R
---------------------	-------------------	----------------------

SN satin nickel
M monopoint canopy
R wall monorail



Telescopic

Telescoping and multiple angling possibilities.
Monopoint and Monorail mounting options.

Monopoint includes 60 watts mini electronic transformer that neatly fits in J-Box, 12 volt can be accesorized with elements on next page.

Model
PLTEL200

D6 LED MR16 6W, 420 Lumens
M5 Halogen MR16 50W, 2200 Lumens

Finish PC	Lamp M5	Mounting R
---------------------	-------------------	----------------------

PC polished chrome
M monopoint canopy
R wall monorail

DECORATIVE ELEMENTS: TELESCOPIC OR ARC

Each element easily attaches with a simple spring clip. (included)



Shown:
(3) PLARC200SNM5R
Bare Heads Arcs
(3) MSHGWALLSN
Satin Nickel Wall Hangers
Satin Nickel Wall Monorail

PICTURE LIGHT




Highlighter

Features a 17" arched stem.
Perfect for artwork illumination.
Can be accesorized with elements
to the right.

Model
PLHL200

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens
Finish Lamp Mounting
SN **M5** **M**
SN satin nickel M monopoint canopy



DECORATIVE ELEMENTS: HIGHLIGHTER

HL204 (BZ,PN,SN)



Each element easily
attaches with a simple
spring clip. (included)





Low Voltage Swivel Heads

Stone Lighting offers a wide selection of decorated elements from blown Murano glass or metal reflective shades. Each are offered as halogen or led.

Unique to Stone Lighting, is our increased level of back light from our LED MR16, which facilitates the brilliance of our Murano glass





Simple Action Swivel

Adjustable action swivel head accessorized with transparent and frosted blown glass cylinders.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.



Model
DA205

BU blue
CR clear
FR frost
Color Finish Lamp Mounting
CR **SN** **D6** **R**

↳ D6 LED MR16 6W, 420 Lumens
↳ M5 Halogen MR16 50W, 2200 Lumens

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Duomo Action Swivel

Adjustable action head accessorized with decorative metal shield.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.



Model
DA201

Finish Lamp Mounting
PN **M5** **M**

↳ D6 LED MR16 6W, 420 Lumens
↳ M5 Halogen MR16 50W, 2200 Lumens

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Iris Action Swivel

This swivel is accessorized with blown glass frit shield imbued beautifully with Iris coating that adds a unique metallic appearance within each glass shade.

360 degree rotation, 90 degree tilt.



Model
DA206

TO tortoise
Color Finish Lamp Mounting
TO **SN** **M5** **R**

↳ D6 LED MR16 6W, 420 Lumens
↳ M5 Halogen MR16 50W, 2200 Lumens


BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Vitrea Action Swivel

This swivel is accessorized with crystal clear glass shade. Also available in a nice frost shade option.

360 degree rotation, 90 degree tilt.



Model
DA202

AM amber
CR clear
FR frost
Color Finish Lamp Mounting
FR **SN** **M5** **R**

↳ D6 LED MR16 6W, 420 Lumens
↳ M5 Halogen MR16 50W, 2200 Lumens

BZ bronze
PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Shown:
 (1) DA203MOBZM5J
 Murano Swivel Head in Mocha
 (1) CPEJRNDDBZ
 4" Round Deep 1 Lite Canopy
 in Bronze




Murano Action Swivel

Action swivel with Murano glass cylinders imbued with genuine gold flakes.

360 degree rotation, 90 degree tilt.

Model
DA203

AM amber	D6 LED MR16 6W, 420 Lumens
MO mocha	M5 Halogen MR16 50W, 2200 Lumens
Color	Finish
AM	SN
BZ bronze	Lamp
PN polished nickel	M5
SN satin nickel	Mounting
	R
	M monopoint canopy
	R monorail adapter
	C cable adapter
	J EZ jack



Action Bare Swivel

Bare head action swivel.

360 degree rotation, 90 degree tilt.

Model
DA200

Finish	Lamp	Mounting
PN	M5	R
BZ bronze	D6 LED MR16 6W, 420 Lumens	M monopoint canopy
PN polished nickel	M5 Halogen MR16 50W, 2200 Lumens	R monorail adapter
SN satin nickel		C cable adapter
		J EZ jack





Bare MR Focus Swivel

Bare swivel with specified Halogen MR16 or LED MR16.

360 degree rotation,
270 degree tilt.

Model
DF200

SN satin nickel
PN polished nickel
M5 Halogen MR16 50W, 2200 Lumens
D6 LED MR16 6W, 420 Lumens

Finish	Lamp	Mounting
PN	M5	M

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Form Snap Swivel

Adjustable head accessorized with decorative metal shield.

Rotates 360 degrees and
pivots 90 degrees.

Includes specified Low-Voltage lamp.
Custom stem lengths available
(consult factory).

Model
DB204

SN satin nickel
PN polished nickel
BZ bronze
D6 LED MR16 6W, 420 Lumens
M5 Halogen MR16 50W, 2200 Lumens

Finish	Stem Length	Lamp	Mounting
PN	03	M5	R

01 1" stem
03 3" stem
10 10" stem
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Duomo Snap Swivel

Adjustable head accessorized
with decorative metal shield.

Rotates 360 degrees and
pivots 90 degrees.

Includes specified Low-Voltage lamp.
Custom stem lengths available
(consult factory).

Model
DB201

SN satin nickel
PN polished nickel
BZ bronze
D6 LED MR16 6W, 420 Lumens
M5 Halogen MR16 50W, 2200 Lumens

Finish	Stem Length	Lamp	Mounting
SN	03	M5	R

01 1" stem
03 3" stem
10 10" stem



Bare Snap Swivel

Bare lamp adjustable head.

Rotates 360 degrees and
pivots 90 degrees.

Includes specified Low-Voltage lamp.
Custom stem lengths available
(consult factory).

Model
DB200

SN satin nickel
PN polished nickel
BZ bronze
D6 LED MR16 6W, 420 Lumens
M5 Halogen MR16 50W, 2200 Lumens

Finish	Stem Length	Lamp	Mounting
BZ	03	M5	R

01 1" stem
03 3" stem
10 10" stem





Shown:
(7) DB202CRSN01M5R
Vitrea Snap Swivels in Clear



Vitrea Snap Swivel

Adjustable head accessorized with transparent glass shades and frosted shade.

360 degree rotation, 90 degree tilt.

Includes specified Low-Voltage lamp.

Custom stem lengths available (consult factory).

Model
DB202



Spectra Snap Swivel

Dichroic glass shade.

Rotates 360 degrees and
pivots 90 degrees.

Includes specified Low-Voltage lamp.

Custom stem lengths available
(consult factory).

Model
DB207

Color RE	Finish SN	Stem Length 03	Lamp D6	Mounting R
RE reflex		01 1" stem 03 3" stem 10 10" stem		



Iris MX Swivel



This swivel is accessorized with blown glass frit shield imbued beautifully with Iris coating that adds a unique metallic appearance within each glass shade.

360 degree rotation, 270 degree tilt.

Custom stem lengths available
(consult factory).

Model
DM206

Color TO	Finish BZ	Lamp M5	Mounting R
TO tortoise	BZ bronze PN polished nickel SN satin nickel	D6 LED MR16 6W, 420 Lumens M5 Halogen MR16 50W, 2200 Lumens	





Duomo MX Swivel

Adjustable head accessorized with decorative metal shield.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Custom stem lengths available (consult factory).

Model
DM201

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens

Finish	Lamp	Mounting
SN	M5	M
PN polished nickel SN satin nickel	M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Vitrea MX Swivel

This swivel is accessorized with crystal clear amber, blue and clear glass shades.

Also available in a nice frost shade option.

360 degree rotation, 270 degree tilt.

Custom stem lengths available (consult factory).



Model
DM202

AM amber
CR clear
FR frost
↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens

Color	Finish	Lamp	Mounting
CR	SN	M5	R
BZ bronze PN polished nickel SN satin nickel	M monopoint canopy R monorail adapter C cable adapter J EZ jack		



Bare MX Swivel

Bare lamp adjustable head.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Custom stem lengths available (consult factory).

Model
DM200

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens

Finish	Lamp	Mounting
PN	M5	R
PN polished nickel SN satin nickel	M monopoint canopy R monorail adapter C cable adapter J EZ jack	


Murano MX Swivel

Adjustable head accessorized with Murano glass cylinder.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Custom stem lengths available (consult factory).



Model
DM203

AM amber
MO mocha
↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens

Color	Finish	Lamp	Mounting
AM	SN	M5	R
BZ bronze PN polished nickel SN satin nickel	M monopoint canopy R monorail adapter C cable adapter J EZ jack		





Simple MX Swivel

Adjustable head accessorized with transparent and frosted blown glass cylinders.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Custom stem lengths available (consult factory).

Model
DM205


BU blue
CR clear
FR frost

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens

Color	Finish	Lamp	Mounting
BU	SN	M5	R

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Piston shown with
Additional Square Canopy

— 4" —



Model
DP173

↳ **D3** LED MR11GU4 3W
↳ **N3** MR11 Halogen 35W, 150 Lumens

Finish	Lamp	Mounting
SN	N3	J

PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Moto Swivel

Simple cylinder swivel. Swivels 360° head tilts 90°.

Includes (1) 50 watt Halogen or 6 watt LED low voltage GU5.3 base MR16 lamp.



Model
DE441

BZ bronze
SN satin nickel

↳ **D6** LED MR16 6W, 420 Lumens
↳ **M5** Halogen MR16 50W, 2200 Lumens

Finish	Stem Length	Lamp	Mounting
BZ	01	M5	R

01 1" stem
06 6" stem
12 12" stem

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack





Shown: (2) W0808ALGM5 Sonos in Aluminum



Outdoors Wall

Stone Lighting's Outdoor Luminaire Selection offers a perfect hybrid of specification and high end design elements to satisfy virtually any outdoor application.





Shown:
(2) WO874BZRTL6B
Vista 1 in Bronze



Wall projection 7"

Vista 1

Powder coated bronze die cast exterior luminaire.
Clear tempered glass protected by silicone gasketing.
IP54 rated. Dimmable with Triac dimmer.

Custom finishes available. Consult factory.

Model
WO874

RTL6B LED Retro Clear Filament Lamp 6W
ST64, 2700K, 500 Lumens, E26

Finish BZ	Lamp RTL6B
BZ bronze	





Shown:
(1) WO875BZRTL6B
Vista 2 in Bronze



Vista 2

Powder coated bronze die cast exterior luminaire.
Clear tempered glass protected by silicone gasketing.
IP54 rated. Dimmable with Triac dimmer.

Custom finishes available. Consult factory.

Model
WO875

RTL6B LED Retro Clear Filament Lamp 2 x 6W
ST64, 2700K, 500 Lumens, E26

Finish	Lamp
BZ	RTL6B

BZ bronze





Kurve

Outdoor wall sconce with frosted lenses for up and down illumination. BZ finish is standard. Optional finished are available as listed below.

Dimmable with Triac and ELV dimmers.
IP54 rated.

Model
WO877

LED LED 2x 7W, **90 CRI**,
3000K, 990 Lumens

Finish BZ	Lamp LED
---------------------	--------------------

BL black
BZ bronze
SI silver
WH white





Shown:
(1) WO820BLLED
Baloo in Black

Baloo

Aluminum die-cast body, textured black powder coat finish, opal polycarbonate diffuser. Up and down lighting.

IP65 rated. Non-Dimmable.

Model
WO820

LED LED 8W, 85 CRI, 4000K
500 Lumens
Finish **BL** Lamp **LED**
BL black



Huey

Aluminum die-cast body, textured black powder coat finish, opal polycarbonate diffuser. Light emits from the front and the sides.

IP54 rated. Non-Dimmable.

Model
WO821

LED LED 18W, 85 CRI, 4000K
1000 Lumens
Finish **BL** Lamp **LED**
BL black

Wall projection 4.25"




Shanti

Aluminum die-cast body, textured black powder coat finish, opal polycarbonate diffuser. Light emits from all four sides.

IP65 rated. Non-Dimmable.

Model
WO822

LED LED 12W, 85 CRI, 4000K
800 Lumens
Finish **BL** Lamp **LED**
BL black





Shown:
(1) WO886WHLED
Cubix Down Light in White

Cubix Down Light

Extruded aluminum body. Outdoor UV resistant powdercoat finish for harsh salt conditions. Silicone waterproof gasketing. White finish is standard. For other finishes, consult factory.

8mm thick tempered glass diffuser(s).
Beam Angle 36 degrees.
Integral Driver: 100-240V inside fixture.
316 SS screws. IP65 rated.

Dimmable with ELV dimmer.


Model
WO886

LED LED 1 x 12W, 85 CRI, 4000K

Finish	Lamp
--------	------

WH	LED
-----------	------------

WH white



Cubix Up/Down Light

Extruded aluminum body. Outdoor UV resistant powdercoat finish for harsh salt conditions. Silicone waterproof gasketing. White finish is standard. For other finishes, consult factory.

8mm thick tempered glass diffuser(s).
Beam Angle 36 degrees.
Integral Driver: 100-240V inside fixture.
316 SS screws. IP65 rated.

Dimmable with ELV dimmer.


Model
WO887

LED LED 2 x 12W, 85 CRI, 4000K

Finish	Lamp
--------	------

WH	LED
-----------	------------

WH white





Shown:
(1) WO857BKLED
Concordia in Black

Concordia One-Way

Outdoor rated square down light made from die cast aluminum. This luminaire has frosted and gasketed diffusers for dedicated down light.

Custom finishes available. Consult factory.


Non-Dimmable.

Model
WO856

BK black
Finish
BK

Lamp
LED

LED 3 x 1W Cree LED, 120V
90 CRI, 3000K, 243 Lumens



Wall projection 2"



WO856

WO857

Concordia Two-Way

Outdoor rated square up and down light made from die cast aluminum. This luminaire has frosted and gasketed diffusers.

Custom finishes available. Consult factory.


Non-Dimmable.

Model
WO857

BK black
Finish
BK

Lamp
LED

LED 6 x 1W Cree LED, 120V
90 CRI, 3000K, 400 Lumens



Wall projection 2"





Wedge

Brushed stainless steel wall washer. DOB option is dimmable with ELV dimmer only.

MB4 Lamp not included.

Model
WO807

BL black
SS stainless steel

Finish SS	Lamp MB4
---------------------	--------------------

- CF13 Compact Fluorescent GU24 13W
- DOB17 DOB17 LED 17W 120V, 3000K, 1400 Lumens
- MB4 Medium Base Incandescent 40W Torpedo, A19, E26

*Not wet location rated if glass is facing upward.
**Consult factory for custom powder coat finishes.



8"

7"
Wall projection 6"



Echo Wall


Half cylinder exterior luminaire. Bronze exterior powder coated finish equipped with a galvanized outdoor rated E26 socket that will allow for incandescent or compact fluorescent lamping.

Model
WO805

BZ bronze	Lamp
BZ*	LA12

- LA12 LED A19 12W, 3000K, 1100 Lumens
- CF18 Compact Fluorescent GU24 18W

*Consult factory for custom powder coated finishes



Sonos

Anodized aluminum wall washer up/down light.
IP54 rated. Dimmable with Triac dimmer.

Model
WO808

Finish	Lamp
AL	GM5

AL aluminum

- GM5 GU10 120V MR16 2 x 50W
- G106 GU10 LED 2 x 6W 120V, **90 CRI**, 3000K



Shown:
(2) WO808ALG106
Sonos in Aluminum



Shown:
(5) WO858FRALLED
Button



Wall projection 2.85"

Button

Satin anodized aluminum LED luminaire
and frosted cast acrylic.

Rated for damp and wet location applications.
Perfect for outside and for bath lighting.

Non-Dimmable.

WET LISTED

Model
WO858

AL anodized aluminum

Color	Finish	Lamp
FR	AL	LED

FR frosted

LED LED 6W, 90 CRI,
3000K, 500 Lumens





Bari Visa

IP65 cast brass or chrome plated body with a visor. Internal etched glass diffuser, brass hex screws, and watertight gasket.

SL-DOB 17W dimmable with ELV dimmer.

Model
WO852

CH chrome
BR brass

Finish
CH

Lamp
DOB17

CF13 Compact Fluorescent GU24 13W
DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board



Bari Guard

IP65 cast brass or chrome plated body with a guard. Internal etched glass diffuser, brass hex screws, and watertight gasket.

SL-DOB 17W dimmable with ELV dimmer.

Model
WO853

CH chrome
BR brass

Finish
BR

Lamp
DOB17

CF13 Compact Fluorescent GU24 13W
DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board





Shown:
WO854BRDOB17
Oceano Incandescent in Brass



10"

8.5"

Wall projection 6"

Model
WO854CH chrome
BR brassFinish
CHLamp
DOB17

- CF18 Compact Fluorescent GU24 18W
- DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board



10.5"

8"

Wall projection 6"

Model
WO851CH chrome
BR brassFinish
BRLamp
DOB17

- CF13 Compact Fluorescent GU24 13W
- DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board



Tortuga Oval

IP65 cast brass or chrome plated body.
Internal etched glass diffuser, brass hex
screws, and watertight gasket.

SL-DOB 17W dimmable with ELV dimmer.

Tortuga Round

IP65 cast brass or chrome plated body.
Internal etched glass diffuser, brass hex
screws, and watertight gasket.

SL-DOB 17W dimmable with ELV dimmer.

Model
WO850CH chrome
BR brassFinish
BRLamp
DOB17

- CF13 Compact Fluorescent GU24 13W
- DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board



8.5"

Wall projection 4"

Die-Cast Luminaires Series:

Silver or white exterior grade electrostatic powder coated. White polycarbonate with ultra violet stabilizers or frosted crystal glass gasketed and wet listed



14"

Wall projection 6"

Model
WO811

SI silver
WH white

Finish
SI

Lamp
DOB30

CF26 Compact Fluorescent GU24 2x26W
DOB30 SL-DOB 30W
Stone Lighting LED Driver on Board

Lux Square Open

Die cast aluminum powercoated in white or silver.
Polycarbonate or glass diffuser, gasketed and IP65.

Basis Rectangular Grid

Die cast aluminum powercoated in white or silver.
Polycarbonate or glass diffuser, gasketed and IP65.

SL-DOB 17W dimmable with ELV dimmer.



10"

7"

Wall projection 6"

Model
WO814

SI silver
WH white

Finish
SI

Lamp
DOB17

CF13 Compact Fluorescent GU24 13W
CF18 Compact Fluorescent GU24 18W
DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board



14"

Wall projection 6"

Model
WO810

SI silver
WH white

Finish
SI

Lamp
DOB30

CF26 Compact Fluorescent GU24 2x26W
DOB30 SL-DOB 30W
Stone Lighting LED Driver on Board

Lux Square Grid

Die cast aluminum powercoated in white or silver.
Polycarbonate or glass diffuser, gasketed and IP65.

Basis Rectangular Visa

Die cast aluminum powercoated in white or silver.
Polycarbonate or glass diffuser, gasketed and IP65.

SL-DOB 17W dimmable with ELV dimmer.



7"

10"

Wall projection 6"

Model
WO815

SI silver
WH white

Finish
SI

Lamp
DOB17

CF13 Compact Fluorescent GU24 13W
CF18 Compact Fluorescent GU24 18W
DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board





Wall projection 5"

Lux Round Grid

Die cast aluminum powercoated in white or silver. Polycarbonate or glass diffuser, gasketed and IP65.

Model
WO812

SI silver
WH white

Finish
SI

Lamp
DOB30

CF26 Compact Fluorescent GU24 2 x 26W
DOB30 SL-DOB 30W
Stone Lighting LED Driver on Board

Lux Round Visa

Die cast aluminum powercoated in white or silver. Polycarbonate or glass diffuser, gasketed and IP65.

Model
WO813

SI silver
WH white

Finish
SI

Lamp
DOB30

CF26 Compact Fluorescent GU24 2 x 26W
DOB30 SL-DOB 30W
Stone Lighting LED Driver on Board



Wall projection 5"



Wall projection 5"

Lux Round Open

Die cast aluminum powercoated in white or silver. Polycarbonate or glass diffuser, gasketed and IP65.

Model
WO818

SI silver
WH white

Finish
SI

Lamp
DOB30

CF26 Compact Fluorescent GU24 2 x 26W
DOB30 SL-DOB 30W
Stone Lighting LED Driver on Board

Lux Oval Grid

Die cast aluminum powercoated in white or silver. Polycarbonate or glass diffuser, gasketed and IP65.

SL-DOB 17W dimmable with ELV dimmer.

Model
WO817

SI silver
WH white

Finish
SI



Lamp
DOB17

CF26 Compact Fluorescent GU24 2 x 26W
DOB17 SL-DOB 17W
Stone Lighting LED Driver on Board



Wall projection 5"






Step Lighting

Stone Lighting's step light is perfect for in wall, in floor indoor and outdoor, landscape applications: Walkways, concrete, masonry etc.

Features marine grade stainless steel construction and a Cree 1W or 3W LED source. Offered with an array of dry and wet rated power supplies.

Simple installation and configuration possibilities. Preconfigured kits available.

High quality, corrosion resistant and stainless steel with water tight stainless steel cord fitting.



Shown:
(9) SL600SSLED1
1W Round Step Light



2" Square LED Step Light

2" LED 316 Stainless Steel outdoor rated step light.

Each light ships with splice box.
Non-Dimmable.

Model	SL601
Finish	SS
Lamp	LED3
SS stainless steel	

SLSLVSS: Stainless sleeve for recessing step light in concrete, brick, or stone installations sold separately.



- 1 Frosted Glass Lens
- 2 CREE 1W or 3W Warm White LED 2600-2700K 12V 50K rated ave life
- 3 Easy Installation with high quality spring metal clips holds firmly in wall, floor etc.
- 4 Watertight indoor/outdoor Stainless Steel Cable fitting
- 5 IP65 Outdoor

2" Round LED Step Light

2" LED 316 Stainless Steel outdoor rated step light.

Each light ships with splice box.
Non-Dimmable.

Model	SL600
Finish	SS
Lamp	LED3

SLSLVSS: Stainless sleeve for recessing step light in concrete, brick, or stone installations sold separately.



- 1 Frosted Glass Lens
- 2 CREE 1W or 3W Warm White LED 2700K 50K rated ave life
- 3 Easy Installation with high quality spring metal clips holds firmly in wall, floor etc.
- 4 Watertight indoor/outdoor Stainless Steel Cable fitting
- 5 IP65 Outdoor

Shown:
(2) SL600SSLED1
2" Round LED Step Light



Shown:
(3) SL600SSLED1
2" Round LED Step Light



LED Step Light Kit

Stone Lighting's Step Light Kit is perfect for many indoor or outdoor applications.

Everything for powering up to 14 lights and creating a run up to 45ft.

Order example:

LED Step Light Kit
Model SL600KIT
Lights* 14
*Choose # of lights (01-14)

SLSLVSS (optional)

Stainless Sleeve for recessing step light in stone, concrete, brick, or masonry applications.



PWSLM15 (Indoor/Outdoor)

15W WET Watertight. Wet rated. LED Transformer. Allows for installation of 1 to 14 lights in the same run. Ships with 45ft outdoor cable.



SLCBLSP

Indoor / Outdoor Cable. Our cable is 18G SPT-2. Rated for 300V Indoor/Wet Location UL/CSA Rated Primary. SJTW 18AWG Indoor/Outdoor Rated UL/CSA Rated Transf. Class 2 Power Supply. 120V AC Input/Output 12AC 15Watts. C UL Listed. Suitable for Wet Location. Raintight listed.

Each KIT includes:

2" Round LED Step Light

Choose 01-14 Units.
SL600SSLED

Transformer

120V Input, 12V-15W Output, class 2 wet rated, comes standard with 45ft of cable.
PWSLM15

Sleeve (optional*)

*Order (1) sleeve per light if installing step light in stone, concrete, brick, or masonry applications.
SLSLVSS

PWE60NL (Indoor)

60W DRY No Load Power Supply can power up to 50 step lights using our landscape. Wet rated cable.

Description:
Jbox Electronic 60W 120V 0.50Amp
Output 12V AC **LED COMPATIBLE** UL2108
Short circuit and thermal protection
* 277V available upon request

Dimensions:
2.2"x1.3"x0.82"

Dimmer Type:
ELV dimmer



MODEL NAME INDEX

PRODUCT NAME	SECTION	PAGE
ACORN.....	LINE VOLTAGE.....	182-183
ALICIA.....	CHANDELIERS.....	238-239
ALICIA.....	WALL.....	332-333
ALICIA CRYSTAL.....	LOW VOLTAGE.....	58-59
ALTA.....	CEILING.....	264-265
ALUMINIA.....	LINE VOLTAGE.....	142-143
AMBRA.....	LOW VOLTAGE.....	22-23
AVENUE.....	CEILING.....	280-281
AXEL.....	CHANDELIERS.....	230-231
BALOO.....	OUTDOORS WALL.....	460-461
BARE ACTION.....	LOW VOLTAGE SWIVEL HEADS.....	440-441
BARE FOCUS.....	LOW VOLTAGE SWIVEL HEADS.....	442-443
BARE MX.....	LOW VOLTAGE SWIVEL HEADS.....	448-449
BARE SNAP.....	LOW VOLTAGE SWIVEL HEADS.....	442-443
BARE SOCKET.....	RETRO COLLECTION PART 2.....	168-169
BARI GUARD.....	OUTDOORS WALL.....	472-473
BARI VISA.....	OUTDOORS WALL.....	472-473
BASIS RECTANGULAR VISA.....	OUTDOORS WALL.....	476-477
BASIS RECTANGULAR GRID.....	OUTDOORS WALL.....	476-477
BAYA.....	WALL.....	360-363
BELLE GRANDE.....	LINE VOLTAGE.....	176-177
BLOB.....	LOW VOLTAGE.....	12-13
BLOB.....	WALL.....	298-299
BLOB CHANDELIER.....	CHANDELIERS.....	214-215
BLOCKS.....	WALL.....	356-357
BODIE.....	CHANDELIERS.....	222-223
BOOMER.....	CHANDELIERS.....	224-225
BOREALIS.....	CEILING.....	274-275
BOWIE CHANDELIER.....	CHANDELIERS.....	216-217
BRIO CHANDELIER.....	CHANDELIERS.....	218-219
BUBBLES.....	LOW VOLTAGE.....	82-83
BUTTON.....	OUTDOORS WALL.....	470-471
CABLE.....	CABLE.....	390-403
CIRRUS.....	LOW VOLTAGE.....	84-85
CLOUD SUSPENSION.....	SUSPENSION.....	200-201
CLUSTER 7.....	SUSPENSION.....	204-207
COIL LONG.....	LINE VOLTAGE.....	158-159
COIL LONG.....	LOW VOLTAGE.....	64-65
COIL LONG.....	WALL.....	346-347
COIL SHORT.....	LINE VOLTAGE.....	160-161
COIL SHORT.....	LOW VOLTAGE.....	64-65
COIL SHORT.....	WALL.....	346-347
CONCORDIA.....	OUTDOORS WALL.....	464-465
CRACKLE GLOBES.....	LINE VOLTAGE.....	150-151
CRYSTAL CUBE.....	LOW VOLTAGE.....	80-81
CRYSTAL CUBE WALL BRACKET.....	WALL.....	366-367
CRYSTAL CYLINDER.....	LOW VOLTAGE.....	80-81
CRYSTAL CYLINDER.....	WALL.....	366-367
CRYSTAL CYLINDER WALL BRACKET.....	WALL.....	366-367
CRYSTAL RECTANGLE.....	LOW VOLTAGE.....	80-81
CRYSTAL RECTANGLE.....	WALL.....	366-367
CRYSTAL RECTANGLE WALL BRACKET.....	WALL.....	366-367
CUBIX.....	OUTDOORS WALL.....	462-463
CUMULUS.....	LOW VOLTAGE.....	34-35
DEW DROP.....	LOW VOLTAGE.....	48-49
DEW DROP.....	WALL.....	338-339
DIM SUM.....	RETRO COLLECTION PART 1.....	164-165
DOMI.....	LOW VOLTAGE.....	76-77
DOMI WALL.....	WALL.....	334-335
DUOMO.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
DUOMO ACTION.....	LOW VOLTAGE.....	104-105
DUOMO ACTION.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
DUOMO MX.....	LOW VOLTAGE SWIVEL HEADS.....	448-449
DUOMO SNAP.....	LOW VOLTAGE SWIVEL HEADS.....	442-443
DUPLA.....	WALL.....	364-365

MODEL NAME INDEX (continued)

PRODUCT NAME	SECTION	PAGE
ECHO WALL.....	OUTDOORS WALL.....	468-469
ENT OPTIONS.....	MONORAIL.....	408-409
EVA ROUND MIRROR.....	WALL.....	386-387
FIRENZE.....	LINE VOLTAGE.....	132-133
FIRENZE VINTAGE.....	LINE VOLTAGE.....	134-135
FIRENZE VINTAGE WALL.....	WALL.....	306-307
FIRENZE VINTAGE WALL DUAL.....	WALL.....	308-309
FIRENZE WALL.....	WALL.....	302-303
FIRENZE WALL DUAL.....	WALL.....	304-305
FLO.....	LOW VOLTAGE.....	36-37
FORM SNAP.....	LOW VOLTAGE SWIVEL HEADS.....	442-443
GABE ROUND.....	CEILING.....	254-255
GABE SQUARE.....	CEILING.....	256-257
GAUSS.....	LINE VOLTAGE.....	176-177
GAUSS.....	LOW VOLTAGE.....	78-79
GEM.....	LOW VOLTAGE.....	26-27
GEOS CHANDELIER.....	CHANDELIER.....	210-211
GEOS COLLECTION.....	WALL.....	286-287
GEOS PENDANT.....	LINE VOLTAGE.....	122-123
GLACIER.....	LOW VOLTAGE.....	38-39
GRACIE.....	CEILING.....	262-263
GRACIE.....	LOW VOLTAGE.....	14-15
GRACIE 25.....	CHANDELIER.....	242-243
GRACIE FROST.....	LOW VOLTAGE.....	14-15
GRACIE WALL.....	WALL.....	342-343
GRACIE WHITE.....	LOW VOLTAGE.....	18-19
GUS BATH.....	WALL.....	368-369
HALO.....	CEILING.....	258-259
HALSTED.....	CEILING.....	268-269
HUEY.....	OUTDOORS WALL.....	460-461
ICE.....	LOW VOLTAGE.....	86-87
ICE.....	WALL.....	340-341
INFINITE WALL BRACKET.....	WALL.....	342-343
IRIS.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
IRIS ACTION.....	LOW VOLTAGE.....	106-107
IRIS ACTION.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
IRIS MX.....	LOW VOLTAGE SWIVEL HEADS.....	446-447
IRIS SNAP.....	LOW VOLTAGE SWIVEL HEADS.....	444-445
JAVA.....	LINE VOLTAGE.....	174-175
JAZZ CRYSTAL.....	LOW VOLTAGE.....	100-101
JAZZ CRYSTAL.....	LOW VOLTAGE.....	54-57
JAZZ DOWNLIGHTER.....	WALL.....	352-353
JAZZ VENTI CRYSTAL.....	WALL.....	66-69
KANER.....	WALL.....	350-351
KANER COLLECTION.....	WALL.....	290-291
KANER PENDANT COLLECTION.....	LINE VOLTAGE.....	288-289
KENNY.....	SUSPENSION.....	188-189
KILO RETRO.....	SUSPENSION.....	196-197
KITCHEN.....	LOW VOLTAGE.....	60-61
KITCHEN DOPIO.....	LOW VOLTAGE.....	60-61
KRISTALLO.....	LOW VOLTAGE.....	28-29
KRISTALLO.....	WALL.....	310-311
KRISTALLO CEILING.....	CEILING.....	250-251
KRYPTO.....	LOW VOLTAGE.....	42-43
KRYPTO.....	WALL.....	330-331
KURLY.....	LINE VOLTAGE.....	156-157
KURLY.....	LOW VOLTAGE.....	62-63
KURLY.....	WALL.....	344-345
KURVEY.....	OUTDOORS WALL.....	458-459
LATERNA.....	SUSPENSION.....	192-193
LATTE.....	LOW VOLTAGE.....	22-23
LAYLA.....	WALL.....	322-323
LEENA.....	CHANDELIER.....	244-245
LEENA.....	LOW VOLTAGE.....	88-89

MODEL NAME INDEX (continued)

PRODUCT NAME	SECTION	PAGE
LENOX.....	LOW VOLTAGE.....	98-99
LINDY WALL.....	WALL.....	336-337
LOMA.....	LOW VOLTAGE.....	50-51
LUX ROUND GRID.....	OUTDOORS WALL.....	478-479
LUX ROUND OPEN.....	OUTDOORS WALL.....	478-479
LUX ROUND VISA.....	OUTDOORS WALL.....	478-479
LUX SQUARE GRID.....	OUTDOORS WALL.....	476-477
LUX SQUARE OPEN.....	OUTDOORS WALL.....	476-477
LUX OVALE GRID.....	OUTDOORS WALL.....	478-479
MARQUIS.....	LOW VOLTAGE.....	52-53
MASON RECTANGULAR MIRROR.....	WALL.....	388-389
MAUI.....	LINE VOLTAGE.....	178-179
MAX.....	SUSPENSION.....	194-195
MERCURY FALLING.....	CHANDELIERS.....	246-247
MERCURY FALLING.....	LOW VOLTAGE.....	90-91
MILANO.....	LOW VOLTAGE.....	102-103
MILANO.....	WALL.....	380-381
MOBY.....	LINE VOLTAGE.....	138-139
MODE.....	CHANDELIERS.....	236-237
MODE.....	LOW VOLTAGE.....	94-95
MONORAIL CEILING.....	MONORAIL.....	404-423
MONORAIL WALL.....	MONORAIL WALL.....	424-435
MORPH.....	LINE VOLTAGE.....	146-147
MOSAIC.....	LOW VOLTAGE.....	40-41
MOSAIC.....	WALL.....	300-301
MOTO SWIVEL.....	LOW VOLTAGE SWIVEL HEADS.....	450-451
MOXIE.....	LOW VOLTAGE.....	46-47
MOXIE.....	WALL.....	326-327
MUNA.....	LINE VOLTAGE.....	180-181
MUNA.....	WALL.....	318-319
MURANO ACTION.....	LOW VOLTAGE SWIVEL HEADS.....	440-441
MURANO MX.....	LOW VOLTAGE SWIVEL HEADS.....	448-449
NAUTILUS.....	LOW VOLTAGE.....	98-99
NEPTUNE.....	CEILING.....	282-283
OCEANO.....	OUTDOORS WALL.....	474-475
OMEGA.....	WALL.....	332-333
ONYX CYLINDER.....	WALL.....	382-383
ONYX & WHITE MARBLE CYLINDERS.....	LOW VOLTAGE.....	74-75
OPTICS.....	LOW VOLTAGE.....	108-109
OPTICS FIZZ.....	LOW VOLTAGE.....	110-111
PINNACLE.....	WALL.....	316-317
PISTON MX.....	LOW VOLTAGE SWIVEL HEADS.....	450-451
PLAZA ROUND.....	CEILING.....	266-267
PLAZA SQUARE.....	CEILING.....	266-267
POMPEII SUSPENSION.....	SUSPENSION.....	198-199
PUCK.....	CEILING.....	260-261
REGIS.....	LINE VOLTAGE.....	162-163
REGIS.....	WALL.....	354-355
REMOTE DRIVERS.....	Transformers and Drivers.....	402 - 403
RETRO CYLINDER.....	CEILING.....	276-277
RETRO CYLINDER.....	RETRO COLLECTION PART 1.....	164-165
RETRO CYLINDER II.....	RETRO COLLECTION PART 2.....	168-169
RETRO EDISON.....	CEILING.....	276-277
RETRO EDISON II.....	RETRO COLLECTION PART 2.....	168-169
RETRO EDISON STYLE LAMP.....	RETRO COLLECTION PART 1.....	164-165
RETRO KITCHEN TUBULAR.....	RETRO COLLECTION PART 2.....	168-169
RETRO TUBULAR.....	CEILING.....	276-277
RETRO TUBULAR II.....	RETRO COLLECTION PART 2.....	168-169
RETRO TUBULAR LONG.....	RETRO COLLECTION PART 1.....	164-165
RETRO TUBULAR STYLE LAMP.....	RETRO COLLECTION PART 1.....	164-165
RETRO WALL.....	WALL.....	376-377
RIDGE.....	LOW VOLTAGE.....	76-77
RINGS SUSPENSION.....	SUSPENSION.....	190-191
ROCKER.....	CHANDELIERS.....	240-241
ROCKER.....	LOW VOLTAGE.....	42-43

MODEL NAME INDEX (continued)

PRODUCT NAME	SECTION	PAGE
ROCKER.....	WALL.....	330-331
RONDO.....	CEILING.....	272-275
SCHOOLHOUSE.....	LINE VOLTAGE.....	182-183
SEENO.....	WALL.....	320-321
SHANTI.....	OUTDOORS WALL.....	460-461
SHIMMER.....	LOW VOLTAGE.....	70-73
SIMPLE.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
SIMPLE ACTION.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
SIMPLE MX.....	LOW VOLTAGE SWIVEL HEADS.....	450-451
SLEEK BATH.....	WALL.....	370-371
SLICE.....	LINE VOLTAGE.....	140-141
SLIM BATH BAR.....	WALL.....	372-373
SOHO SQUARE.....	RETRO COLLECTION PART 2.....	168-169
SONOS.....	OUTDOORS WALL.....	468-469
SPAGA.....	LINE VOLTAGE.....	160-161
SPAGA.....	LOW VOLTAGE.....	92-93
SPAGA.....	WALL.....	348-349
SPAGA CEILING.....	CEILING.....	278-279
SPECTRA.....	LOW VOLTAGE.....	112-113
SPECTRA SNAP.....	LOW VOLTAGE SWIVEL HEADS.....	446-447
SPIN.....	LINE VOLTAGE.....	144-145
STALACTITE.....	LOW VOLTAGE.....	86-87
STALACTITE.....	WALL.....	378-379
STEP LIGHT ROUND.....	STEP LIGHTS.....	482-483
STEP LIGHT SQUARE.....	STEP LIGHTS.....	482-483
STILO.....	CHANDELIERS.....	234-235
STILO.....	LOW VOLTAGE.....	30-31
STILT.....	CHANDELIERS.....	226-229
STILT CRACKLE.....	CHANDELIERS.....	228-229
STRETCH.....	LINE VOLTAGE.....	138-139
STRIA CHANDELIER.....	CHANDELIERS.....	220-221
SULLY.....	WALL.....	328-329
SURFACE MOUNT DRIVERS.....	Transformers and Drivers.....	402 - 403
SWIRL GRANDE.....	LINE VOLTAGE.....	180-181
TOP 1.....	CHANDELIERS.....	232-233
TOP 13.....	CHANDELIERS.....	232-233
TOP 2.....	CHANDELIERS.....	232-233
TOP 3.....	CHANDELIERS.....	232-233
TORTUGA OVALE.....	OUTDOORS WALL.....	474-475
TORTUGA ROUND.....	OUTDOORS WALL.....	474-475
TUBULAR PENDANT.....	RETRO COLLECTION PART 2.....	172-173
TUBULAR WALL SCONCE.....	WALL.....	374-375
TYME.....	LOW VOLTAGE.....	78-79
VENTANA.....	WALL.....	324-325
VIDA.....	WALL.....	384-385
VISTA 1.....	OUTDOORS WALL.....	454-455
VISTA 2.....	OUTDOORS WALL.....	456-457
VITREA ACTION.....	LOW VOLTAGE.....	104-105
VITREA ACTION.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
VITREA ACTION SWIVEL.....	LOW VOLTAGE SWIVEL HEADS.....	438-439
VITREA MX.....	LOW VOLTAGE SWIVEL HEADS.....	448-449
VITREA SNAP.....	LOW VOLTAGE SWIVEL HEADS.....	444-445
VOLK.....	WALL.....	294-295
VOLK PENDANT.....	LINE VOLTAGE.....	124-127
WEDGE.....	OUTDOORS WALL.....	466-467
WILLIS.....	WALL.....	314-315
XYLO.....	LINE VOLTAGE.....	154-155
XYLO.....	WALL.....	312-313
XYLO SEMI FLUSH.....	CEILING.....	270-271
ZELDA.....	CEILING.....	252-253
ZEN.....	WALL.....	314-315
ZOZO.....	WALL.....	326-327

MODEL NUMBER INDEX

MODEL	PAGE
BB415.....	370-371
BB424.....	368-369
BB5176.....	372-373
BKPL102.....	342-343
CH085.....	214-215
CH0932.....	242-243
CH138.....	222-223
CH140.....	188-189
CH142.....	190-191
CH1811.....	246-247
CH2180.....	240-241
CH254.....	234-235
CH276.....	220-221
CH280.....	216-217
CH290.....	218-219
CH457.....	210-211
CH5071.....	232-233
CH5072.....	232-233
CH5073.....	232-233
CH5077.....	232-233
CH510.....	198-199
CH520.....	196-197
CH525.....	200-201
CH5291.....	244-245
CH5390.....	236-237
CH550.....	226-229
CH555.....	224-225
CH556.....	230-231
CH6320.....	238-239
CL092.....	262-263
CL157A.....	276-277
CL157B.....	276-277
CL162.....	270-271
CL179.....	276-277
CL340.....	250-251
CL351.....	266-267
CL352.....	266-267
CL442.....	252-253
CL444.....	252-253
CL446.....	252-253
CL460.....	258-259
CL461.....	258-259
CL462.....	258-259
CL464.....	260-261
CL465.....	260-261
CL467.....	260-261
CL480.....	254-255
CL481.....	256-257
CL482.....	254-255
CL483.....	256-257
CL485.....	254-255
CL486.....	256-257
CL501.....	282-283
CL502.....	282-283
CL503.....	280-281
CL504.....	280-281
CL505.....	280-281
CL506.....	274-275
CL507.....	272-273
CL508.....	274-275
CL509.....	272-273
CL530.....	264-265
CL532.....	278-279
CL538.....	278-279
CL570.....	268-269
CL571.....	268-269
CL573.....	268-269
CLUSTER 7.....	204-207
CSCBL.....	390-403
DA200.....	440-441
DA201.....	438-439
DA202.....	438-439
DA203.....	440-441
DA205.....	438-439
DA206.....	438-439
DB201.....	442-443
DB202.....	442-443
DB204.....	442-443
DB206.....	444-445

MODEL NUMBER INDEX (continued)

MODEL	PAGE	MODEL	PAGE
DB207.....	446-447	PD241.....	162-163
DE441.....	450-451	PD248.....	140-141
DF200.....	442-443	PD249.....	142-143
DM200.....	448-449	PD251.....	40-41
DM201.....	448-449	PD254.....	30-31
DM202.....	448-449	PD255.....	30-31
DM203.....	448-449	PD256.....	138-139
DM205.....	450-451	PD257.....	138-139
DM206.....	446-447	PD258.....	36-37
DP173.....	450-451	PD262.....	26-27
MRRD24.....	386-387	PD300.....	168-169
MRRT24.....	388-389	PD301.....	168-169
MSRL.....	404-435	PD302.....	164-165
DA205.....	438	PD310.....	168-169
DA201.....	438	PD311.....	168-169
DA206.....	439	PD315.....	168-169
DA202.....	439	PD323.....	66-69
DA203.....	440	PD325.....	38-39
DA203.....	441	PD326.....	132-133
DA200.....	441	PD327.....	134-135
DF200.....	442	PD330.....	194-195
DB204.....	442	PD331.....	194-195
DB201.....	443	PD332.....	194-195
DB200.....	443	PD335.....	144-145
DB202.....	444	PD340.....	28-29
DB202.....	445	PD360.....	192-193
DB206.....	445	PD420.....	34-35
DB207.....	446	PD430.....	172-173
DM206.....	446-447	PD451.....	76-77
DM201.....	448	PD457.....	122-123
DM200.....	448	PD529.....	88-89
DM202.....	449	PD531.....	92-93
DM203.....	449	PD531.....	160-161
DM205.....	450	PD533.....	64-65
DP173.....	450	PD533.....	158-159
DE441.....	451	PD536.....	62-63
PD043.....	76-77	PD536.....	156-157
PD063.....	78-79	PD537.....	64-65
PD085.....	10-13	PD537.....	160-161
PD091.....	14-15	PD539.....	94-95
PD092.....	14-15	PD540.....	182-183
PD093.....	18-19	PD560.....	150-151
PD105.....	86-87	PD566.....	128-131
PD106.....	46-47	PD568.....	124-127
PD110.....	48-49	PD632.....	58-59
PD111.....	98-99	PD650.....	146-147
PD116.....	108-109	PD654.....	22-23
PD128.....	102-103	PD655.....	22-23
PD129.....	82-83	PD661.....	70-71
PD132.....	74-75	PD662.....	72-73
PD134.....	80-81	PD663.....	72-73
PD151.....	86-87	PD699.....	168-169
PD153.....	178-179	PD975.....	50-51
PD154.....	60-61	PD978.....	52-53
PD157A.....	164-165	PWE60NL.....	402-403
PD157B.....	164-165	PWERM150D.....	402-403
PD162.....	154-155, 180-181	PWERM300D.....	402-403
PD172.....	98-99	PWERM60D.....	402-403
PD175.....	60-61	PWESMT150A.....	402-403
PD177.....	110-111	PWESMT150D.....	402-403
PD179.....	164-165	PWESMT250MINSN.....	402-403
PD181.....	90-91	PWESMT300A.....	402-403
PD182.....	176-177	PWESMT300D.....	402-403
PD183.....	84-85	PWESMT60LED.....	402-403
PD185.....	100-101, 174-175	PWESMT60LED277.....	402-403
PD186.....	78-79	PWERM150.....	402-403
PD186.....	176-177	PWERM300.....	402-403
PD190.....	182-183	PWERM60.....	402-403
PD191.....	180-181	PWMRM600.....	402-403
PD201.....	104-105	PWMSMT150.....	402-403
PD202.....	104-105	PWMSMT300.....	402-403
PD206.....	106-107	PWMSMT600.....	402-403
PD207.....	112-113	SL600.....	482-483
PD217.....	42-43	SL601.....	482-483
PD218.....	42-43	WB134.....	366-367
PD221.....	80-81	WB221.....	366-367
PD222.....	80-81	WB222.....	366-367
PD223.....	54-57	WO805.....	468-469
PD227.....	164-165	WO807.....	466-467
PD240.....	162-163	WO808.....	468-469
W0810.....	476-477		
W0811.....	476-477		
W0812.....	478-479		
W0813.....	478-479		
W0814.....	476-477		
W0815.....	476-477		
W0817.....	478-479		
W0818.....	478-479		
W0820.....	460-461		
W0821.....	460-461		
W0822.....	460-461		
W0850.....	474-475		
W0851.....	474-475		
W0852.....	472-473		
W0853.....	472-473		
W0854.....	474-475		
W0856.....	464-465		
W0857.....	464-465		
W0858.....	470-471		
W0874.....	454-455		
W0875.....	456-457		
W0877.....	458-459		
W0886.....	462-463		
W0887.....	462-463		
WS013.....	356-357		
WS014.....	356-357		
WS015.....	356-357		
WS085.....	296-299		
WS092.....	342-343		
WS105.....	340-341		
WS106.....	326-327		
WS110.....	338-339		
WS128.....	380-381		
WS132.....	382-383		
WS151.....	378-379		
WS157.....	376-377		
WS162.....	312-313		
WS163.....	326-327		
WS175.....	364-365		
WS179.....			

LAMPING GUIDE

Product Name	Bulb	Model	Description	Av. Rated Life	ColorTemp.	Lumens
12 VOLT HALOGEN & XENON						
12 Volt Halogen Bi-Pin		LMPX1CR	12V 10W G4 Halogen Bipin Clear	2,000	2900K	120
		LMPX2CR	12V 20W G4 Super 5K Xenon Bipin Clear	5,000	2900K	350
		LMPX2FR	12V 20W G4 Super 5K Xenon Bipin Frost	5,000	2900K	330
		LMPX5CR	12V 50W G6.35 Super 5K Xenon Bipin Clear	5,000	2900K	1100
		LMPX5FR	12V 50W G6.35 Super 5K Xenon Bipin Frost	5,000	2900K	1050
		LMPX3CR10K	12V 35W G6.35 Xenon Bipin Ultra 10K Clear	10,000	2900K	700
		LMPX3FR10K	12V 35W G6.35 Xenon Bipin Ultra 10K Frost	5,000	3000K	650
12 Volt Halogen MR11		LMPN3N	12V 35W MR11 Super 5K Bipin Narrow Flood FTF-P	5,000	3000K	3600
12 Volt Halogen MR16 Bipin Lamp		LMPM2	12V 20W MR16	3,000	3000K	1100
		LMPM3M	12V 35W MR16 Super 5K Medium Flood FMW-P Dichroic	5,000	3000K	1600
		LMPM3MCC	12V 35W MR16 Super 5K Medium Flood FMWAlu Constant Color	5,000	3000K	1600
		LMPM3NSP	12V 35W MR16 Super 5K Narrow Spot	5,000	3000K	1600
		LMPM5MCC	12V 50W MR16 Super 5K Medium Flood EXZ Alu Constant Color	5,000	3000K	2200
		LMPM5N10K	12V 50W MR16 Ultra 10K EXN/10M Dichroic	10,000	3000K	2200
		LMPM5WFR	12V 50W MR16 Super 5K EXN Wide Beam Decor Frosted Back	5,000	3000K	1600
12 VOLT LED						
12 Volt LED MR16		LMPD3	12V 3.2W LED MR16 38 Degree AC	50,000	3000K	210
		LMPD4	12V 4W LED MR16 38 Degree AC	35,000	2700K	280
		LMPD6	12V 6W LED MR16 38 Degree AC Dimmable	42,000	2700K	420
12 Volt LED Bi-Pin		LMPL2WW27	12V 2W LED G4 JC Bipin, 80 CRI, Dimmable	25,000	2700K	120
		LMPL2WW30	12V 2W LED G4 JC Bipin, 80 CRI, Dimmable	25,000	3000K	120
		LMPL2WW35	12V 2W LED G4 JC Bipin, 80 CRI, Dimmable	25,000	3500K	120
		LMPL3CR	12V 3W LED G4 JC Bipin Clear, 80 CRI, Dimmable	50,000	3000K	220
		LMPL3FR	12V 3W LED G4 JC Bipin Frost, 80 CRI, Dimmable	50,000	3000K	220
120 VOLT HALOGEN						
120 Volt Halogen Mini-Can		LMPMC5FR	120V 50W Mini-Can E11 Frost	2,000	2900K	1000
		LMPMC15	120V 150W Mini-Can E11 Clear	2,000	2900K	2500
120 Volt Halogen G9		LMPG920	120V 20W G9 AC	2,000	3000K	480
		LMPG940CR	120V 40W G9 AC Clear	2,000	3000K	480
		LMPG940FR	120V 40W G9 AC Frost	2,000	3000K	480
120 Volt Halogen GU10		LMPGM5	120V 50W GU10 MR16 Halogen	2,000	3000K	2200
120 VOLT FLUORESCENT						
120 Volt Compact Fluorescent 4 Pin		LMPQ13W	120V 13W Compact Fluorescent FLD/E Base G24q1, Non-dimmable	12,000	2700K	900
		LMPQ13N	120V 13W Compact Fluorescent FLD/E Base G24q1, Non-dimmable	12,000	3500K	900
		LMPQ18N	120V 18W Compact Fluorescent FLD/E Base G24q2, Non-dimmable	12,000	3500K	1200
		LMPQ26N	120V 26W Compact Fluorescent FLD/E Base G24q3, Non-dimmable	12,000	3500K	1800
120 Volt Compact Fluorescent GU24		LMPCF13GW	120V 13W Compact Fluorescent GU24 Base, Non-dimmable	10,000	2700K	800
		LMPCF13GN	120V 13W Compact Fluorescent GU24 Base, Non-dimmable	10,000	3500K	800
		LMPCF18GN	120V 18W Compact Fluorescent GU24 Base, Non-dimmable	10,000	3500K	1200
		LMPCF26GN	120V 26W Compact Fluorescent GU24 Base, Non-dimmable	10,000	3500K	1750
120V DRIVER ON BOARD						
Driver On Board		LMPDOB12	SL-DOB 120V 12W LED Driver on Board, 90 CRI, AC, Dimmable	30,000	3000K	500
		LMPDOB17	SL-DOB 120V 17W LED Driver on Board, 90 CRI, AC, Dimmable	30,000	3000K	1000
		LMPDOB24	SL-DOB 120V 24W LED Driver on Board, 90 CRI, AC, Dimmable	30,000	3000K	1200
		LMPDOB30	SL-DOB 120V 30W LED Driver on Board, 90 CRI, AC, Dimmable	30,000	3000K	2000
120V LED LAMPS						
120V LED G9		LMPG94	120V 4W LED G9	35,000	3000K	400
		LMPG95	120V 5W LED G9	35,000	3000K	475
120V LED A19		LMPLA10	120V 10W LED A19 Dimmable	30,000	3000K	850
		LMPLA12	120V 12W LED A19 Dimmable	25,000	3000K	1100
120V LED GU10		LMPG106	120V 6W GU10 MR16 LED AC	15,000	3000K	400
120V LED G15		LMPLG5	120V 5W LED G15 E26 Base Dimmable	30,000	3000K	500
120V LED E12		LMPLE5	120V 5W LED Teardrop E12 Base Dimmable	30,000	3000K	500
120V LED 4 Pin 2G11		LMPGL8	120V 8W LED 2G11 PLL 8.25"	36,000	2700K	675
		LMPGL12	120V 12W LED 2G11 PLL 12.25"	36,000	3500K	1,050
		LMPGL16	120V 16W LED 2G11 PLL 16.5"	25,000	3000K	1,600

LAMPING GUIDE

Product Name	Bulb	Model	Description	Av. Rated Life	ColorTemp.	Lumens
120 VOLT RETRO LAMPS						
120V Retro Lamps		LMPRT3A	120V 30W Retro Tube Filament 185mm T10 E26 Base	3,000	2000K	95
		LMPRT6C	120V 60W Retro Tube Filament 300mm T10 E26 Base	3,000	-	165
		LMPRT4F	120V 40W Retro Tube Filament 100mm T10 E26 Base	1,000	2700K	150
120V Retro Lamps		LMPRT4SA	120V 40W Retro Tube Spiral Filament 185mm T10 E26 Base	3,000	2000K	100
		LMPRT4SC	120V 40W Retro Tube Spiral Filament 300mm T10 E26 Base	3,000	2000K	135
120V Retro Lamps		LMPRT6B	120V 60W Edison Shape Retro Lamp E26 Base	3,000	2000K	200
		120 VOLT RETRO LED LAMPS				
120V Retro LED Lamps		LMPRTL6A	120V 6W Clear T10 Tubular, 82 CRI, 185mm, E26 Base, Dimmable	30,000	2700K	500
		LMPRTL4F	120V 4W Clear T10 Tubular, 82 CRI, 100mm, E26 Base, Dimmable	25,000	2700K	400
		LMPRTL6B	120V 6W Clear ST58 Edison, 80 CRI, 127mm, E26 Base, Dimmable	25,000	2700K	500
		LMPRTL8C	120V 8W Clear T10 Tubular, 83 CRI, 300mm, E26 Base, Dimmable	30,000	2700K	700



DIMMING GUIDE

Recommended Dimmer Types & Minimum/Maximum number of Lamps			
SL Power Supply	MR16 LMPD6	G4 LMPL2	G4 LMPL3
PWE60NL	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 8 NO DIM Maximum # Bulb: 10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20 NO DIM Maximum # Bulb: 30	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWE60NL10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 8 NO DIM Maximum # Bulb: 10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20 NO DIM Maximum # Bulb: 30	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWE60NL277	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 8 NO DIM Maximum # Bulb: 10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20 NO DIM Maximum # Bulb: 30	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWESMT60LED	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 8 NO DIM Maximum # Bulb: 10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20 NO DIM Maximum # Bulb: 30	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWESMT60LED277	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 8 NO DIM Maximum # Bulb: 10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20 NO DIM Maximum # Bulb: 30	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWERM60LED	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 8 NO DIM Maximum # Bulb: 10	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20 NO DIM Maximum # Bulb: 30	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWESMT150ANL	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 18 NO DIM Maximum # Bulb: 22	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 40 NO DIM Maximum # Bulb: 75	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 75
PWESMT150A	DO NOT RECOMMEND	DO NOT RECOMMEND	DO NOT RECOMMEND
PWERM150LED	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 18 NO DIM Maximum # Bulb: 22	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 40 NO DIM Maximum # Bulb: 75	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 75
PWERM150D	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 20W Hal + 13 NO DIM Maximum # Bulb: 20W Hal + 20	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 40 NO DIM Maximum # Bulb: 75	DO NOT RECOMMEND
PWESMT300LED	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 18 NO DIM Maximum # Bulb: 22	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 100	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 150 NO DIM Maximum # Bulb: 150

DIMMING GUIDE

Recommended Dimmer Types & Minimum/Maximum number of Lamps

SL Power Supply	 MR16 LMPD6	 G4 LMPL2	 G4 LMPL3
PWESMT300A	DO NOT RECOMMEND	DO NOT RECOMMEND	DO NOT RECOMMEND
PWERM300LED	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 18 NO DIM Maximum # Bulb: 22	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 100	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 150 NO DIM Maximum # Bulb: 150
PWERM300D	DO NOT RECOMMEND	DO NOT RECOMMEND	DO NOT RECOMMEND
PWESMT250MINI	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 18 NO DIM Maximum # Bulb: 22	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 125	ELV Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 125 NO DIM Maximum # Bulb: 125
PWMSMT150	LVM Dimmer Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 20	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 75	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 75
PWMSMT300	LVM Dimmer with neutral wire Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 30	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 150	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 150 NO DIM Maximum # Bulb: 150
PWMSMT600 (per 25Amp output)	LVM Dimmer with neutral wire Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 30	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 150 per output	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 150 NO DIM Maximum # Bulb: 150 per output
PWMRM60	LVM Dimmer with neutral wire Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 10	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 30	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 30 NO DIM Maximum # Bulb: 30
PWMRM150	LVM Dimmer with neutral wire Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 20	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 75	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 75 NO DIM Maximum # Bulb: 75
PWMRM300	LVM Dimmer Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 30	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 150	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 150 NO DIM Maximum # Bulb: 150
PWMRM600 (per 25Amp output)	LVM Dimmer with neutral wire Minimum # Bulbs: 10W Halogen + 1 With ELV Dim Maximum # Bulbs: 10W Hal + 5 NO DIM Maximum # Bulb: 30	DO NOT RECOMMEND with LVM dimmer NO LVM DIM Maximum # Bulb: 150 per output	LVM Dimmer Minimum # Bulbs: 1 With ELV Dim Maximum # Bulbs: 150 NO DIM Maximum # Bulb: 150 per output
PWLED10W12VD	Minimum # Bulbs: 1 Maximum # Bulbs: 2 NO DIMMER allowed	Minimum # Bulbs: 1 Maximum # Bulbs: 8 NO DIMMER allowed	Minimum # Bulbs: 1 Maximum # Bulbs: 4 NO DIMMER allowed





Stone Lighting, LLC

Phone: (312) 240-0400
Fax: (866) 300-9283

stonelighting.net