stonelighting.net

STONE LIGHTING no. 42

STONE LIGHTING no. 42

stone
LIGHTING

STONE LIGHTING

Content

2 - 19	Multilights
20 - 21	Galileo
22 - 25	Mode LED Cylinders
26 - 27	Mercury Falling
28 - 29	Alicia
30 -33	Leena
34 - 35	Rocker
36 - 41	Gracie Collection
42 - 43	Cluster 7
44 - 45	Moxie
46	Zo Zo Wall
47	3 Light Rectangular Canopy
48 - 49	Frosted Jazz
50 - 51	Regis
52 - 53	Sleek
54 - 55	Slim Bath Bar
56 - 58	Block
59	Plaza
60 - 65	Tubular Collection
66 - 67	Axel
68 - 69	Stilt Crackle
69	Stilt
70 - 71	Crackle Globe
72 - 73	Orb
74	Xylo
75	Halsted
76 - 77	Alta Ceiling
78 - 79	Schoolhouse
80 - 81	Avenue
82	Pedigree
82	Zen
83	Maddox
83	Willis
84 - 85	Moment
86	Luna
86	Wedge
87	Concordia
88 - 89	Step Light
90 - 91	Pipe Wall
92 - 93	Retro Multilights
94	Retro LED Bulbs
95	Lamping Guide

14 Light Modular Canopy

Our newest canopy innovation is modular in concept. Unparalleled in it's versatility, our new 14 light canopy offers the customer the ability to make a multitude of head or pendant placement variations and at the same time cover any unused and unsightly open ports. We have designed a simple half dome that covers up to 10 ports on the canopy. Simply screw on the half dome and decoratively cover a port if you desire. For example, if you want to change your 14 light canopy to a 10 light application simply cover any 4 ports you desire.

Model
CPEJRT14

HAL halogen lamp
LED LED lamps

Finish	Lamp
PC	**LED**

SN satin nickel
PC polished chrome
WH white



See an example below of port being covered in which you make a custom zig zag design placement.



Powered by 2 x 150 watt electronic tranformers you can go as low as only using 4 of the 14 ports. We also can offer the canopy for LED applications.
Finally a solution for your customer that does not necessitate purchasing several different canopies when one will do the job of several!!!!

3 Light Rectangular EZ Jack Canopy

Mounts to a standard 4" junction box. Equipped with (3) 12 V, 60 watt transformers.

Model
CPEJRT3

HAL halogen fixtures
LED LED fixtures

Finish	Fixtures
SN	**LED**

BZ bronze
SN satin nickel
PC polished chrome
WH white



25 Light EZ Jack Canopy

Mounts to a standard 4" junction box. Equipped with (3) 150 watt electronic transformers.

Model
CPEJSQ25

HAL halogen fixtures
LED LED fixtures

Finish	Fixture
WH	**LED**

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel
WH white



3 Light EZ Jack Canopy

Mounts to a standard 4" junction box. Equipped with (3) 12 V, 60 watt transformers.

Model
CPEJRN3

HAL halogen fixtures
LED LED fixtures

Finish	Fixture
SN	**LED**

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel
WH white

5 Light EZ Jack Canopy

Mounts to a standard 4" junction box. Equipped with (5) 12 V, 60 watt transformers.

Model
CPEJRN5

HAL halogen fixtures
LED LED fixtures

Finish	Fixture
BZ	**LED**

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel
WH white



7 Light EZ Jack Canopy

Mounts to a standard 4" junction box. Equipped with (7) 12 V, 60 watt transformers.

Model
CPEJRN7

HAL halogen fixtures
LED LED fixtures

Finish	Fixture
WH	**LED**

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel
WH white

13 Light EZ Jack Canopy

Mounts to a standard 4" junction box. Equipped with (2) 150 watt electronic transformers.

Model
CPEJRN13

HAL halogen fixtures
LED LED fixtures

Finish	Fixture
SN	**LED**

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel
WH white

Shown:
CH22325CRPCLED
includes:
(1) CPEJSQ25PC
Polished Chrome
25 Light EZ Jack Canopy
(25) PD223CRPCLED
Jazz Crystal Pendant in Clear

Shown:
(1) CH5077FRSNX3J,
Top 13 Chandelier in Frost

Shown:
(2) CH10605DCSNLED
includes
(2) CPEJRN5SNLED
5 Light EZ Jack Canopy Satin Nickel
(10) PD106DCSNLED3
Moxie Pendant

Shown:
(1) CH10607DCSNLED
includes
(1) CPEJRN7SNLED
7 Light EZ Jack Canopy
Satin Nickel
(7) PD106DCSNLED3
Moxie Pendant

Shown
CH11014CRSNX2 includes
(1) CPEJRN14SNHAL Satin Nickel 14 Light EZ Jack Canopy
(14) PD110CRSNX2J Dew Drop Pendant in Clear

Shown:
CH11007CRSNX2
includes
(1) CPEJRN7SNHAL
Satin Nickel 7 Light EZ Jack Canopy
(7) PD110CRSNX2J
Dew Drop Pendant in Clear

Shown:
CH09113CRSNX2
includes
(1) CPEJRN13SNHAL
Satin Nickel 13 Light EZ Jack Canopy
(13) PD091CRSNX2J
Gracie Pendant in Clear

Shown:
CH12914CRSNX2
includes:
(1) CPEJRT14SNHAL
Satin Nickel 14 Light
Rectangular EZ Jack Canopy
(14) PD129CRSNX2J
Bubbles Pendant in Clear

Shown:
(15) PD129CRX2R
Bubble Pendants in Clear,
(4) DB200SNM5R
Bare Snap Swivels (SN),
(1) MSRLSP48SN
48" Monorail Spiral.

Shown:
Custom Bubbles
Pendants
Installation

Shown: PD533GOBZLG93J on 3 Light Canopies in BZ

Shown:
CH22407CRPCLED
includes
(1) CPEJRN7PCLED
Polished Nickel
7 Light EZ Jack Canopy
(7) PD224CRPCLEDJ
Jazz Venti Pendant Clear

Shown:
CH53607SISNX3 includes
(1) CPEJRN7SNHAL Satin Nickel 7 Light
EZ Jack Canopy (7) PD536SISNX3J
Kurly Pendant in Silver

Shown:
(2) CH53605SISNX3 includes (2) CPEJRN5HAL
Satin Nickel 5 Light EZ Jack Canopy
(10) PD536SISNX3J Kurly Pendant in Silver

Shown:
CH53907SILED
includes
(1) CPE53907SNLED
Satin Nickel 7 Light EZ Jack Canopy
(7) PD539SILEDJ
Mode Pendant in Silver

Shown:
(2) CH16203CRBZ
includes:
(2) CPLVRN3BZ
Bronze 120v 3 Light
Round Canopy
(6) PD162CRBZRT6B
Xylo Pendant Clear

Shown:
(4) PD535WHLED9M
Galileo Pendant in White

Galileo

Powder coated white or anodized silver finish.
Custom colors are available, consult factory.

LED wattage 9 watt
CCT: 3000 K
90 CRI
Lumen output : 1000 lumens
Non Dimmable

Beam can be hand adjusted from 15° to 60° degree spread.



Model
PD535

LED9 9 watt, 3000K, **90 CRI**

Finish	Lamp	Mounting
SI	**LED9**	**M**

AL silver
WH white

M monopoint canopy

Shown:
(5) PD539BLLEDM
Mode Pendant In Black

Shown:
CH53907WHLED
includes
(1) CPEJRN7WHLED
White 7 light EZ Jack Canopy
(7) PD539WHLEDJ
Mode LED Cylinder White

CH53907BKLED

CH53907WHLED

CH53907ALLED

MODE LED Multilight

Multilight Mode Chandelier mounts to a standard 4" junction box. Long thin LED cylinder available in powder coated mini textured black or white finish, or anodized silver finish.

3w LED diode with:
30 degree spread lens, **90 CRI**, 3000K, 180 lumens, Dimmable with ELV Dimmer.

Model
CH53907

LED 3w LED 3000K **90 CRI**

Finish	Lamp
SI	**LED**

BL black
SI silver
WH white

MODE LED Cylinders

Long thin LED cylinder available in powder coated mini textured black or white finish, or anodized silver finish.
3w LED diode with:
30 degree spread lens, **90 CRI,** 3000k,
180 lumens, Dimmable with ELV Dimmer.

Stone Lighting can offer bright or satin anodized colors for MODE cylinders

Consult Factory for pricing and availability.

See chart below of typical colors offered:

RD red
GR green
BU blue
PR purple
GD gold
MA magenta
SI silver

Model
PD539

LED 3w LED 3000K **90 CRI**

Finish	Lamp	Mounting
WH	**LED**	**M**

BL black
SI silver
WH white

J EZ Jack
M monopoint canopy

Shown:
(2) CH18113PCD5
includes
(2) CPEJRN13SNLED
Satin Nickel 13 Light EZ Jack Canopy
(26) PD181PCD5J
Mercury Falling Pendant

Mercury Falling

Multilight Mercury Falling Chandelier mounts to a standard 4"junction box.
Chrome ball chain in varied lengths. 12v, Dimmable with ELV Dimmer.





Model
CH18113

PC polished chrome

- **D5** LED MR16 5W
- **M3** MR16 Halogen 35W

Finish	Canopy	Lamp
PC	**PC**	**M3**

PC polished chrome
PN polished nickel
SN satin nickel

Shown:
CH63207CRSNX2
includes
(1) CPEJRN7SNHAL
Satin Nickel 7 Light
EZ Jack Canopy
(7) PD632CRSNX2J
Alicia Pendants in Clear

Alicia Crystal

Multilight Alicia Chandelier mounts to a standard 4" junction box. Crystal clear handworked Austrian leaded crystal in linear ridged flute shape.

Dimmable with ELV dimmer.



Model
CH63207

CR clear

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Finish	Lamp
CR	**SN**	**X2**

SN satin nickel

Leena Chandelier

Model
CH52913

SN satin nickel

Color Options	Finish	Lamp
AMCR	**SN**	**L2**

AM amber
AMCR amber clear
CR clear

L2 LED G4 JC 2W, Dimmable with ELV dimmer
X3 GY 6.35 Xenon 35W, Dimmable with ELV dimmer

Leena Pendant

Model
PD529

SN satin nickel

Color option	Finish	Size
AM	**SN**	**L2**

AM amber
CR clear

L2 LED G4 JC 2W, Dimmable with ELV dimmer
X3 GY 6.35 Xenon 35W, Dimmable with ELV dimmer

Leena Chandelier

Organic curved canopy with (7)
LED MR-16 lights that illuminate 20 pcs of
mouth blown Amber and/or Clear scoop glass.

The glass hangs on 4 levels ranging
from 14" to 22" overall length.

For double the overall hanging lengths
(recommended for ceilings higher than 9').
Specify #CBL1628 Description:
4 sets of longer cables for 28" to 44" overall
hanging lengths.

Dimmable with ELV dimmer.



Model
CH529

PC polished chrome

Color Options	Finish	Lamp
AMCR	**PC**	**LED**

AM amber
AMCR amber clear
CR clear

D6 LED MR16 6W







Shown:
(2) CH21807AMSNM3 includes
(2) CPEJRN7SNHAL Satin Nickel
7 Light EZ Jack Canopy
(14) PD218AMSNM3J
Rocker Pendant in Amber

Rocker

Multilight Rocker Chandelier mounts to a standard 4"junction box.
Double envelope unique textured italian glass pendant. 12v.

Dimmable with ELV dimmer.

Model
CH21807

AM amber

D6 LED MR16 5W
M3 MR16 Halogen 35W

Color Options	Finish	Lamp
AM	**SN**	**M3**

SN satin nickel

Gracie Collection

Pristine leaded crystal glass spheres. Offered in three finishes: cognac, perfectly clear crystal and also with frosted interior lamp compartement.

Unfrosted spheres throw an impressive clarity and glow, while frosted version softly diffuses lamp holder and lamp image while still offering a beautifully clear crystal sphere.

Dimmable with ELV dimmer.

Model
PD091

Gracie

CR clear
CG cognac

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Finish	Lamp	Mounting
CR	**SN**	**X2**	**M**

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model
PD092

Gracie Frost

FR frosted

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Finish	Lamp	Mounting
FR	**SN**	**X2**	**M**

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Gracie Wall

Stone Lighting can offer Gracie Low Voltage fixtures in various wall mounting configurations.

All Gracies fixtures can be mounted on Stone Lighting's Universal Low Voltage Adjustable Mounting Bracket (shown right).

Dimmable with ELV dimmer.

Model
WS092

Gracie Wall

CR clear
FR frosted

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Finish	Lamp
FR	**PN**	**X2**

BZ bronze
PN polished nickel
SN satin nickel

Gracie White

Stone Lighting now offers our 12v coaxial with a PVC white coating. White stem, white coaxial, and white monopoint canopies are standard when ordering PD093.

All other Stone Lighting Multi-Light canopies can also be powder coated in white upon custom request. (Consult factory)



Model	Gracie White
PD093	**CG** cognac **CR** clear **FR** frosted **L2** LED G4 JC 2W **X2** G4 Xenon 20W

Color Options	Finish	Lamp	Mounting
FR	**WH**	**X2**	**M**

WH white

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Gracie 25 Light Chandelier

Mounts to a standard 4" junction box. Equipped with dimmable electronic transformers.

Model	
CH09325	**CR** clear **FR** frosted **L2** LED G4 JC 2W **X2** G4 Xenon 20W

Color Options	Finish	Lamp
FR	**WH**	**X2**

WH white

Shown:
(5) CL092CRX2
Gracie Ceiling in Clear

Gracie Seedy

Gracie Clear

3"

5.5"

Gracie Ceiling

Crystal clear and Seedy clear hemisphere with frosted lamp compartment creates a beautiful ceiling or wall luminaire.
12v halogen or LED.

Dimmable with ELV dimmer.

Model
CL092

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Lamp
CR	**X2**

CR clear
SD seedy

Shown: (3) CL092SDX2, Gracie Ceiling Seedy

Shown:
CS092FRSNL27
(7) PD092FRSNL2
Gracie Frost Pendants on
Cluster 7 Canopy

Cluster 7

Cluster 7 is a low voltage chandelier of 7 LED pendants that geometrically form an elegant grouping of any coaxial pendant that Stone Lighting offers. Dimmable with ELV dimmer.

Cluster 7 canopy comes in three power supply options:

X1 is for 10w halogen lamps and includes an electronic transformer that recesses in a typical J-Box.

X2 is for 20w halogen lamps and includes a remote 150w electronic transformer.

L2 is for LED lamps and includes a no load LED driver that recesses in a typical J-box.

STEPS

- Choose your Cluster 7 Canopy.
- Choose ANY low voltage coaxial pendant, we recommend round glass.

Model
CPCLUST7

X1 10w Halogen Lamp
X2 20w Halogen Lamp
L2 LED lamps

Finish	Lamp
SN	**L2**

BZ bronze
PN polished nickel
SN satin nickel
WH white

Model
CS218

AM amber
BU blue
CR clear

X1 G4 Xenon 10w
X2 G4 Xenon 20w
L2 LED G4 JC 2W

Color Options	Finish	Lamp
AM	**SN**	**X2**

BZ bronze
PN polished nickel
SN satin nickel
WH white



CS218

CS111

CS092

Model
CS092

CR clear
CG cognac
FR frosted

X1 G4 Xenon 10w
X2 G4 Xenon 20w
L2 LED G4 JC 2W

Color Options	Finish	Lamp
CR	**SN**	**X2**

BZ bronze
PN polished nickel
SN satin nickel
WH white

Model
CS111

LV lava
MO mocha
OP opal
RD red

X1 G4 Xenon 10w
X2 G4 Xenon 20w
L2 LED G4 JC 2W

Color Options	Finish	Lamp
OP	**SN**	**X2**

BZ bronze
PN polished nickel
SN satin nickel
WH white

Shown:
(2) WS106DCSNLED3
Moxie Wall Dichroic



Moxie Wall

Satin nickel metal encases 3 watts of LED **90 CRI** diode that beautifully illuminates a bulbous blown clear, seedy or dichroic glass diffuser.

Non- Dimmable.

Model
WS106

SN satin nickel

Color Option	Finish	Lamp
DC	**SN**	**LED3**

CR clear
DC dichroic
SD seedy

LED3 3 watt COB 3000K
270 Lumens **90 CRI**

Moxie Pendant

Satin nickel metal encases 3 watts of LED **90 CRI** diode that beautifully illuminates a bulbous blown glass available in dichroic, clear or seedy glass.

Non- Dimmable.

Model
PD106

SN satin nickel

J EZ Jack
M monopoint canopy

Color Option	Finish	Lamp	Mounting
CR	**SN**	**LED3**	**M**

CR clear
DC dichroic
SD seedy

LED3 3 watt COB 3000K
270 Lumens **90 CRI**



Shown:
CH10605DCSNLED
includes
(1)JRN10605SNLED
Satin Nickel 5 Light
EZ Jack Canopy
(5) PD106DCSNLED3J
Moxie Pendant in Seedy

Zo Zo Wall

Linear Wall Washing LED Luminaire.
Plated steel construction, frosted white acrylic spread diffuser.

Dimmable with ELV dimmer.

Model
WS163

LED18 LED 18 watt

Finish	Lamp
PC	**LED18**

SN satin nickel
PC polished chrome

DIMENSIONS



ADA COMPLIANT

TITLE 24 COMPLIANT

LAMPING DATA

Lamp	Watts	Lumens	CCT	**CRI**	Beam Angle	Aver. Life
LED18	18	1800	3000K	**90**	120	35,000 hrs

3 Light Rectangular Canopy

3 Light EZ Jack Rectangular Canopy Mounts to a standard 4" junction box.

Model
CPEJRT3

HAL halogen lamp
LED LED lamps

Finish	Lamp
SN	**LED**

SN satin nickel
PC polished chrome

DIMENSIONS





Wall projection 3.8"

Wall projection 3.8"

Frosted Jazz Venti Wall

LED wall sconce. Mounts horizontal or vertical.
Dimmable with ELV transformer.

Model
WS224

FR frosted

LED 5.9W Linear 3000K, **90 CRI**

Color Options	Finish	Lamp
FR	**PC**	**LED**

PC polished chrome

Frosted Jazz Downlighter

Dimmable LED MR16 Light
effective down lighting source.

Model
PD323

FR frosted

D4 Dimmable LED MR16 4w
2700K, 420 lumens

Color Options	Finish	Lamp	Mounting
FR	**PC**	**LED**	**M**

PC polished chrome

M monopoint canopy
R monorail adapter
C cable adapter
J EZjack

Regis Pendant

Cased Opale Glass Cylinder Pendant
22W LED
3000K
1800 lumens
95 CRI
Triac/ELV dimmable
Lamps included.
Title 24 compliant.

Model
PD240

OP opal — **LED20** LED 20W

Color Options	Finish	Lamp
OP	**SN**	**LED20**

SN satin nickel

Model
PD241

OP opal — **LED20** LED 20W

Color Options	Finish	Lamp
OP	**SN**	**LED20**

SN satin nickel

Model
WS239

OP opal — **GL12** LED 12W

Color Options	Finish	Lamp
OP	**SN**	**GL12**

SN satin nickel



Regis Wall LED

Cased Opale Glass Cylinder on rectangular backplate.

WS238 8W LED 675 lumens, 3000K, **90 CRI**.
WS239 12W LED 1050 lumens, 3000K, **90 CRI**.
Lamps included. Title 24 compliant.

Model
WS238

OP opal — **GL8** LED 8W

Color Options	Finish	Lamp
OP	**BZ**	**GL8**

BZ broze
PN polished nickel
SN satin nickel

Sleek

Linear bath bar available in 24", 36" and 48" options. This contemporary fixture is available in Polished Chrome with white lens diffusing LED lamping.

* Shield easily removable in the field

Model
BB415

PC polished chrome

Size	Finish	Lamp
36	**PC**	**T5LED**

24 Sleek bath bar 24"
36 Sleek bath bar 36"
48 Sleek bath bar 48"

T5LED 120v, 8w, 800 Lumens, **90 CRI**, 3500K, Cree chips, Non-Dimmable
T5LED 120v, 12w, 1200 Lumens, **90 CRI**, 3500K, Cree chips, Non-Dimmable
T5LED 120v, 16w, 1600 Lumens, **90 CRI**, 3500K, Cree chips, Non-Dimmable





Wall projection All Fixtures 4.5"

BB5176 - 48

BB5176 - 36

Slim Bath Bar

Slim design bath bar with Opal acrylic lens and Satin Nickel metal finish.

Can be mounted vertically or horizontally, Fluorescent lamp included.

48" version has (1) 54W T5HO, elec HPF, 3000K, CRI 85, 30,000 hours, 5000 lumens, Non Dimmable.
36" version has (1) 39W T5HO, elec HPF, 3000K, CRI 85, 20,000 hours, 3500 lumens, Non Dimmable.

NOTE: A square 4" electrical box cover will be included with every unit.

Model			
BB5176			
	Color option	Finish	Size
	OP	**SN**	**48**
	OP opal	**SN** satin nickel	**36** 36″ **48** 48″

NOTE: Slim Bath Bar fixture is designed to be installed on a 2" 1 gang receptical box.

BB5176 - 36



BB5176 - 48



Wall projection 3.25" all models



Cover plate option for installation on Standard 4" J-Box.

Shown:
(2) WS016OPSNLEDG8
Block Wall Long

Block Twin Wall Long

Wall Sconce with two elongated blown opal glass shades.
Die-cast aluminum body in satin nickel finish.

Fixtures can be mounted horizontally or vertically.
Fixture has 2 lamps.

Model
WS015

SN satin nickel

Color options	Finish	Lamp
OP	**SN**	**LEDG8**

OP opal

LEDG8 8watt LED 2G11
3000K 210mm
1350 lumens
Non-Dimmable



Wall projection 3.15"

Block Wall Long

Wall Sconce with elongated blown opal glass shade.
Die-cast aluminum body in satin nickel finish.

Fixtures can be mounted horizontally or vertically.



Model
WS016

SN satin nickel

Color options	Finish	Lamp
OP	**SN**	**LEDG8**

OP opal

LEDG8 8watt LED 2G11
3000K 210mm
675 lumens
Non-Dimmable

Block Wall

Wall Sconce with blown opal glass shade.
Die-cast aluminum body in satin nickel finish.

Fixtures can be mounted horizontally or vertically.

Model
WS013

SN satin nickel

Color options	Finish	Lamp
OP	**SN**	**D4**

OP opal

- **D4** LED MR16 4w 280 Lumens Dimmable
- **M2** Halogen MR16 20w 1100 Lumens Dimmable



Block Twin Wall

Wall Sconce with two blown opal glass shades.
Die-cast aluminum body in satin nickel finish.

Fixtures can be mounted horizontally or vertically.

Fixture has 2 lamps.

Model
WS014

SN satin nickel

Color options	Finish	Lamp
OP	**SN**	**D4**

OP opal

- **D4** LED MR16 4w 560 Lumens Dimmable
- **M2** Halogen MR16 20w 2200 Lumens Dimmable



Plaza Square

Square energy efficient flush mount.

Satin Nickel metal details with Opal Acrylic diffuser and clear bottom shield.

Model
CL351

OP opal

LED LED watts: 24w, **90 CRI**, CCT: 3000K
Lumens: 1200LM, Dimmable

Acrylic	Finish	Lamp
OP	**SN**	**LED**

SN satin nickel

Plaza Round

Round energy efficient flush mount.

Satin Nickel metal details with Opal Acrylic diffuser and clear bottom shield.

Model
CL352

OP opal

LED LED watts: 20w, **90 CRI**, CCT: 3000K
Lumens: 900LM, Dimmable

Acrylic	Finish	Lamp
OP	**SN**	**LED**

SN satin nickel



Tubular Collection

Each design is a unique compilation of Retro 300mm Tubular lamps, that lay around the perimeter of each fixture, each is unlit and acts as a design element and diffuser.
In Center of each fixture are Retro 300mm tubular lamps that act as light source(s).

Tubular Square Chandelier

Model
CH432

BB brushed brass
BZ bronze

Finish	Lamp
BZ	**RT6C**

RT6C (4) Medium Base Retro Filament Tubes, 60W, (300mm)



Tubular Rectangular Chandelier

Model
CH431

BB brushed brass
BZ bronze

Finish	Lamp
BZ	**RT6C**

RT6C (5) Medium Base Retro Filament Tubes, 60W, (300mm)



Tubular Wall Sconce

Model
WS430

BB brushed brass
BZ bronze

Finish	Lamp
BB	**RT3A**

RT3A Medium Base Retro Filament Tube 40W, (185mm)



Tubular Pendant

Model
PD430

BB brushed brass
BZ bronze

Finish	Lamp
BB	**RT3A**

RT3A Medium Base Retro Filament Tube 40W, (185mm)

Shown
(4) CH430BBRT6C

Tubular Round Chandelier

Model	Finish	Lamp
CH430	**BB**	**RT6C**

BB brushed brass
BZ bronze

RT6C (4) Medium Base Retro Filament Tubes 60W, (300mm)



Shown:
(3) CH556CKABRT4F
Antique Brass Axel Chandelier
with Crackle Glass

Shown:
(3) CH556CKBLRT4F
Black Axel Chandelier
with Crackle Glass



Axel Chandelier

Classic retro style chandelier with choices of black or antique brass finish and crackle or clear glass globes.

Model
CH556

AB antique brass
BL black

Glass	Finish	Lamp
CK	**BL**	**RT4F**

CK crackle
CR clear

RT4F 40w 90mm Retro lamp

Stilt Crackle

7 - Arm Tubular Chandelier.
6 - arms symmetrically split plus one central arm.
Medium base sockets standard with each chandelier.
Sloped Ceiling Canopy and a set of stems and couplers (6",12", and 24"). 6" clear glass crackle globes, 5.5" diameter crackle glass globes.

Model
CH550

CK crackle glass

RT4F 40w 90mm Retro lamp

Glass	Finish	Lamp
CK	**BB**	**RT4F**

BB brushed brass
BZ bronze

Stilt Chandelier

7 - Arm Tubular Chandelier.
6 - arms symmetrically split plus one central arm.
Medium base sockets standard with each chandelier.
Sloped Ceiling Canopy and a set of stems and couplers (6",12", and 24").

Model
CH550

RT3A Medium Base Retro Filament Tube 30W
RT6B Medium Base Retro Filament Bulb 60W
RT4SA Medium Base Retro Spiral Tube 40W
RT6C Medium Base Retro Filament Tube 60W 300mm

Finish	Lamp
BB	**RT3A**

BB brushed brass
BZ bronze

Stilt Wall

2 – Split arm tubular Wall. Compliments Stilt Chandelier. Medium Based Sockets.

Model
WS550

RT3A Medium Base Retro Filament Tube 30W
RT6B Medium Base Retro Filament Bulb 60W
RT4SA Medium Base Retro Spiral Tube 40W
RT6C Medium Base Retro Filament Tube 60W 300mm

Finish	Lamp
BZ	**RT3A**

BB brushed brass
BZ bronze

Overall Height: Minimum = 28" Maximum = 64" Diameter = 23"
Maximum with additional stems & couplers = 115"

Shown:
CH56003CKBZ
includes
(1) CPLVRN3BZ 120v
3 Light Bronze Canopy
(3) PD560CKBZRT4F
Crackle Globes
Pendants in Bronze

5.5" Crackle Globe

5.5″ diameter crackle glass globe with line voltage clear cord. Available in satin nickel or bronze finish.
Each fixture ships with 4.5″ flat canopy.

Model
PD560

CK crackle glass

RT4F 40w 90mm Retro lamp

Glass	Finish	Lamp
CK	SN	RT4F

BZ bronze
SN satin nickel

CH56014CKSN
includes
(1) CPLVRT14SN 120v
14 Light Satin Nickel Canopy
(14) PD560CKSNRT4F Crackle Globe
Pendant in Satin Nickel

Shown:
(20) DS619SDPC
Orb Element

Rubio's Fresh Mexican Grill

Orb

Hand blown clear seedy glass with polished chrome metal accents.
Fixture ships with 36" stem.
Consult factory for custom length options.

Orb Illuminated

Model
PD619

Color option	Finish	Lamp	Mounting
SD	PC	M3	M

PC polished chrome

mopoint canopy

SD seedy

D6 LED MR16 6W
L2 LED G4 JC 2W
M3 MR16 Halogen 35W
X3 GY 6.35 Xenon 35W

Orb Element

Model
DS619

Color option	Finish
SD	PC

PC polished chrome

SD seedy

Xylo Chandelier

Unique hand crafted iron frame with Retro sockets, thick clear and colored glass panels hanging on top edge of frame.

Together they create a beautiful light pattern, a work of art.

Includes bottom diffuser of white acrylic.

Custom Stem lengths are available on special order.

Model
CH164

BZ bronze

Color Options	Finish	Lamp
CR	**BZ**	**MB6**

AM amber
CR clear
RD red

CF13 Compact Fluorescent GU24 4x13W
CF26 Compact Fluorescent GU24 4x26W
LA10 LED A19 4x10W
MB6 Medium Base Incandescent E26 4x60W

Xylo Semi flush

Unique hand crafted iron frame with Retro sockets, thick clear and colored glass panels hanging on top edge of frame.

Together they create a beautiful light pattern, a work of art.

Includes bottom diffuser of white acrylic.

Model
CL162

BZ bronze

Color Options	Finish	Lamp
CR	**BZ**	**MB6**

AM amber
CR clear
RD red

CF13 Compact Fluorescent GU24 4x13W
CF26 Compact Fluorescent GU24 4x26W
LA10 LED A19 4x10W
MB6 Medium Base Incandescent E26 4x60W

Halsted Square

Square energy efficient Flushmount fixture.
Steel and acrylic (PMMA), 12W, 24W.
Average life: 25000 hrs

Model
CL570

WH white

Color Options	Finish	Lamp
OP	**WH**	**LED11**

ADA COMPLIANT

OP opal

LED LED 11W, Lumens: 850, CCT: 3000K, CRI: 80, 120v, Non-Dimmable

Model
CL571

WH white

Color Options	Finish	Lamp
OP	**WH**	**LED21**

ADA COMPLIANT

OP opal

LED LED 21W, Lumens: 1400, CCT: 3000K, CRI: 80, 120v, Non-Dimmable

Halsted Round

Round energy efficient Flushmount fixture.
Steel and acrylic (PMMA), 12W, 18W, 24W.
Average life: 25000 hrs

Model
CL572

WH white

Color Options	Finish	Lamp
OP	**WH**	**LED11**

ADA COMPLIANT

OP opal

LED LED 11W, Lumens: 850, CCT: 3000K, CRI: 80, 120v, Non-Dimmable

Model
CL573

WH white

Color Options	Finish	Lamp
OP	**WH**	**LED16**

OP opal

LED LED 16W, Lumens: 1200, CCT: 3000K, CRI: 80, 120v, Non-Dimmable

Model
CL574

WH white

Color Options	Finish	Lamp
OP	**WH**	**LED21**

OP opal

LED LED 21W, Lumens: 1400, CCT: 3000K, CRI: 80, 120v, Non-Dimmable

Alta Ceiling

High quality ceiling luminarie. White powder coated steel body with frosted opal glass diffuser finished with Polished Chrome decorative trim. Glass diffuser creates elegant backlight or ceiling wash.

Features

- High Quality steel and frosted opal glass.
- Beautiful shape, soft and comfortable light.
- High Quality and stable LED Chips, energy saving and Eco-friendly.
- **LED DOB24** (DOB-Driver on Board 120v **90 CRI** 1600 Lumens). Fully Dimmable with ALL standard dimmers (Triac/Incand.,ELV, LVM)

Model
CL530

FR frost

MB4 3x40W Medium Base Incandescent
Q13 Compact Fluorescent Quad 2x13W
DOB24 LED DOB24 (DOB-Driver on Board) Dimmable, **90 CRI**, 3000K, 1600 Lumens

Color Options	Finish	Lamp
FR	**PC**	**MB4**

PC polished chrome

DIMENSIONS



LAMPING DATA

Lamp	Watts	Lumens	CCT	**CRI**	Aver. Life
DOB24	24	1600	3000K	**>90**	50,000 hrs
Q13	13	600	2700K	>75	10,000 hrs
MB4	40	340	2700K	>75	1,000 hrs

Above info is per lamp. For accurate lumens, multiply by # of lamps in fixture.





CL530FRPCQ13

Shown:
(3) PD540CRPCRT6B
Schoolhouse Pendant

Schoolhouse

Pendant fixture with classic Edison lamp encased in Clear or Opal schoolhouse shaped glass shade. Traditional Polished Chrome body and canopy.

Opal Glass version is available in LED and Fluorescent.

Supplied with 3 stems: 12', 12" and 6" allowing stem length choices of 12", 18", 24" or 30".

Model
PD540

PC polished chrome

Glass	Finish	Lamp
CR	**PC**	**RT6B**

CR clear
OP opal

CF13 Compact Fluorescent GU24 1x13W
CF26 Compact Fluorescent GU24 1x26W
LA10 LED A10W
MB6 Medium Base Incandescent 60W
RT6B Medium Base Retro Filament Bulb 60W

Schoolhouse

Ceiling fixture with classic Edison lamp encased in Clear or Opal schoolhouse shaped glass shade. Traditional Polished Chrome body and canopy.

Opal Glass version is available in LED and Fluorescent.

Model
CL540

PC polished chrome

Glass	Finish	Lamp
CR	**PC**	**RT6B**

CR clear
OP opal

CF13 Compact Fluorescent GU24 1x13W
CF26 Compact Fluorescent GU24 1x26W
LA10 LED A10W
MB6 Medium Base Incandescent 60W
RT6B Medium Base Retro Filament Bulb 60W

Avenue Ceiling-Kalla

Square ceiling luminaire with frosted acrylic bottom and side window diffusers.

Model
CL505

BZ bronze
PN polished nickel
SN satin nickel

Color Options	Finish	Lamp
FR	**PN**	**DOB24**

FR frosted

LA10 LED A7W, CRI: 80, 2700K, Lumens 450
L5 LED G6.35 6W
MC5 Minican 50W
Q18 Compact Fluorescent Quad 18W
DOB24 LED DOB24 (DOB-Driver on Board) Dimmable, **90 CRI**, 3000K, 1600 Lumens

Avenue Ceiling-Murano

Square ceiling luminaire with Murano glass bottom and side windows.
Exquisite Murano Frit. Delicately patterned and genuine silver flakes imbued each panel.



Model
CL503

BZ bronze
PN polished nickel
SN satin nickel

Color Options	Finish	Lamp
MO	**BZ**	**Q18**

AM amber
MO mocha
OP opal

LA10 LED A7W, CRI: 80, 2700K, Lumens 450
L5 LED G6.35 6W
MC5 Minican 50W
Q18 Compact Fluorescent Quad 18W
DOB24 LED DOB24 (DOB-Driver on Board) Dimmable, **90 CRI**, 3000K, 1600 Lumens

Avenue Ceiling-Fablux

Square ceiling luminaire with knoll textile fabric bottom and side window diffusers.



Model
CL504

BZ bronze
PN polished nickel
SN satin nickel

Color Options	Finish	Lamp
TF	**PN**	**LA10**

TF textile fabric

LA10 LED A7W, CRI: 80, 2700K, Lumens 450
L5 LED G6.35 6W
MC5 Minican 50W
Q18 Compact Fluorescent Quad 18W
DOB24 LED DOB24 (DOB-Driver on Board) Dimmable, **90 CRI**, 3000K, 1600 Lumens

Avenue Complete

Rectangular light box with Murano blown glass front panel and side panels.
Each glass panel has a unique band of colorful Frits and genuine silver flakes.
TF: textile fabric encased in frosted acrylic diffuser.

Model
WS233

SN satin nickel

Color Options	Finish	Lamp
OP	**SN**	**Q18**

AM amber
MO mocha
OP opal
TF textile fabric

LA10 LED A7W, CRI: 80, 2700K, Lumens 450
L5 LED G6.35 6W
MC5 Minican 50W
Q18 Compact Fluorescent Quad 18W
DOB16 LED DOB16 (DOB-Driver on Board) Dimmable, **90 CRI**, 3000K, 800 Lumens

* **LED DOB16** (DOB-Driver on Board 120v, **90 CRI**, 800 Lumens).
Fully Dimmable with ALL standard dimmers (Triac/Incand.,ELV, LVM)

LAMPING DATA

Lamp	Watts	Lumens	CCT	**CRI**	Aver. Life
DOB16	16	800	3000K	**>90**	30,000 hrs
LA10	7	450	2700K	>80	25,000 hrs
L5	6	330	3500K	>80	30,000 hrs
MC5	50	600	3000K	>75	2,000 hrs
Q18	18	1210	2700K	>75	10,000 hrs

Above info is per lamp. For accurate lumens, multiply by # of lamps in fixture.

DIMENSIONS



Pedigree

Off White Linen shade on square canopy,
Bronze finish.

Rotary Dimmer Switch integrated into back plate.

Model
WS051

BZ bronze

Finish	Lamp
BZ	**MB6**

CF13 Compact Fluorescent GU24 1x13W
CF26 Compact Fluorescent GU24 1x26W
LA10 LED A10W
MB6 Medium Base Incandescent 1x75W

Zen

Textile fabric acrylic shade on square tubing makes an elegant hospitality luminaire solution.

Also available as frosted white acrylic diffuser.

Model
WS225

BZ bronze
PN polished nickel
SN satin nickel

Color Option	Finish	Lamp
TF	**PN**	**MB4**

FW frosted white
TF textile fabric

MB4 Medium Base Incandescent 40W
Q13 Compact Fluorescent Quad 2x13W
Q18 Compact Fluorescent Quad 2x18W
DOB16 LED DOB16 (DOB-Driver on Board) Dimmable, **90 CRI**, 3000K, 800 Lumens

Wall projection 4"

Maddox

Fabric flush mount with frosted glass diffuser to provide glare free light. Metal accents are Satin Nickel.

Offered in two fluorescent lamping options

CF13 Compact Fluorescent GU24 4x13W, 2700K
CF18 Compact Fluorescent GU24 4x18W, 2700K

Model
CL921

SN satin nickel

Color Option	Finish	Lamp
DS	**PN**	**CF18**

DS desert clay

CF13 Compact Fluorescent GU24 4x13W
CF18 Compact Fluorescent GU24 4x18W
CF26 Compact Fluorescent GU24 4x26W

wall projection 4"

Willis Wall

Ivory Fabric shade wall sconce wrapped around a metal base. Iluminated with 18 watt 4 pin electronic GU24 self ballasted. LED lampings: Consult Factory. Multiple fabric colors available-Consult Factory.

Model
WS657

IV ivory

Color Option	Lamp
IV	**CF18**

CF18 Compact Fluorescent GU24 1x18W

Shown:
(4) CH549FRWHL40

Moment Suspension

Round energy efficient Suspension fixture.
White finish with Opal Acrylic diffuser.

Model	Acrylic	Finish	Lamp
CH458	FR	WH	L40
CH459	FR	WH	L60

FR frost
WH white

L40 LED COB40
Power: 40w, Lumens: 3200
CCT: 3000K, **90 CRI**
Input voltage: 90-240v
Beam angle: 120 degrees
ETL labeled

L60 LED COB60
Power: 60w, Lumens: 4800
CCT: 3000K, **90 CRI**
Input voltage: 90-240v
Beam angle: 120 degrees
ETL labeled

Field adjustability from Suspension to a Surface Mount Ceiling Luminaire

Moment Ceiling

Round energy efficient flush mount.
White finish with Opal Acrylic diffuser.

Model	Acrylic	Finish	Lamp
CL458	FR	WH	L40
CL459	FR	WH	L60

FR frost
WH white

L40 LED COB40
Power: 40w, Lumens: 3200
CCT: 3000K, **90 CRI**
Input voltage: 90-240v
Beam angle: 120 degrees
ETL labeled

L60 LED COB60
Power: 60w, Lumens: 4800
CCT: 3000K, **90 CRI**
Input voltage: 90-240v
Beam angle: 120 degrees
ETL labeled

Luna

Damp location rated 120v LED flush mount has a brushed aluminum body and a polycarbonate diffuser.

120 volt, 24 watts, 3000K, 2100 lumens, **90 CRI**, 120° beam angle.
Dimmable with ELV dimmer

Model
CL511

BA brushed aluminum

Finish	Lamp
BA	**LED**

LED LED 24w, 120v, 3000K, 2100 lumens, **90 CRI**

Wedge

Brushed Stainless Steel wall washer.
Lamp options:
Incandescent, Compact Fluorescent and SL-DOB (Stone Lighting Driver on Board) LED module.

Model
WO807

SS stainless steel

Finish	Lamp
SS	**MB4**

CF13 Compact Fluorescent GU24 13W
DOB10 LED DOB10 120v, 500 Lumens, **90 CRI**, 3000K, Dimmable
MB4 Base Incandescent 40W Torpedo

Wall projection 6"

Concordia One-Way

Outdoor rated Square down light made from die cast aluminum. 120v LED fixture is available in black or silver.
This luminaire has a frosted and gasketed diffuser for dedicated down light.

Model
WO856

BK black
SI silver

Finish	Lamp
BK	**LED**

LED 3x1W Cree LED, 120v 3000K, 243 lumens, **90 CRI**



Wall projection 2"

WO856

WO857

Concordia Two-Way

Outdoor rated Square up and down light made from die cast aluminum. 120v LED fixture is available in black or silver.
This luminaire has a frosted and gasketed diffuser for dedicated down light.

Model
WO857

BK black
SI silver

Finish	Lamp
SI	**LED**

LED 6x1W Cree LED, 120v 3000K, 400 lumens, **90 CRI**



Wall projection 2"

Shown:
(10) SL600SSLED1
1w Round Step Light

2" Square LED Step Light

2" LED Stainless Steel outdoor rated step light.

Each light ships with splice box.

Model
SL601

Finish	Lamp
SS	LED

LED 1W

SS stainless steel

1 Frosted Glass Lens

2 CREE 1W or 3W Warm White LED 2600-2700K 12V 50K rated ave life

3 Easy Installation with high quality spring metal clips holds firmly in wall, floor etc.

4 Watertight indoor/outdoor Stainless Steel Cable fitting

5 IP65 Outdoor

2" Round LED Step Light

2" LED Stainless Steel outdoor rated step light.

Each light ships with splice box.

Model
SL600

Finish	Lamp
SS	LED3

LED 1W
LED3 3W

SS stainless steel

1 Frosted Glass Lens

2 CREE 1W or 3W Warm White LED 2700K 50K rated ave life

3 Easy Installation with high quality spring metal clips holds firmly in wall, floor etc.

4 Watertight indoor/outdoor Stainless Steel Cable fitting

5 IP65 Outdoor

6 3w version needs special driver (1) per fixture.

Shown:
WS570GVRT4SA
Pipe Wall with Retro Spiral Lamp



Wall projection 6"

Pipe Wall

Model
WS570

GV galvanized

Finish	Lamp
GV	**RT3A**

RT3A	Medium Base Retro Filament Tube 30W
RT6B	Medium Base Retro Filament Bulb 60W
RT4SA	Medium Base Retro Spiral Filament Tube 40W
RTLDET4CR	Medium Base LED Retro Bulb Clear 4W
RTLDET4GD	Medium Base LED Retro Bulb Gold 4W

Shown:
CHRETRO25BZ
includes:
(1) CPLVSQ25BZ
Bronze 120v 25 Light
Square Canopy
(15) PD302BZRD
Retro Tubular Long Pendant
(10) PD300BZRD
Retro Tubular Pendant
SATELLITE ATLAS OF THE WORLD
ATLAS OF THE WORLD

Shown:
CHRETRO13BZ
includes
(1) CPLVRN13BZ
Bronze 120v 13 Light Canopy
(8) PD302BZRD
Retro Tubular Long Pendant
(5) PD301BZRD
Retro Edison Pendant

LMRTLDETGD4

Gold ST58 Edison Style
120 volts /4 Watts
2200K, 80 CRI, 240 Lumens
E26 Base, Dimmable
Average life 25,000 hours
58 mm (Diameter) x 127 mm (Length)

LMRTLDG95CR4

Clear G95 Globe.
120 volts /4 Watts
2700K, 80 CRI, 360 Lumens
E26 Base, Dimmable
Average life 25,000 hours
95 mm (Diameter) x 135 mm (Length)

LMRTLDETCR4

Clear ST58 Edison Style
120 volts /4 Watts
2700K, 80 CRI, 360 Lumens
E26 Base, Dimmable
Average life 25,000 hours
58 mm (Diameter) x 127 mm (Length)

LMRTLDT10CR8

Clear T10 Tubular
120 Volts, 8 Watts
2700K, 83 CRI, 800 Lumens
E26 Base, Dimmable
Average Life 30,000 hours
30mm Diameter x 185mm Length

LMRTLDT10CR6

Clear T10 Tubular
120 Volts, 6 Watts
2700K, 82 CRI, 600 Lumens
E26 Base, Dimmable
Average Life 30,000 hours
30mm Diameter x 185mm Length

LMRTLDT10GD6

Gold T10 Tubular
120 Volts, 6 Watts
2200K, 82 CRI, 400 Lumens
E26 Base, Dimmable
Average Life 30,000 hours
30mm Diameter x 185mm Length

* Additional lamps Available-Consult Factory

Product Name	Bulb	Model	Description	Av. rated Life	Color Temp.	Lumens
12 VOLT HALOGEN & XENON						
12 Volt Halogen Bi-Pin		LMPX1CR	12v 10W G4 Halogen Bipin Clear	2,000	2900k	120
		LMPX2CR	12v 20W G4 Super 5K Xenon Bipin Clear	5,000	2900K	350
		LMPX2FR	12v 20W G4 Super 5K Xenon Bipin Frost	5,000	2900K	330
		LMPX3CR	12v 35W G6.35 Super 5K Xenon Bipin Clear	5,000	2900K	700
		LMPX3FR	12v 35W G6.35 Super 5K Xenon Bipin Frost	5,000	2900K	650
		LMPX5CR	12v 50W G6.35 Super 5K Xenon Bipin Clear	5,000	2900K	1100
		LMPX5FR	12v 50W G6.35 Super 5K Xenon Bipin Frost	5,000	2900K	1050
		LMPX2FR10K	12v 20W G4 Xenon Bipin Ultra 10K Frost	10,000	2900k	330
		LMPX3CR10K	12v 35W G6.35 Xenon Bipin Ultra 10K Clear	10,000	2900k	700
		LMPX3FR10K	12v 35W G6.35 Xenon Bipin Ultra 10K Frost	5,000	3000k	650
		LMPX5FR10K	12v 50W G6.35 Xenon Bipin Ultra 10K	5,000	3000k	1100
12 Volt Halogen MR11		LMPN3N	12v 35W MR11 Super 5K Bipin Narrow Flood FTF-P	5,000	3000k	3600
12 Volt Halogen MR16 Bipin Lamp		LMPM2	12v 20W MR16	5,000	3000K	1100
		LMPM3M	12v 35W MR16 Super 5K Medium Flood FMW-P Dichroic	5,000	3000K	1600
		LMPM3MCC	12v 35W MR16 Super 5K Medium Flood FMWAlu Constant Color	5,000	3000K	1600
		LMPM5M	12v 50W MR16 Super 5K Medium Flood EXN/L	5,000	3000K	2200
		LMPM5MCC	12v 50W MR16 Super 5K Medium Flood EXZ Alu Constant Color	5,000	3000K	2200
		LMPM5N10K	12v 50W MR16 Ultra 10K EXN/10M Dichroic	10,000	3000K	2200
		LMPM5WFR	12v 50W MR16 Super 5K EXN Wide Beam Decor Frosted Back	5,000	3000K	1600
12 VOLT LED						
12 Volt LED MR11		LMPND3	12v 3w MR11 LED 3000K	25,000	3000k	150
12 Volt LED MR16		LMPD4	12v 4w LED MR16 2700K 38 Degree AC	35,000	2700k	280
		LMPD6	12v 6w Dimable LED MR16 2700K 38 Degree AC	35,000	2700k	420
12 Volt LED Bi-Pin		LMPL2WW	12v 2W LED G4 JC 2900K	25,000	2900k	120
12 Volt LED Bi-Pin w/ Downlight		LMPL5N	12v 6w LED Bi-pin Lamp 3500K	40,000	3500k	300
		LMPL5W	12v 6w LED Bi-pin Lamp 2700K	40,000	2700k	300
120 VOLT HALOGEN						
120 Volt Halogen Mini-Can		LMPMC5	120v 50W Mini-Can E11 120V Clear	2,000	2900k	1000
		LMPMC75	120v 75W Mini-Can E11 120V Clear	2,000	2900k	1200
		LMPMC15	120v 150W Mini-Can E11 120V Clear	2,000	2900k	2500
120 Volt Halogen G9		LMPG975CR	120v 75w G9 120v Clear	2,000	2900k	1050
		LMPG975FR	120v 75w G9 120v Frosted	2,000	2900k	1000
120 Volt Halogen GU10		LMPGM5	120v 50w GU10 MR16 Halogen	2,000	3000k	2200
120 VOLT FLUORESCENT						
120v Compact Fluorescent 4 Pin		LMPQ13W	120v 13W Compact Fluorescent FLD/E 2700K Base G24q1	12,000	2700k	900
		LMPQ13N	120v 13W Compact Fluorescent FLD/E 3500K Base G24q1	12,000	3500k	900
		LMPQ18W	120v 18W Compact Fluorescent FLD/E 2700K Base G24q2	12,000	2700k	1200
		LMPQ18N	120v 18W Compact Fluorescent FLD/E 3500K Base G24q2	12,000	3500k	1200
		LMPQ26W	120v 26W Compact Fluorescent FLD/E 2700K Base G24q3	12,000	2700k	1800
		LMPQ26N	120v 26W Compact Fluorescent FLD/E 3500K Base G24q3	12,000	3500k	1800
		LMPQ32W	120v 32W Compact Fluorescent FLD/E 2700K Base G24q3	12,000	2700k	2400
		LMPQ32N	120v 32W Compact Fluorescent FLD/E 3500K Base G24q3	12,000	3500k	2400
120v Compact Fluorescent GU24		LMPCF13GW	120v 13W Compact Fluorescent GU24 Base 2700K	10,000	2700k	800
		LMPCF13GN	120v 13W Compact Fluorescent GU24 Base 3500K	10,000	3500k	800
		LMPCF18GW	120v 18W Compact Fluorescent GU24 Base 2700K	10,000	2700k	1200
		LMPCF18GN	120v 18W Compact Fluorescent GU24 Base 3500K	10,000	3500k	1200
		LMPCF26GW	120v 26W Compact Fluorescent GU24 Base 2700K	10,000	2700k	1750
		LMPCF26GN	120v 26W Compact Fluorescent GU24 Base 3500K	10,000	3500k	1750
120 VOLT RETRO LAMPS						
120v Retro Lamps		LMPRT3A	120v 30w Retro Tube Filament 185mm T9 E26	3,000	-	95
		LMPRT4C	120v 40w Retro Tube Filament 300mm T9 E26	3,000	-	165
		LMPRT6C	120v 60w Retro Tube Filament 300mm T9 E26	3,000	-	200
		LMPRT4SA	120v 40w Retro Tube Spiral Filament 185mm T9 E26	3,000	-	100
		LMPRT4SC	120v 40w Retro Tube Spiral Filament 300mm T8 E26	3,000	-	135
		LMPRT6B	120v 60w Edison Shape Retro Lamp E26	3,000	-	200
120 VOLT LED LAMPS						
120v LED G9		LMPG94	120v 3.8w LED G9 WW 3000K	30,000	3000k	300
		LMPG93	120v 2.0w LED G9 WW 3000K	30,000	3000k	150
120v LED A19		LMPLA10	120v 10w Dimmable LED A19 840 Lumens 2700K	30,000	2700k	600
120v LED GU10		LMPGB6	120v 6w LED GU10 3000K 38 Deg MR16	50,000	3000k	300
120v LED GU10 Dimable		LMPGB6D	120v 6w Dimable LED GU10 3000K MR16	50,000	3000k	300
120v LED 4 Pin		LMP2G11L8	120v 8w LED 2G11 PLL 3000K 8.25"	36,000	3000k	675
120v LED 4 Pin		LMP2G11L12	120v 12w LED 2G11 PLL 3000K 12.25"	36,000	3000k	1,050

stonelighting.net

STONE LIGHTING no. 42

stone
LIGHTING

Phone: (312) 240-0400
Fax. (866) 300-9283

info@stonelighting.net

stonelighting.net