

STONE LIGHTING no. 43





Low Voltage
Pendants




Ambra-Latte	2 - 5
Gracie & Gracie Frost	6 - 7
Gracie White	8 - 9
Gracie 25 Light Chandelier	10 - 11
Groovy Pendant	12 - 13
Glacier Pendant	14 - 15
Twiddle Pendant	16 - 17
Kristallo	18 - 19
Stilo Crystal	20 - 21
Mosaic Pendant	22 - 23
Shimmer Pendant	24 - 27
Jazz Crystal	28 - 29
Core Pendant	30 - 31
Loma Pendant	32 - 33
Jazz Downlighter	34 - 35
Rocker	36 - 37
Leena Pendant	38 - 39
Mercury Falling	40 - 41
Low Voltage Multi Light Canopies	42 - 47

Line Voltage
Pendants 12V



Morph	48 - 49
Spin	50 - 51
Line Voltage Multi Light Canopies	52 - 53
Wall Interior	
Ventana Wall	54 - 55
Mosaic Wall	56 - 57
Seeno Wall	58 - 59
Domi Wall	60 - 61
Lindy Wall	62 - 63
Sully Wall	64 - 65
Ajax	66 - 67



How to Buy
Stone Lighting Products

Just visit: stonelighting.net
you will find information such as:
Sales Representatives, Showrooms,
on-line Catalog and more.

Wall
Bath



Gus Bath	68 - 69
Baya Long	70 - 71
Baya Short & Baya Up	72 - 73
Dupla Wall	74 - 75
Button	76 - 77

Low Voltage
Cable System



SBella Head	78 - 79
Decorative Elements	80 - 83
Hardware, Canopies and Transformers	84 - 87

Ceiling



Halo	88 - 89
Puck Series	90 - 91
Gracie Ceiling	92 - 93

Suspension



Max	94 - 95
Kilo Retro	96 - 97
Cloud Suspension	98 - 101

Outdoor



Synchro	102 - 103
---------	-----------

Lamping Guide



Retro LED Bulbs	104
Lamping Guide	105



Shown: CPEJRN5SSNLED 5 Light 7.5" Canopy with strain relief and 5 Ambra Pendant



Shown:
(2) CPEJRN5SSNLED
5 Light 7.5" Canopy
with strain relief and
5 Ambra Pendant

Low Voltage
Pendants



4.35"

4.35"

Ambra

Double envelope unique textured
italian glass pendant. 12V.

Dimmable with ELV.

Model
PD654

AM amber

Color	Finish	Lamp	Mounting
AM	SN	L3	M

L2 LED G4 JC 2W
L3 LED G4 JC 3W
X2 G4 Xenon 20W

BZ bronze
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZjack

Latte

Double envelope unique textured
italian glass pendant. 12V.

Dimmable with ELV.

Model
PD655

LT latte

Color	Finish	Lamp	Mounting
LT	SN	L3	M

L2 LED G4 JC 2W
L3 LED G4 JC 3W
X2 G4 Xenon 20W

BZ bronze
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZjack





Shown:
CPEJRN5SSNLED
5 Light 7.5" Canopy
with Strain Relief
and 5 Latte Pendant



Shown:
CPEJRT14BZLED
Bronze 14 Light Canopy
with 7 Ambra and
7 Latte Pendant

Shown: Staggered
Gracies in Clear on
Single Lights



Shown:
CPEJRN22SPN36LED
Custom Swirl Canopy
with 22 Clear Gracie
in Spiral Formation



Gracie

Pristine leaded crystal glass spheres. Offered in three finishes: cognac, perfectly clear crystal and also with frosted interior lamp compartment.

Unfrosted spheres throw an impressive clarity and glow, while frosted version softly diffuses lamp holder and lamp image while still offering a beautifully clear crystal sphere.

Dimmable with ELV dimmer.

Model
PD091

Gracie

Color	Finish	Lamp	Mounting
CR	SN	X2	M

- CR

clear
- CG

cognac
- L2

LED G4 JC 2W
- X2

G4 Xenon 20W
- BZ

bronze
- PN

polished nickel
- SN

satin nickel
- M

monopoint canopy
- R

monorail adapter
- C

cable adapter
- J

EZ jack

Model
PD092

Gracie Frost

Color	Finish	Lamp	Mounting
FR	SN	X2	M

- FR

frosted
- L2

LED G4 JC 2W
- X2

G4 Xenon 20W
- BZ

bronze
- PN

polished nickel
- SN

satin nickel
- M


monopoint canopy
- R

monorail adapter
- C

cable adapter
- J

EZ jack





Shown:
CH09113CRSNX2 includes
(1) CPEJRN13SNHAL
Satin Nickel 13 Light
EZ Jack Canopy
(13) PD091CRSNX2J
Gracie Pendant in Clear



Gracie White

Stone Lighting now offers our 12v coaxial with a PVC white coating.

White stem, white coaxial, and white monopoint canopies are standard when ordering PD093. All other Stone Lighting Multi-Light canopies can also be powder coated in white upon custom request. (Consult factory)

Model PD093			
CG cognac CR clear FR frosted			
L2 LED G4 JC 2W X2 G4 Xenon 20W			
Color	Finish	Lamp	Mounting
CR	WH	X2	M
WH white			M monopoint canopy R monorail adapter C cable adapter J EZ jack





Gracie 25 Light Chandelier

Mounts to a standard 4" junction box.
Equipped with dimmable electronic transformers.

Model
CH09325

CR clear
FR frosted

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color	Finish	Lamp
FR	WH	X2

WH white



Shown:
(3) PD253AMSNL2
Groovy Pendant
in Amber



Groovy Pendant
Molded, Intricate and
Pristine cut Crystal Pendant.
Dimmable with ELV dimmer.

Model
PD253

AM amber
CR clear

L2 LED G4 JC 2W
L3 LED G4 JC 3W
X3 GY 6.35 Xenon 35W

Color	Finish	Lamp	Mounting
AM	SN	L2	M

PC polished chrome
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZjack





Glacier Pendant
Piastra Venetian Italian Handmade elegant cylinders of glass with a 3000K, **90 CRI**, 5 watt integrated LED COB lightsource.



Model
PD325

CR clear		LED CAP 5W, 3000K, 90CRI .	
Color	Finish	Lamp	Mounting
CR	PC	LED	J

PC polished chrome
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZjack



Twiddle Pendant
Pristine Clear Cut Crystal low voltage
pendant Halogen or LED.

Model
PD252

CR clear		L2 LED G4 JC 2W	
		X2 G4 Xenon 20W	
Color	Finish	Lamp	Mounting
CR	PN	L2	M
		PN polished nickel	M monopoint canopy
		SN satin nickel	R monorail adapter
			C cable adapter
			J EZjack





Kristallo

Crystal Molded Glass. Clear and Light Amber with light dichroic accent. 12v.

Model
PD340

AM amber-dichroic
coating
CR clear

LED COB 7W, 90 CRI, 3000K

Color	Finish	Lamp	Mounting
AM	PC	LED	M

PC polished chrome

M monopoint canopy
R monorail adapter
C cable adapter
J EZjack





Shown:
PD254CRPCL2, Stilo Crystal
7 light 7.5" diameter canopy with
strain reliefs to Low Voltage Canopies



Stilo Crystal
Faceted tipped Crystal Rod
with Random Bubbles.

Model
PD254

CR clear
L2 LED G4 JC 2W
X1 G4 Xenon 10W

Color	Finish	Lamp	Mounting
CR	PN	L2	M

PN polished nickel
SN satin nickel
M monopoint canopy
R monorail adapter
C cable adapter
J EZjack





Mosaic Pendant
Handmade Italian Piastra glass Cylinder.
Dimmable.


Model
PD251

AM amber
CRGD clear - gold
SI silver

LED 5W, 3000K, 90 CRI, Dimmable.

Color	Finish	Lamp	Mounting
AM	PC	LED	M
PC polished chrome SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZjack	





Shimmer Pendant

Elegant LED Crystal stranded rings.
Polished Chrome metal accents.
Custom Swarovski stranding:
Consult Factory

Model
PD661

3 Light Rectangular

CR clear		LED LED 27W ring light, 90 CRI, 3000K
Color	Finish	Lamp
CR	PC	LED
PC polished chrome		





Model
PD662


3 Light Round

CR clear

Color	Finish	Lamp
CR	PC	LED

PC polished chrome

LED LED 27W ring light,
90 CRI, 3000K



Height is
adjustable
up to 144"

Model
PD663


5 Light Round

CR clear

Color	Finish	Lamp
CR	PC	LED

PC polished chrome

LED LED 27W ring light,
90 CRI, 3000K



Height is
adjustable
up to 144"



Shown:
(4) PD223ABPCLEDM
Jazz Crystal Blue Pendant




Jazz Crystal LED illuminated octagonal Swarovski Crystal Pendants.

Model PD223	CR clear		LED LED 2.8W Linear 3000K
	Color	Finish	Lamp
	CR*	PC	LED
			Mounting
			M

PC polished chrome
M monorail canopy
R monorail adapter
C cable adapter
J EZ jack



* For any of the colored Swarovski crystals shown, indicate your choice and consult factory for availability and pricing.

Model	Description	
PD223GSPCLEDR	Golden Shadow Polished Chrome 2.8W Linear 3000K	All fixtures include Monorail Adapter  11" 1.6" 



Shown:
5 Core Pendant
on 5 Light Canopy



Core Pendant

Pristine cast acrylic tubes of light.
A 3M film allows for a unique light reflection.
Integrated 5 watt LED COB dimmable module.

Model
PD250

Color	Finish	Lamp	Mounting
CR	PC	LED	M
PC polished chrome		LED LED COB 5W, Dimmable M monopoint canopy R monorail adapter C cable adapter J EZjack	





Shown:
Multiple Custom length
Loma Pendant on Custom
Rectangular Canopy



Loma Pendant

Crystal Clear Amber or Clear
glass with Brushed Brass or
Polished Nickel finish options.
Dimmable with ELV dimmer.

Model
PD975

- AM amber
- CR clear
- L2 LED G4 JC 2W
- X1 G4 Xenon 10W

Color	Finish	Lamp	Mounting
CR	PN	X1	M

- BB brushed brass
- PN polished nickel
- SN satin nickel
- M monopoint canopy
- R monorail adapter
- C cable adapter
- J EZ jack





Shown:
(5) PD323RDPD6M Jazz Downlighter in Red



Jazz Downlighter

Dimmable LED MR16 Light source Illuminates multifaceted crystal beads and creates effective down lighting source.

Model
PD323

D6 LED MR16 6W, Dimmable			
Color	Finish	Lamp	Mounting
GO	PC	D6	M
BU blue	PC polished chrome		M monopoint canopy
CR clear			R monorail adapter
GO gold			C cable adapter
GR green			J EZjack
RD red			





Shown:
(6) PD218AMSND6M
Rocker Pendant
in Amber



Rocker

Double envelope unique textured
italian glass pendant. 12v.

Model
PD218

AM amber
CR clear

D6 LED MR16 6W
M3 MR16 Halogen 35W

Color	Finish	Lamp	Mounting
AM	SN	D6	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZjack





Shown:
 (2) PD529AMSNX35J
 (1) PD529CRSNX3J



Leena Pendant

Mouth blown Amber or Clear scoop glass with Satin Nickel metal accents. Dimmable with ELV dimmer.

Model
PD529

AM amber
CR clear

L2 LED G4 JC 2W
X3 GY 6.35 Xenon 35W

Color	Finish	Lamp	Mounting
AM	SN	L2	M


SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZjack





Shown:
(2) PD181PCM3M
Mercury Falling Pendant



Mercury Falling

Chrome ball chain in varied lengths. 12v.

Model PD181		
▲ D6 LED MR16 6W ▲ M3 MR16 Halogen 35W		
Finish	Lamp	Mounting
PC	M3	M
PC polished chrome		M monopoint canopy R monorail adapter C cable adapter J EZjack





Shown:
 (1) CPEJRN5WHHAL
 White 5 Light EZ Jack Canopy
 (5) PD093CRWHX2J
 Gracie White Pendant in Clear

Low Voltage
 Multi-Light Canopies

Canopies are available in various finishes and sizes. Multiple round, square and rectangular standard and several custom EZ Jack port configurations shown. Low Voltage Canopies are used with any EZ Jack adapted Stone Lighting Fixture.


CPEJRN2(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

1 Lite Canopy
 SN
 HAL, LED
 2.75" Round



CPEJRN1(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

1 Lite Canopy
 BL, BZ, PC, PN, SN, WH
 HAL, LED
 4" Round




CPEJRN4(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

1 Lite Canopy
 BZ, PC, PN, SN
 HAL, LED
 4" Round




CPEJSQ1(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

1 Lite Canopy
 BZ, PC, PN, SN
 HAL, LED
 4" Round




CPEJRN3(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

3 Lite Canopy
 BZ, PC, PN, SN
 HAL, LED
 12" Round




CPEJRN5(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

5 Lite Canopy
 BZ, PN, SN, WH
 HAL, LED
 18" Round




CPEJRN7(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS

7 Lite Canopy
 BZ, PC, PN, SN, WH
 HAL, LED
 20" Round



CPEJRN13(FINISH)(HAL, LED)
EZ JACK
FINISH
LAMP
DIMENSIONS


13 Lite Canopy
 BZ, PC, PN, SN, WH
 HAL, LED
 20" Round




Low Voltage
Multi-Light Canopies

Canopies are available in various finishes and sizes. Multiple round, square and rectangular standard and several custom EZ Jack port configurations shown.
Low Voltage Canopies are used with any EZ Jack adapted Stone Lighting Fixture.


CPEJRN36(FINISH)32(HAL, LED)
EZ JACK 36 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 32" Round




CPEJRN22(FINISH)36(HAL, LED)
EZ JACK 22 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 36" Round




CPEJRN22S(FINISH)36(HAL, LED)
EZ JACK Spiral 22 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 36" Round



CPEJRN13(FINISH)24(HAL, LED)
EZ JACK 13 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 24" Round




CPEJRN21(FINISH)26(HAL, LED)
EZ JACK 21 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 26" Round




Low Voltage
Multi-Light Canopies

Canopies are available in various finishes and sizes. Multiple round, square and rectangular standard and several custom EZ Jack port configurations shown.
Low Voltage Canopies are used with any EZ Jack adapted Stone Lighting Fixture.


CPSRRN3(FINISH)(HAL, LED)
STRAIN RELIEF 3 Lite Canopy
FINISH BZ, PN, SN
LAMP HAL, LED
DIMENSIONS 7.5" Round




CPSRRN5(FINISH)(HAL, LED)
STRAIN RELIEF 5 Lite Canopy
FINISH BZ, PN, SN
LAMP HAL, LED
DIMENSIONS 7.5" Round




CPSRRN7(FINISH)(HAL, LED)
STRAIN RELIEF 7 Lite Canopy
FINISH BZ, PN, SN
LAMP HAL, LED
DIMENSIONS 7.5" Round




CPEJSQ25(FINISH)(HAL, LED)
EZ JACK 25 Lite Canopy
FINISH BZ, PC, PN, SN, WH
LAMP HAL, LED
DIMENSIONS 24" Square



CPEJRT10(FINISH)1831(HAL, LED)
EZ JACK 10 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 18" x 31" Rectangular




CPEJRT20(FINISH)1831(HAL, LED)
EZ JACK 20 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 18" x 31" Rectangular




Low Voltage
Multi-Light Canopies

Canopies are available in various finishes and sizes. Multiple round, square and rectangular standard and several custom EZ Jack port configurations shown.
Low Voltage Canopies are used with any EZ Jack adapted Stone Lighting Fixture.


CPEJRT3(FINISH)(HAL, LED)
EZ JACK 3 Lite Canopy
FINISH PC, SN
LAMP HAL, LED
DIMENSIONS 9"x 31" Rectangular




CPEJRT14(FINISH)(HAL, LED)
EZ JACK 14 Lite Canopy
FINISH PC, PN, SN
LAMP HAL, LED
DIMENSIONS 9"x 31" Rectangular



CPEJRT24(FINISH)1346(HAL, LED)
EZ JACK 24 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 13"x 46" Rectangular



CPEJRT24(FINISH)1846(HAL, LED)
EZ JACK 24 Lite Canopy
FINISH PN, SN
LAMP HAL, LED
DIMENSIONS 18"x 46" Rectangular



Shown:
CH22325CRPCLED
includes
(1) CPEJSQ25PC
Polished Chrome
25 Light EZ Jack Canopy
(25) PD223CRPCLED
Jazz Crystal Pendant in Clear





Shown: PD650CROPBBLG5



Morph

Unique organic Crystal Glass Spheres with clear and opal white glass combined 120v. Dimmable with Triac or ELV.

Model
PD650

 **LG5** LED G15 5W, E26 Base, 3000K,
500 Lumens, Dimmable

CR-OP clear - opal

Color	Finish	Lamp	Size
CR-OP	SN	LG5	20
	BB brushed brass		20 8"
	SN satin nickel		30 12"





Shown:
(3) PD335MBLBBE12L5
Spin Pendant in Matte Black



Spin

Elegant spun aluminum cone shaped line voltage pendants with BB or SN brass stem accents. Available top and bottom.

Model
PD335

MBL matte black		E124 E12 base, Incandescent 3 x 40W Teardrop	
MWH matte white		E12L5 E12 base, LED 3 x 5W Teardrop	
Color	Finish	Lamp	Mounting
MWH	SN	E12L5	M
BB brushed brass		M monopoint canopy	
SN satin nickel			

*3 x E12 sockets Max. 40w incandescent each




Shown:
CHRETRO13BZ
includes
(1) CPLVRN13BZ
Bronze 120v 13 Light Canopy
(8) PD302BZRD
Retro Tubular Long Pendant
(5) PD301BZRD
Retro Edison Pendant





Line Voltage
Multi-Light Canopies

Canopies are available in several sizes and finishes.
Line Voltage Canopies work with 120v Cord Hung Pendants.



CPLVRN1(FINISH)
PORTS 1 Lite Canopy
FINISH BZ, PG, PN, SN, WH
DIMENSIONS 4" Round





CPLVRN3(FINISH)
PORTS 3 Lite Canopy
FINISH BZ, PN, SN
DIMENSIONS 12" Round





CPLVRN5(FINISH)
PORTS 5 Lite Canopy
FINISH BZ, PC, PN, SN
DIMENSIONS 18" Round





CPLVRN7(FINISH)
PORTS 7 Lite Canopy
FINISH BZ, PC, SN
DIMENSIONS 20" Round



CPLVRN13(FINISH)
PORTS 13 Lite Canopy
FINISH BZ, PC, PN, SN
DIMENSIONS 20" Round



CPLVSQ25(FINISH)
PORTS 25 Lite Canopy
FINISH BZ, PC, PN, SN
DIMENSIONS 24" Square





Shown:
WS426DIFRSNLED

LC AM BB



DI FR SN



QT AM BB




QT CR PC



GL AM BB




LC CL PN



Shown:
WS426QTAMBBLED

Ventana Wall

Venetian Piastra textured Glass panels in Clear, Amber and Frosted. Brushed Brass, Satin Nickel and Polished Chrome faces mount on Linear DOB light source. Dimmable.



Model
WS426

DI diamonds*
GL glacier
LC lace
QT quilt

BB brushed brass
PC polished chrome
SN satin nickel

Glass Type	Glass Color	Finish	Lamp
GL	CR	PC	LED

*Only offered in Frost

AM amber
CR clear
FR frost

LED 2 x 13W, AC LED, **90 CRI**, 3000K
2400 Lumens before glass diffuser,
30,000 hrs, Dimmable






Mosaic Wall

Italian Piastra Glass half cylinder wall sconces. Handmade and decorated silver and gold. Dimmable.




Model
WS251

LED 13W, AC LED, 3000K, **90 CRI**, 1200 Lumens, 30,000 Hrs, Dimmable.

Finish	Lamp
AM	LED
AM amber CRGD clear - gold SI silver	



Shown:
(3) WS455BLMB6
Seeno Wall in Black



H= 13.7" , W= 7"
Wall projection 5.5"

Seeno Wall

Contemporary styled wall fixture. Metal body with satin white inside and choice of satin white, satin black or satin nickel exterior finish. 2 x E26 sockets accept incandescent or 120v LED lamps.

Model
WS455

BL black
SN satin nickel
WH white

Finish	Lamp
WH	MB6

LA7 LED A19 2 x 7W
MB6 Medium Base Incandescent E26 2 x 60W





Shown:
(1) WS451BCRPNX3
Domi Wall Long in
Polished Nickel

Domi Wall Long

Pristine handworked pure leaded crystal in your choice of Bronze, Polished Gold, Polished Nickel or Satin Nickel finish options. Dimmable with ELV dimmer.

Model
WS451B

CR clear		L2 LED G4 JC 2W
		X3 G4 Xenon 35W
Color	Finish	Lamp
CR	PN	X3
BZ bronze		
PG polished gold		
PN polished nickel		
SN satin nickel		



Domi Wall Short

Pristine handworked pure leaded crystal in your choice of Bronze, Polished Gold, Polished Nickel or Satin Nickel finish options. Dimmable with ELV dimmer.

Model
WS451A

CR clear		L2 LED G4 JC 2W
		X3 G4 Xenon 35W
Color	Finish	Lamp
CR	PG	X3
BZ bronze		
PG polished gold		
PN polished nickel		
SN satin nickel		



Shown:
(1) WS452ACRPNX3
Lindy Wall Short in
Polished Nickel



Lindy Wall Long

Pristine handworked pure leaded crystal in Clear or Cognac with your choice of Bronze, Polished Gold, Polished Nickel or Satin Nickel finish options. Dimmable with ELV dimmer.

Model WS452B		
CG cognac	L2 LED G4 JC 2W	
CR clear	X3 G4 Xenon 35W	
Color	Finish	Lamp
CR	PN	X3

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Wall projection 5.5"

Lindy Wall Short

Pristine handworked pure leaded crystal in Clear and Cognac with your choice of Bronze, Polished Gold, Polished Nickel or Satin Nickel finish options. Dimmable with ELV dimmer.


Model WS452A		
CG cognac	L2 LED G4 JC 2W	
CR clear	X3 G4 Xenon 35W	
Color	Finish	Lamp
CR	PG	X3

BZ bronze
PG polished gold
PN polished nickel
SN satin nickel



Wall projection 5.5"





Sully Wall

Wall washing LED luminaire.
Mini-textured white powder coating.
Dimmable with ELV Dimmer.

Model
WS245

LED LED 12W Linear, **90 CRI**,
3000K, 600 Lumens, Dimmable

Finish	Lamp
WH	LED
WH white	





Shown:
(2) WS247PABZL5A15
Ajax Wall



Ajax

Short sturdy steel backplate. Bronze plated rectangular light box with cream colored high heat parchment paper shade. Dimmable.

Model
WS246

BZ bronze		
Color	Finish	Lamp
PA	BZ	L5A15
PA paper		

 **L5A15** E26 A15 LED 5W Frosted
 **RTL6CR** E26 T10 185mm LED 6W, 500 Lumens, Clear

Ajax

Long sturdy steel backplate. Bronze plated rectangular light box with cream colored high heat parchment paper shade. Dimmable.

Model
WS247

BZ bronze		
Color	Finish	Lamp
PA	BZ	L5A15
PA paper		

 **L5A15** E26 A15 LED 5W Frosted
 **RTL6CR** E26 T10 185mm LED 6W, 500 Lumens, Clear





Shown:
(1) BB424OPPC33
33" Gus Bath Bar



BB424 - 33



BB424 - 25



BB424 - 13



Gus Bath


Bath bar with Opal glass diffuser and Polished Chrome metal finish.Can be mounted vertically or horizontally.

Linear DOB Modules:


- 33" version has (1) 9.5W, (1) 26.5W, AC LED, 3000K, **CRI 90**, 30,000 hours, 3200 lumens, Dimmable.
- 25" version has (2) 13W, AC LED, 3000K, **CRI 90**, 30,000 hours, 2400 lumens, Dimmable.
- 13" version has (1) 13W, AC LED, 3000K, **CRI 90**, 30,000 hours, 1200 lumens, Dimmable.

Model
BB424


PC Polished Chrome		
Color	Finish	Size
OP	PC	33
OP opal		13 13"
		25 25"
		33 33"




Wall projection 4.5"



BB424 - 13



BB424 - 25



BB424 - 33





Shown:
(2) WS329AAFRALL6
Baya Long




Shown:
(1) WS329AAFRALL6
Baya Long

Baya Long

Wall sconce combines design with frosted LED edge lit acrylic and satin anodized aluminum finish.

Fixture can be mounted horizontally or vertically.

Model WS329			
AA 2 long panels			
AB 1 long panel, 1 short panel			
BB 2 short panels			
AL anodized aluminum			
Panels	Color	Finish	Lamp
AA	FR	AL	L6
FR frosted		L6 LED COB 6W, 90 CRI , 3000K 500 Lumens, Dimmable	





Shown:
(1) WS329ABFRALL6
Baya Up



Shown:
(2) WS329BBFRALL6
Baya Short

Baya Short, Baya Up

Wall sconce combines design with frosted LED edge lit acrylic and satin anodized aluminum finish.

Fixture can be mounted horizontally or vertically.



Model
WS329

AA 2 long panels

AB 1 long panel, 1 short panel

BB 2 short panels

AL anodized aluminum

Panels	Color	Finish	Lamp
AB	FR	AL	L6

FR frosted

L6 LED COB 6W, **90 CRI**, 3000K
500 Lumens, Dimmable





Dupla Wall

Pristine clear outer glass with cased opale inner glass. Polished chrome. IP44 Damp. Perfect for bath or damp locations. Dimmable with Triac or ELV.

Model
WS175

CR-OP clear - opal			LED 5W Teardrop, E12 base 500 Lumens, Dimmable
Color	Finish	Lamp	
CR-OP	PC	LE5	
PC polished chrome			



Shown:
(5) WO858FRALLED
Button



4.3" Ø



Wall projection 2.85"



Button

Satin anodized aluminum LED luminaire
and Frosted Cast acrylic.

Rated for Damp and Wet Location applications.
Perfect for outside and for bath lighting.
Dimmable with ELV Dimmer.

WET LISTED

Model
WO858


AL anodized aluminum		
Color	Finish	Lamp
FR	AL	LED
FR frosted		LED LED 6W, 90 CRI, 3000K, 500 Lumens, Dimmable





Shown:
(5) S Bella Heads (SN) Cable Install

Low Voltage
Cable System



S Bella Head

Highly adjustable head tilts 140° within ring. Ring will rotate 360°. Various Lens and Louvers available. 3.5" and 5.5" cable separation available with S Bella.




Model
CB906

⚡ **D6** LED MR16 6W
⚡ **M5** MR16 Halogen 50W

Finish	Lamp	Mounting
SN	D6	C5.5

BZ bronze
SN satin nickel

C5.5 5.5" cable separation
C3.5 3.5" cable separation



Louver Black - CBSBLVRBL

Hexcell louver cuts glare from lamp.

Requires a lens holder or an accessory that accepts lenses or louvers (sold separately).




Lens Frost White - CBSBLNSFW

Soft focus lens reduces lamp glare and blurs the sharp lines of Lamp image

Requires a lens holder or an accessory that accepts lenses or louvers (sold separately).

Low iron glass (transmits 91% of the light).





Snowmass EZ Jack Head

Head rotates 360°, swivels 220°, pivots on horizontal and vertical axis.

Can be accesorized with elements on page 82

Model CB902			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting			
BZ	M5	C			
BZ bronze SN satin nickel		C cable adapter			



Aspen Head

Highly adjustable head tilts 140° within ring. Ring will rotate 360°.

Can be accesorized with elements on page 82

Model CB903			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting			
BZ	M5	C			
BZ bronze SN satin nickel		C cable adapter			



Vail Pivot Head

Head swivels 220°, pivots on horizontal and vertical axis.

Can be accesorized with elements on page 82

Model CB900			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting			
BZ	M5	C			
BZ bronze SN satin nickel		C cable adapter			

Whistler Head

Head pivots 220° on two axis, field cuttable rods.

Can be accesorized with elements on page 82


Model CB901			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting			
BZ	M5	C			
BZ bronze SN satin nickel		C cable adapter			



Cable Head Top

Borosillicate glass tube in frost or amber meant to hang on vertical or horizontally mounted cable runs.

Model CB507				L2 LED G4 JC 2W X3 GY6.35 Xenon 35W			
Color	Finish	Lamp	Mounting				
AM	BZ	X3	C				
BZ bronze SN satin nickel		C cable adapter					



DECORATIVE ELEMENTS

Each element easily attaches with a simple spring clip. (included)



HL204 (BZ,PN,SN)



HL203AM (BZ,PN,SN)



HL203MO (BZ,PN,SN)



HL205BU (BZ,PN,SN)



HL202FR (BZ,PN,SN)



HL205CR (BZ,PN,SN)



PL201 SN



PL201 PN



PL201 BZ



PL202CR SN



PL202FR SN



PL206TO SN



DESIGN

Determine what you are trying to light. Determine your Finish (SN) or our proprietary (BZ) Cable and what Heads you want to choose. Head and Accessories can be found on pages 78-87. Also you may choose compatible Heads and Pendants that attach to cable using our EZ Jack Cable Light Adapter.

SPECIFY CABLE LENGTH

Cable Bare

Rated for 300W at 12V, 600W at 24V load: Voltage drops occur at 30' with 12V, and 60' with 24V.
#10 gauge tin-plated copper cable with Kevlar core.

CSCBLBAREBZ, CSCBLBARESN



SPECIFY HARDWARE, CANOPIES AND TRANSFORMERS

Universal Turnbuckles (2pc. set)

1 set (min) per cable run needed or use 2 sets for tightening cables at both ends. When ceiling mounted, cables drop 2.5" from ceiling. All turnbuckles include mounting hardware for drywall. Special hardware is available for brick, cement or plaster surfaces (specify when ordering).

CSTRNBCKL(BZ,SN)



Power Wall Anchors (2pc. set)

Comes as a pair of wall or ceiling anchors. These anchors can be used for feeding power or a set of dead wall anchors. To feed power, use a remote transformer (sold separately).

CSWALANC(BZ,SN)



Slimline Turnbuckles (2pc. set)

Slimline Turnbuckles tighten the cables and can be used for a cable run of 20 ft or less. They mount to wall or ceiling. When ceiling mounted, the cable is positioned 1 inch below the ceiling. Insulated version is required if mounting to metal (consult factory).

CSSLTRNBKL(BZ,SN)



SPECIFY HARDWARE, CANOPIIES AND TRANSFORMERS

Adjustable Cable Hanger 12ft

Used to support runs over 20' long so cable does not sag.

Wire grip allows easy adjustability.

CSCBLADJ12(BZ,SN)



Conductive Connector (2pc.set)

Connectors join cables end to end to continue conductivity.

CSCNS(BZ,SN)



Cable EZ Jack Adapter

Allows any EZ Jack element, Head or Pendant to mount and hang from cable run.

CSEJADP(BZ,SN)



Isolating Connector (2pc.set)

Connectors join cables end to end and isolate power feeds from each other.

CSCNISO
CSCNISOBZ



SPECIFY HARDWARE, CANOPIES AND TRANSFORMERS

Single Feed Remote Canopies

CSCPRIG(BZ,SN)
4” Round power feed canopy
20” single feed rigid connector

Single Feed Remote Canopies

CSCPSFT(BZ,SN)
4” Round power feed canopy
30”single feed soft feeder connector

Dual Feed Remote Canopies

CSCPRIGDU(BZ,SN)
4” Round power feed canopy
20” dual feed rigid connector for 600W remote transformer

Dual Feed Remote Canopies

CSCPSFTDU(BZ,SN)
4” Round power feed canopy
30” dual feed soft feeder connector



SMT	Description	Model No.	Input	Output	Dimmer Type
	12V/300W Surface Mount Cable Transformer 30” Power feed cable	PWECBL300ABZ	1x120 VAC/2.5A	1x300W 12VAC LED / HAL	Electronic Low Voltage Dimmer
	12V/300W Surface Mount Cable Transformer 30” Power feed cable	PWECBL300ASN	1x120 VAC/2.5A	1x300W 12VAC LED / HAL	Electronic Low Voltage Dimmer

SMT	Description	Model No.	Input	Output	Dimmer Type
	12V/60W 4” Surface Mount Cable Transformer 30” Power feed cable	PWECBL60BZLED	1x120 VAC/0.50A	1x60W 12VAC LED / HAL	Electronic Low Voltage Dimmer
	12V/60W 4” Surface Mount Cable Transformer 30” Power feed cable	PWECBL60SNLED	1x120 VAC/0.50A	1x60W 12VAC LED / HAL	Electronic Low Voltage Dimmer

Remote Transformer	Description	Dimensions	Model No.	Dimmer Type
	Jbox Electronic 60W 120V 0.50Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 2.2”x1.3”x0.82”	PWE60NL	Electronic Low Voltage Dimmer
	Remote Electronic 60W 120V 0.50Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 8.15”x2”x1.70”	PWERM60LED	Electronic Low Voltage Dimmer
	Remote Electronic 150W 120V 1.25 Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 9.2”x3.4”x1.70”	PWERM150LED	Electronic Low Voltage Dimmer
	Remote Electronic 300W 120V 2.5 Amp Output 12V AC LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 9.2”x3.4”x1.70”	PWERM300LED	Electronic Low Voltage Dimmer
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 8.75”x4.33”x3.82”	PWMRM150	LVM Dimmer
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp UL2108 Short circuit and thermal Protection * 277V available upon request	LxWxH (in) 8.75”x4.33”x3.82”	PWMRM300	LVM Dimmer
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp UL2108 Short circuit and thermal protection * 277V available upon request	LxWxH (in) 9.52”x5.31”x4.84”	PWMRM600	LVM Dimmer



Halo
 Round energy efficient flush mount.
 Matte White Metal Body. Hidden LED
 provides a high lumen indirect illumination.

Model
CL460

OP opal

LED LED 12W, 80 CRI, 3000K
1300 Lumens, Dimmable

Acrylic

Finish

Lamp

OP

WH

LED

WH white



Model
CL461

OP opal

LED LED 18W, 80 CRI, 3000K
2000 Lumens, Dimmable

Acrylic

Finish

Lamp

OP

WH

LED

WH white



Model CL462	OP opal			LED LED 28W, 80 CRI, 3000K 2200 Lumens, Dimmable
	Acrylic	Finish	Lamp	
	OP	WH	LED	
	WH white			





Puck Series

Round energy efficient flush mount. Matte White Metal Body. Hidden LED provides a high lumen direct illumination. Dimmable with ELV dimmer.

Model
CL464

FR frost	LED LED 18W, 90 CRI , 3000K 1440 Lumens, Dimmable	
Acrylic	Finish	Lamp
FR	WH	LED
WH white		



Model
CL465

FR opal	LED LED 24W, 90 CRI , 3000K 1920 Lumens, Dimmable	
Acrylic	Finish	Lamp
FR	WH	LED
WH white		



Model
CL466

FR opal	LED LED 48W, 90 CRI , 3000K 3840 Lumens, Dimmable	
Acrylic	Finish	Lamp
FR	WH	LED
WH white		



Model
CL467

FR opal	LED LED 2 x 36W, 90 CRI , 3000K 5760 Lumens, Dimmable	
Acrylic	Finish	Lamp
FR	WH	LED
WH white		




Model
CL468

FR opal	LED LED 2 x 48W, 90 CRI , 3000K, 7680 Lumens, Dimmable	
Acrylic	Finish	Lamp
FR	WH	LED
WH white		





Shown:
(18) CL092CRX2
Gracie Ceiling
in Clear



Gracie Ceiling

Crystal clear and Seedy clear hemisphere with frosted lamp compartment creates a beautiful ceiling or wall luminaire. 12v halogen or LED.

Dimmable with ELV Dimmer.

Model CL092	
	- L2 LED G4 JC 2W - X2 G4 Xenon 20W
Color	Lamp
CR	X2
CR clear SD seedy	



Shown: (3) CL092SDX2,
Gracie Ceiling Seedy



Max Pendant

Unique metalized Amber and metalized blue/grey oblong glass globes. Line voltage incandescent or LED retro tubular lamps. Dimmable.

Model PD330

Color	Finish	Lamp
AM	BB	RT3A
AM amber	BB brushed brass BL black	RT3A Medium Base Retro Filament Tube 30W, (185mm)

Model PD331

Color	Finish	Lamp
GY	BL	RT3A
AM amber GY grey	BB brushed brass BL black	RT3A Medium Base Retro Filament Tube 30W, (185mm)



Model PD332

Color	Finish	Lamp
AM	BB	RTL8C
AM amber GY grey	BB brushed brass BL black	RTL8C Medium Base Retro Filament Tube LED 8W, (300mm)

Shown:
(2) CH512CRPNCN6
Kilo Chandeliers



Kilo Retro with Chain

Elegant crystal globe surrounding classic
retro lamping options with polished nickel,
bronze or brushed brass metal accents.

Model
CH520

BB brushed brass
BZ bronze
PN polished nickel

Color	Finish	Lamp
CR	PN	RT3A

CR clear

- RT3A** Medium Base Retro Filament Tube 30W
- RT4B** Medium Base Retro Filament Bulb 40W
- RT4SA** Medium Base Retro Spiral Tube 40W
- RTL6ACR** 6W, 185mm, T10, Clear, 500 Lumens, 2700K
- RTL6BCR** 6W, Edison ST58, Clear, 500 Lumens, 2700K
- RTL6BGD** 6W, Edison ST58, Gold, 400 Lumens, 2200K
- RTL8CCR** 8W, 300mm, T10, Clear, 700 Lumens, 2700K
- RTL8CFR** 8W, 300mm, T10, Frosted, 600 Lumens, 2700K





Cloud Suspension

Donut shaped satin cased opal glass suspension luminaire.
Griplock cable height adjustable.

3 medium based sockets for incandescent or dimmable 24W LED

Model
CH525

● DOB24 LED DOB24 (DOB-Driver on Board) 90 CRI, 3000K, 1600 Lumens, Dimmable ⦿ MB4 Medium Base Incandescent 3x40W		
OP opal		
Color	Finish	Lamp
OP	PC	MB4
PC polished chrome		

Adjustable Up to 72"







Shown:
WO860ALLED
Synchro, Wide top up and
narrow down Light beams



3 Beam Options:

Wide top up and narrow down. Wide top and wide bottom. Narrow top and wide bottom.




Synchro

Satin anodized aluminum LED luminaire.
Unique vertical internal louvers that allows
adjustment simply by customer in the field.
Dimmable with ELV Dimmer.
WET LISTED


Model
WO860

LED LED 6W, 90 CRI , 3000K 470 Lumens, Dimmable	
Finish	Lamp
AL	LED
AL anodized aluminum	





LMPRTL6BGD
Gold ST58 Edison Style
120 Volts /6 Watts
2200K, 80 CRI, 400 Lumens
E26 Base, Dimmable
Average life 25,000 hours
58 mm (Diameter) x 127 mm (Length)



LMPRTL6BCR
Clear ST58 Edison Style
120 Volts /6 Watts
2700K, 80 CRI, 500 Lumens
E26 Base, Dimmable
Average life 25,000 hours
58 mm (Diameter) x 127 mm (Length)



LMPRTL6ACR
Clear T10 Tubular
120 Volts, 6 Watts
2700K, 82 CRI, 500 Lumens
E26 Base, Dimmable
Average Life 30,000 hours
30mm Diameter x 185mm Length



LMPRTL8CCR
Clear T10 Tubular
120 Volts, 8 Watts
2700K, 83 CRI, 700 Lumens
E26 Base, Dimmable
Average Life 30,000 hours
30mm Diameter x 300mm Length



LMPRTL8CFR
Frosted T10 Tubular
120 Volts, 8 Watts
2700K, 83 CRI, 600 Lumens
E26 Base, Dimmable
Average Life 30,000 hours
30mm Diameter x 300mm Length

* Additional lamps
Available-Consult Factory

STONE LIGHTING no. 43

Lamping
Guide



Product Name	Bulb	Model	Description	Av. rated Life	Color Temp.	Lumens
12 VOLT HALOGEN & XENON						
12 Volt Halogen Bi-Pin		LMPX1CR	12v 10W G4 Halogen Bipin Clear	2,000	2900k	120
		LMPX2CR	12v 20W G4 Super 5K Xenon Bipin Clear	5,000	2900K	350
		LMPX2FR	12v 20W G4 Super 5K Xenon Bipin Frost	5,000	2900K	330
		LMPX5CR	12v 50W G6.35 Super 5K Xenon Bipin Clear	5,000	2900K	1100
		LMPX5FR	12v 50W G6.35 Super 5K Xenon Bipin Frost	5,000	2900K	1050
		LMPX3CR10K	12v 35W G6.35 Xenon Bipin Ultra 10K Clear	10,000	2900k	700
		LMPX3FR10K	12v 35W G6.35 Xenon Bipin Ultra 10K Frost	5,000	3000k	650
12 Volt Halogen MR11		LMPN3N	12v 35W MR11 Super 5K Bipin Narrow Flood FTF-P	5,000	3000k	3600
12 Volt Halogen MR16 Bipin Lamp		LMPM3M	12v 35W MR16 Super 5K Medium Flood FMW-P Dichroic	5,000	3000K	1600
		LMPM3MCC	12v 35W MR16 Super 5K Medium Flood FMWAlu Constant Color	5,000	3000K	1600
		LMPM3NSP	12v 35W MR16 Super 5K Narrow Spot	5,000	3000K	1600
		LMPM5MCC	12v 50W MR16 Super 5K Medium Flood EXZ Alu Constant Color	5,000	3000K	2200
		LMPM5N10K	12v 50W MR16 Ultra 10K EXN/10M Dichroic	10,000	3000K	2200
		LMPM5WFR	12v 50W MR16 Super 5K EXN Wide Beam Decor Frosted Back	5,000	3000K	1600
12 VOLT LED						
12 Volt LED MR16		LMPD4 LMPD6	12v 4W LED MR16 38 Degree AC 12v 6W LED MR16 38 Degree AC Dimable	35,000 35,000	2700k 2700k	280 420
12 Volt LED Bi-Pin		LMPL2WW27 LMPL2WW35 LMPL3WWCR LMPL3WWFR	12v 2W LED G4 JC Bipin 12v 2W LED G4 JC Bipin 12v 3W LED G4 JC Bipin Clear 12v 3W LED G4 JC Bipin Frost		2700k 3500k 2900k 2900k	
120 VOLT HALOGEN						
120 Volt Halogen Mini-Can		LMPMC5FR LMPMC15	120v 50W Mini-Can E11 Frost 120v 150W Mini-Can E11 Clear	2,000 2,000	2900k 2900k	1000 2500
120 Volt Halogen G9		LMPG975FR	120v 75W G9 Frost	2,000	2900k	1000
120 Volt Halogen GU10		LMPGM5	120v 50W GU10 MR16 Halogen	2,000	3000k	2200
120 VOLT FLUORESCENT						
120v Compact Fluorescent 4 Pin		LMPQ13W LMPQ13N LMPQ18N LMPQ26N	120v 13W Compact Fluorescent FLD/E Base G24q1 120v 13W Compact Fluorescent FLD/E Base G24q1 120v 18W Compact Fluorescent FLD/E Base G24q2 120v 26W Compact Fluorescent FLD/E Base G24q3	12,000 12,000 12,000 12,000	2700k 3500k 3500k 3500k	900 900 1200 1800
120v Compact Fluorescent GU24		LMPCF13GW LMPCF13GN LMPCF18GN LMPCF26GN	120v 13W Compact Fluorescent GU24 Base 120v 13W Compact Fluorescent GU24 Base 120v 18W Compact Fluorescent GU24 Base 120v 26W Compact Fluorescent GU24 Base	10,000 10,000 10,000 10,000	2700k 3500k 3500k 3500k	800 800 1200 1750
120 VOLT RETRO LAMPS						
120v Retro Lamps		LMPRT3A LMPRT4C LMPRT4F	120v 30W Retro Tube Filament 185mm T9 E26 Base 120v 40W Retro Tube Filament 300mm T9 E26 Base 120v 40W Retro Tube Filament 90mm T10 E26 Base	3,000 3,000 1,000	- - 2700K	95 165 150
		LMPRT4SA LMPRT4SC	120v 40W Retro Tube Spiral Filament 185mm T9 E26 Base 120v 40W Retro Tube Spiral Filament 300mm T8 E26 Base	3,000 3,000	- -	100 135
		LMPRT6B	120v 60W Edison Shape Retro Lamp E26 Base	3,000	-	200
120 VOLT LED LAMPS						
120v LED G9		LMPG93	120v 2.0W LED G9 WW	30,000	3000k	150
120v LED A19		LMPLA5 LMPLA7 LMPLA10	120v 5W LED A15 Dimmable 120v 7W LED A19 Dimmable 120v 10W LED A19 Dimmable	30,000 30,000 30,000	3000k 3000k 3000k	500 650 850
120v LED GU10		LMPGB6	120v 6W LED GU10 38 Deg MR16 Dimmable	50,000	3000k	300
120v LED 4 Pin 120v LED 4 Pin		LMP2G11L8 LMP2G11L12	120v 8W LED 2G11 PLL 8.25" 120v 12W LED 2G11 PLL 12.25"	36,000 36,000	3000k 3000k	675 1,050
120v LED G		LMPLG5	120v 5W LED G15 E26 Base Dimmable	30,000	3000k	500
120v LED E12		LMPLE5	120v 5W LED Teardrop E12 Base Dimmable	30,000	3000k	500